

## RFA Ringversuch GeoPT 49, IAG - BVA-1, Basalt

**Veranstalter des Ringversuchs:** International Association of Geoanalysts and Geostandards Newsletter  
- GeoPT49

**Ringversuchsmaterial:** BVA-1, Basalt

**RV geschlossen:** 2021 - 7

**Literatur:** Report - GeoPT49 Proficiency Testing Round 49 (Laborcode CRB = L100)

### Hauptelemente [MA%]

	CRB	RV	1sRV	Z-Score
SiO <sub>2</sub>	52,620	52,520	0,579	0,090
TiO <sub>2</sub>	1,190	1,176	0,023	0,310
Al <sub>2</sub> O <sub>3</sub>	14,270	14,320	0,192	-0,130
Fe <sub>2</sub> O <sub>3</sub> tot	11,460	11,310	0,157	0,480
MnO	0,183	0,179	0,005	0,430
MgO	6,550	6,580	0,099	-0,150
CaO	10,520	10,430	0,147	0,310
Na <sub>2</sub> O	2,280	2,235	0,040	0,570
K <sub>2</sub> O	0,710	0,720	0,015	-0,330
P <sub>2</sub> O <sub>5</sub>	0,145	0,140	0,004	0,660
L.O.I. *	0,020	0,290	0,096	-1,390

### Spurenelemente [µg/g]

	CRB	RV	1sRV	Z-Score
Ba	195,00	178,50	6,50	1,26
Co	45,00	44,40	2,00	0,14
Cr	157,00	165,00	6,10	-0,65
Cu	128,00	121,90	4,70	0,64
Ga	19,00	17,40	0,90	0,87
Hf	3,10	2,76	0,20	0,90
Ni	67,00	74,30	3,10	-1,17
Rb	26,00	24,40	1,20	0,66
Sr	192,00	185,00	6,70	0,52
V	264,00	275,50	9,50	-0,61
Y	23,00	22,70	1,10	0,14
Zn	82,00	82,60	3,40	-0,08
Zr	98,00	99,80	4,00	-0,22

### Legende

**CRB:** Ergebnisse CRB – **RV:** Ergebnisse Ringversuch -- **1s-RV:** Standardabweichung Ringversuch

**Z-Score:** Differenz des Messwertes vom Mittelwert des Ringversuchs -- \* Wert nicht zertifiziert



# GeoPT

## Proficiency Testing Programme for Geochemical Laboratories

Organised by the International Association of Geoanalysts (IAG)

### Certificate of Performance



Subscriber: **GeoPT240**  
Round: **GeoPT49**

Laboratory Code: **L100**

Test Material: **BVA-1**  
Date: **June 2021**

Analyte	Z-Score	Data Quality	Consensus Value	Result Submitted
			g/100g	g/100g
SiO <sub>2</sub>	0.09	2	52.52	52.62
TiO <sub>2</sub>	0.3	2	1.176	1.19
Al <sub>2</sub> O <sub>3</sub>	-0.12	2	14.32	14.27
Fe <sub>2</sub> O <sub>3</sub> T	0.48	2	11.31	11.46
Fe(II)O	-	2	8.425	
MnO	0.43	2	0.1790	0.183
MgO	-0.15	2	6.580	6.55
CaO	0.31	2	10.43	10.52
Na <sub>2</sub> O	0.57	2	2.235	2.28
K <sub>2</sub> O	-0.33	2	0.7200	0.71
P <sub>2</sub> O <sub>5</sub>	0.66	2	0.1400	0.145
			mg/kg	mg/kg
Ag	-	2	0.05214	
Ba	1.26	2	178.5	195
Be	-	2	0.7090	
Bi	-	2	0.03019	
Cd	-	2	0.08756	
Ce	-	2	26.70	
Co	0.14	2	44.42	45
Cr	-0.65	2	165.0	157
Cs	-	2	1.215	
Cu	0.65	2	121.9	128
Dy	-	2	4.250	
Er	-	2	2.461	
Eu	-	2	1.194	
Ga	0.87	2	17.43	19
Gd	-	2	4.130	
Ge	-	2	1.483	
Hf	0.9	2	2.760	3.1

Analyte	Z-Score	Data Quality	Consensus Value	Result Submitted
			mg/kg	mg/kg
Ho	-	2	0.8750	
In	-	2	0.06800	
La	-	2	12.29	
Li	-	2	13.50	
Lu	-	2	0.3399	
Mo	-	2	0.7069	
Nb	-	2	8.000	
Nd	-	2	14.63	
Ni	-1.17	2	74.30	67
Pb	-	2	4.697	
Pr	-	2	3.391	
Rb	0.66	2	24.40	26
Sb	-	2	0.1615	
Sc	-	2	36.00	
Sm	-	2	3.668	
Sn	-	2	1.016	
Sr	0.52	2	185.0	192
Ta	-	2	0.5204	
Tb	-	2	0.6900	
Th	-	2	2.540	
Tl	-	2	0.1200	
Tm	-	2	0.3557	
U	-	2	0.5851	
V	-0.61	2	275.5	264
W	-	2	0.3300	
Y	0.14	2	22.69	23
Yb	-	2	2.267	
Zn	-0.08	2	82.56	82
Zr	-0.22	2	99.75	98

The principles upon which GeoPT z-scores are based are detailed in the full report for this round

- indicates result within acceptable range of z-score limits  $|z| < 2$

- indicates result outside z-score limits  $|z| > 2$  but within the z-score limits  $|z| < \text{or} = 3$

- indicates result outside z-score limits  $|z| > 3$  and likely to require investigation

Consensus values are assigned values unless otherwise indicated

Shaded Consensus values have provisional status

*Peter Webb* . Peter Webb - Administrator of GeoPT on behalf of the International Association of Geoanalysts

# GeoPT49 — AN INTERNATIONAL PROFICIENCY TEST FOR ANALYTICAL GEOCHEMISTRY LABORATORIES — REPORT ON ROUND 49 (Basalt, BVA-1) / July 2021

Peter C. Webb<sup>1\*</sup>, Philip J. Potts<sup>1</sup>, Michael Thompson<sup>2</sup>, Charles J. B. Gowing<sup>3</sup>  
and Stephen A. Wilson<sup>4</sup>

<sup>1</sup>Formerly of the Faculty of Science, Technology, Engineering and Mathematics, The Open University, Walton Hall, Milton Keynes, MK7 6AA, UK.

<sup>2</sup>School of Biological and Chemical Sciences, Birkbeck University of London, Malet Street, London WC1E 7HX, UK.

<sup>3</sup>British Geological Survey, Keyworth, Nottingham, NG12 5GG, UK.

<sup>4</sup>Formerly of the U.S. Geological Survey, Denver Federal Centre, Denver, CO 80225, USA.

\*Corresponding author, Peter Webb: e-mail [geopt.iag@gmail.com](mailto:geopt.iag@gmail.com)

*Keywords: proficiency testing, quality assurance, GeoPT, GeoPT49, Round 49, BVA-1, Basalt,*

## Abstract

Results are presented for Round 49 of the International Association of Geoanalysts' Proficiency Testing programme for analytical geochemistry laboratories. The test material distributed in this round was the Basalt, BVA-1, provided by Dr Stephen Wilson in 2019 when at the United States Geological Survey, Denver. In this report, the data contributed by 93 laboratories are listed, together with an assessment of consensus values, consequent *z*-scores and charts to show the distribution of contributed results and the overall performance of participating laboratories.

## Introduction

This forty-ninth round of the international proficiency testing programme, GeoPT, was conducted in a similar manner to earlier rounds (listed in Appendix 1). However, the postponement of previous rounds due to the coronavirus pandemic altered our customary timing (see the **Timetable** section below). The programme is designed to be part of the routine quality assurance procedures employed by an analytical geochemistry laboratory. It is organised by the International Association of Geoanalysts and is conducted in accordance with a published protocol, recently revised (IAG, 2020). The overall aim of the programme is to provide participating laboratories with information on their performance in the form of *z*-scores for each reported measurement result so that each laboratory can decide whether their data quality is satisfactory in relation both to their chosen fitness-for-

purpose criteria and to the results submitted by other laboratories participating in this round. In circumstances where its *z*-scores are unsatisfactory, a participating laboratory is encouraged to investigate for unsuspected analytical bias and to take corrective action when this appears justified.

**Steering Committee for Round 49:** P.C. Webb (administrator and results assessor), P.J. Potts (results reviewer), M. Thompson (statistical advisor), C.J.B. Gowing (distribution manager), S.A. Wilson (supplier of BVA-1).

**Timetable for Round 49:** The coronavirus pandemic caused a short postponement of Round 49 relative to our customary timing for a spring round.

Distribution of sample: April 2021

Results accepted from: 10th May 2021

Results submission deadline: 30th June 2021

Release of report: July 2021

## Test Material details

**GeoPT49:** The Basalt test material, BVA-1, was provided by Dr Stephen Wilson in 2019 when at the United States Geological Survey, Denver. The test material had been evaluated for homogeneity by the originator and was considered suitable for use in this proficiency test.

## Submission of results

For GeoPT49 (BVA-1), a total of 3291 results are listed in Table 1 as submitted by 93 laboratories. Of these, 1516 measurement results were designated by their originators as data quality 1 (see **Z-score analysis section** below for explanation of data quality) and are shown in **bold**, whereas 1775 results were specified as data quality 2 and are shown underlined. Results from all laboratories submitting data were used to assess consensus values for each measurand.

It is gratifying that no more than 2 laboratories reported values of '0' (i.e. zero) in this round. Note that participants are instructed **not to report zero values** nor values below their limits of determination. However, it is apparent that several laboratories reported results for **C(tot), Cl and S in units of g/100g instead of mg/kg**. Consequently, we must remind analysts in the **strongest terms** that measurement results of **all trace constituents should be reported in mg/kg**. Analysts should be aware that suspected **invalid results cannot be altered or removed** once they have been submitted and that their corresponding **z-scores will be adversely affected**.

## Assigned values and results summary

Following procedures described in earlier rounds, and detailed fully in the GeoPT protocol (IAG, 2020), robust statistical procedures were used to derive consensus values for measurands in this test material: these consensus values being judged to be the best available estimates of the true composition of the test material. Values were assigned on the basis that: i) sufficient laboratories (15 or more) had contributed data for estimating the consensus, ii) visual assessment gave confidence that a substantial proportion of the results distribution was symmetrically disposed about the consensus value, iii) the ratio of the uncertainty in the location estimate to the target precision was an acceptably small value, and iv) an evaluation of measurement results by procedure – including both methods of analysis and sample preparation – indicated that no significant procedural bias was discernible amongst measurement results from which the consensus was derived. Where these criteria were largely, but not fully met, or where obvious anomalies in the dataset could be accommodated by judicious selection of the consensus, values were credited with 'provisional' rather than 'assigned' status.

Data assessments involved an examination of barcharts showing the distribution of results contributed for each measurand (as presented in Figures 1 and 2). In addition, when appropriate, a variety of plots permitting discrimination of data by method of analysis and by sample preparation procedure, as developed by Thomas Meisel using the Shiny App (<https://www.shinyapps.io>) and linked to the statistical package 'R', were also examined. This enabled us, when necessary, to refine the selection of consensus values by taking account of data distributions according to analytical procedure.

Consensus values derived from contributed data were provided in 19 instances by the Huber robust mean. Although outliers can be accommodated by this procedure, it is less effective when a dataset is skewed, and frequently does not provide a satisfactory estimation of the consensus. In such circumstances, the median is often a more appropriate robust estimator and was employed in 27 cases. For more severely skewed and strongly tailed datasets, the median may not be suitable and a mode is often a more effective means of estimating the location of the consensus. In this round the use of a mode as a consensus location estimator was preferred in 11 cases, and in just 1 of these, the distribution of data was sufficiently compatible with the conditions outlined above to justify its designation as an assigned value. The procedure used to determine modes was mostly that described by Thompson (2017) involving the estimation of the mass fraction corresponding to the maximum value of the kernel density distribution for the dataset. Such modes provide robust estimates of consensus locations that represent the most coherent part of data distributions often where data are symmetrically disposed, although the dataset as a whole may be asymmetric.

Table 2 lists assigned and provisional values for 11 major components and 46 trace elements in GeoPT49 (BVA-1). Barcharts that were judged to have satisfactory distributions for consensus values to be designated as assigned or provisional values, enabling z-scores to be calculated, are shown in Figure 1. These 57 measurands are listed in Table 2 for the analytes: SiO<sub>2</sub>, TiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub>, Fe<sub>2</sub>O<sub>3</sub>T, Fe(II)O\*, MnO, MgO, CaO, Na<sub>2</sub>O, K<sub>2</sub>O, P<sub>2</sub>O<sub>5</sub>, Ag\*, Ba\*, Be, Bi\*, Cd\*, Ce, Co, Cr\*, Cs, Cu, Dy, Er, Eu, Ga, Gd, Ge\*, Hf, Ho, In\*, La, Li, Lu, Mo, Nb\*, Nd, Ni\*, Pb, Pr, Rb, Sb\*, Sc, Sm, Sn\*, Sr, Ta, Tb, Th, Tl, Tm, U, V\*, W\*, Y, Yb, Zn\* and Zr. Of these, the measurands of the 15 analytes marked '\*' could be credited only with

provisional status. Such instances of provisional status were conferred because either: i) a relatively small number of results (less than 15, but usually more than 9) contributed to the consensus, or ii) the results were unduly dispersed in relation to the target value, or iii) the distribution of results was significantly skewed, or iv) the dataset was affected by bias in one method employed but the remaining data defined a viable consensus.

Bar charts for the 9 analytes: H<sub>2</sub>O<sup>+</sup>, LOI, As, B, C(tot), Cl, F, S and Se are plotted in Figure 2 for information only, as the data were either insufficient in number, or the distribution was too highly skewed or too highly dispersed for the reliable determination of a consensus for the estimation of z-scores.

A majority of datasets in this round were symmetrically disposed, with remarkably little dispersion of the data. Some asymmetry of distributions was noted however, in particular for MnO, Ba, Cr, Mo, Ni, Pb, Sb, Ta, V, W, Zn and Zr, which required estimation of consensus values using medians and modes. For some of these elements the asymmetry was due to high tails, which in a few cases, especially for Pb and W, reflect XRF data presented at relatively low mass fractions where results have exceedingly poor precision and are below appropriate limits of quantification. In some cases, such as for Mo and Ta the high tails are due dominantly to ICP-MS data that does conform to the main body of coherent data obtained by that method.

Low tails were observed, not only for Zr, which is commonly associated with incomplete dissolution of zircon by acid digestion, but also for the metals, Co, Cr, Cu, Ni, V and Zn, again in association with procedures involving acid digestion. These situations emphasise the potential for bias in data obtained using acid digestion. Another notable bias is observed in XRF data obtained

from powder pellets (PP) in contrast to that obtained by fusion disc (FD) data and that produced by ICP-MS and ICP-AES/OES using acid digestion (AD) or fusion followed by acid digestion (FM\_AD). Bias towards high values on powder pellets is noted for Ba (see Figures 0.1




Figure 0.1 A sequential plot of sorted Ba results for BVA-1 represented according to method of sample preparation. Most of the XRF powder pellet data (PP) clearly contrast with data produced by other methods. Codes: AD–acid digestion; AD\_FM–acid digestion & fusion of residue; FD–fusion disc; FM\_AD–fusion & acid digestion; PP–powder pellets; other–not defined.




Figure 0.2 A representation of the distribution of Ba data submitted for BVA-1 according to sample preparation procedure. See Figure 0.1 for definition of the symbols.

and 0.2). The situation is reversed for a number of metals, however, in particular Co, Cr, Ni, V and Zn for which the powder pellet data is again biased, but towards lower values as shown for V in Figures 0.3 and 0.4. In most of these cases a consensus value was judiciously chosen to avoid the influence of such bias but those values were credited with only provisional status.




Figure 0.3 A sequential plot of sorted V results for BVA-1 represented according to method of sample preparation. Most of the XRF powder pellet data (PP) clearly contrast with data produced by other methods. See Figure 0.1 for definition of the symbols.

As is often the case, some sets of results, such as those of MnO, K<sub>2</sub>O, P<sub>2</sub>O<sub>5</sub>, Nb, Sc and Th feature stepped distributions caused by over-rounding of much of the contributed data. Our recommendation is that for proficiency testing purposes all measurands should be quoted to at least one extra decimal place than would be routine in order for the statistical procedures to more effectively define the consensus. This logic is especially relevant to components reported at low mass fractions.

For Fe(II)O, as in the previous round of GeoPT, a significant proportion of the data exhibited a fair degree of consistency. Although it was a marginal decision, it was considered that it would be useful to recognise a provisional value for Fe(II)O that would permit z-scores to be listed.

### Z-score analysis

As in previous rounds, laboratories were invited to choose one of two

performance standards against which their analytical results would be judged:

**Data quality 1** for laboratories working to a 'pure geochemistry' standard of performance, where analytical results are designed for geochemical research and where care is taken to provide data of high precision and accuracy, sometimes at the expense of a reduced sample throughput rate.

**Data quality 2** for laboratories working to an 'applied geochemistry' standard of performance, where, although precision and accuracy are still important, the main objective is to provide results on large numbers of samples collected, for example, as part of geochemical mapping projects or geochemical exploration programmes.

The **standard deviation for proficiency** ( $\sigma_{pt}$ ) – also referred to as the target precision – for each measurand




Figure 0.4 A representation of the distribution of V data submitted for BVA-1 according to sample preparation procedure. See Figure 0.1 for definition of the symbols.

assessed was calculated from a modified form of the Horwitz function as follows:

$$\sigma_{pt} = k \cdot x_{pt}^{0.8495}$$

Where  $x_{pt}$  is the mass fraction of the element; the factor  $k = 0.01$  for pure geochemistry laboratories (quality 1) and  $k = 0.02$  for applied geochemistry laboratories (quality 2).

Z-scores were calculated for each elemental measurement submitted by each laboratory from:

$$z = [x_i - x_{pt}] / \sigma_{pt}$$

Where  $x_i$  is the contributed measurement result,  $x_{pt}$  is the assigned (or provisional) value and  $\sigma_{pt}$  is the target standard deviation (all as mass fractions). Z-scores for results contributed to GeoPT49 are listed in Table 3. Those of results designated as data **quality 1** are shown in **bold**: those of data quality 2 are shown underlined. Z-scores derived from *provisional values* of measurands are shown in *italics*.

Participating laboratories are invited to assess their performance using the following criteria:–

Z-score results in the range  $-2 < z < 2$  are considered to be 'satisfactory' (in the sense that no action is called for by the participating laboratory). If the z-score for an element falls outside this range, more especially if it is outside the range  $-3 < z < 3$ , laboratories are advised to examine their procedures, and if necessary, take appropriate action to ensure that their determinations are not subject to unsuspected analytical bias.

## Overall performance

A summary of the overall performance of individual laboratories for this round is plotted in multiple z-score charts in Figure 3. In these charts, the z-score performance for each element is distinguished by symbols that make it easy to identify whether the results were satisfactory or gave z-scores that exceeded the action limits. This chart is designed to help individual laboratories judge their overall performance in this proficiency testing round. Participants should always review their z-scores in accordance with their own fitness-for-purpose criteria.

## Participation in future rounds

The benefit from proficiency testing arises from regular participation and laboratories are invited to contribute to Round 50, the test material for which will be distributed during September 2021.

## Acknowledgements

The authors once again thank Andrea Mills (BGS) for much-valued assistance in distributing these samples and Thomas Meisel (Montanuniversität Leoben, Austria) for maintenance of the system and development of procedures involving the package 'R' and the Shiny App which has greatly assisted in the investigation of data according to analytical procedure, provided the graphics featured in Figures 0.1, 0.2, 0.3 and 0.4, as well as facilitating the analysis of datasets involving modes derived according to Thompson (2017).

## References

**IAG (2020)** Protocol for the operation of the GeoPT Proficiency testing scheme. International Association of Geoanalysts (Keyworth, UK), 18pp.

<http://www.geoanalyst.org/wp-content/uploads/2020/07/GeoPT-revised-protocol-2020.pdf>.

**Potts P.J., Webb P.C. and Thompson M. (2015)** Bias in the determination of Zr, Y and rare earth element concentrations in selected silicate rocks by ICP-MS when using some routine acid dissolution procedures: Evidence from the GeoPT proficiency testing programme. *Geostandards and Geoanalytical Research*, 39, 403–416.

**Thompson, M. (2017)** On the role of the mode as a location parameter for the results of proficiency tests in chemical measurement. *Anal. Methods*, 9, p.5534–5540.

## References of more general relevance

**Potts P.J., Webb, P.C. and Thompson M. (2019)** The GeoPT proficiency testing programme as a scheme for the certification of geological reference materials. *Geostandards and Geoanalytical Research*, 43, 409–418.

**Webb, P.C., Potts P.J., Thompson M., Wilson, S.A. and Gowing, C.J.B. (2019)** The long-term robustness and stability of consensus values as composition location estimators for a typical geochemical test material in the GeoPT proficiency testing programme. *Geostandards and Geoanalytical Research*, 43, 397–408.

**Potts P.J. and Webb, P.C (2019)** An Evaluation of Methods for Assessing the Competence of Laboratories Based on Performance in the GeoPT Proficiency Testing Scheme. *Geostandards and Geoanalytical Research*, 43, 217–22.

## **ADDENDUM**

### **— IMPORTANT NOTICES TO ANALYSTS**

#### **Change in uncertainty estimation, 2020**

A change was made to the algorithm for the estimation of the uncertainty of median values and implemented for the first time in Round 47/47A. As described in the revised *GeoPT* protocol (IAG, 2020), median uncertainties are increased by a factor of 1.2533 compared to those from past rounds. Uncertainty values previously reported for values estimated as medians should be increased by this factor.

#### **Explicit advice to analysts for reporting of procedures involving ignition and fusion**

Note that some laboratories are still listing their procedure for determining LOI as the same as that employed for

major elements, rather than providing separate, specific details. We must remind analysts that it is important to provide information that is appropriate for every analyte. Indeed, analysts reporting measurement results for procedures involving fusion, sintering or ignition, and in particular, LOI determinations, should specify the correct method used and give details both of the temperature used and where appropriate, the end-point criterion, e.g., the duration of ignition. This information should be supplied in the description of the relevant **Procedure**, as **Additional Details**.

We recommend that details of gravimetric procedures are included under **Analytical Technique details** rather than under **Sample Preparation details**. For gravimetric analysis, other than drying, which should in any case be carried out according to our instructions, there is no other sample preparation involved.

## **Appendix 1**

### **Publication status of proficiency testing reports.**

Previous reports are available for download from the IAG website (<http://www.geoanalyst.org/>).

#### **GeoPT1**

Thompson M., Potts P.J., Kane J.S. and Webb P.C. (1996)  
*GeoPT1*. International proficiency test for analytical geochemistry laboratories - Report on round 1. *Geostandards Newsletter: The Journal of Geostandards and Geoanalysis*, 20, 295-325.

#### **GeoPT2**

Thompson M., Potts P.J., Kane J.S., Webb P.C. and Watson J.S. (1998)  
*GeoPT2*. International proficiency test for analytical geochemistry laboratories - Report on round 2. *Geostandards Newsletter: The Journal of Geostandards and Geoanalysis*, 22 127-156.

#### **GeoPT3**

Thompson M., Potts P.J., Kane J.S. and Chappell B.W. (1999a)  
*GeoPT3*. International proficiency test for analytical geochemistry laboratories - Report on round 3. *Geostandards Newsletter: The Journal of Geostandards and Geoanalysis*, 23, 87-121.

#### **GeoPT4**

Thompson M., Potts P.J., Kane J.S., Webb P.C. and Watson J.S. (1999b)  
*GeoPT4*. International proficiency test for analytical geochemistry laboratories - Report on round 4. Published in the electronic version of *Geostandards Newsletter: The Journal of Geostandards and Geoanalysis* (Summer 2000).

#### **GeoPT5**

Thompson M., Potts P.J., Kane J.S., and Wilson S. (1999c)  
*GeoPT5*. International proficiency test for analytical geochemistry laboratories - Report on round 5. Published in the electronic version of *Geostandards Newsletter: The Journal of Geostandards and Geoanalysis* (Summer 2000).

#### **GeoPT6**

Potts P.J., Thompson M., Kane J.S., Webb P.C. and Carignan J. (2000)  
*GEOPT6* - an international proficiency test for analytical geochemistry laboratories - report on round 6 (OU-3: Nanhon microgranite) and 6A (CAL-S: CRPG limestone). International Association of Geoanalysts: Unpublished report.

#### **GeoPT7**

Potts P.J., Thompson M., Kane J.S., and Petrov L.L. (2000)  
*GEOPT7* - an international proficiency test for analytical geochemistry laboratories - report on round 7 (GBPG-1 Garnet-biotite plagiogneiss). International Association of Geoanalysts: Unpublished report.

#### **GeoPT8**

Potts P.J., Thompson M., Kane J.S., Webb, P.C. and Watson J.S. (2000)  
*GEOPT8* - an international proficiency test for analytical geochemistry laboratories - report on round 8 / February 2001 (OU-4 Penmaenmawr microdiorite). International Association of Geoanalysts: Unpublished report.

#### **GeoPT9**

Potts P.J., Thompson M., Webb, P.C. and Watson J.S. (2001)  
*GEOPT9* - an international proficiency test for analytical geochemistry laboratories - report on round 9 / July 2001 (OU-6 Penrhyn slate). International Association of Geoanalysts: Unpublished report.

#### **GeoPT10**

Potts P.J., Thompson M., Webb, P.C., Watson J.S. and Wang Yimin (2001)  
*GEOPT10* - an international proficiency test for analytical geochemistry laboratories - report on round 10 / December 2001 (CH-1 Marine sediment). International Association of Geoanalysts: Unpublished report.

#### **GeoPT11**

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and Watson J.S. (2002)  
*GEOPT11* - an international proficiency test for analytical geochemistry laboratories - report on round 11 / July 2002 (OU-5 Leaton dolerite). International Association of Geoanalysts: Unpublished report.



## Appendix 1 (Cont'd)

### GeoPT12

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and Batjargal B. (2003)  
GeoPT12 - an international proficiency test for analytical geochemistry laboratories - report on round 12 / January 2003 (GAS Serpentinite). International Association of Geoanalysts: Unpublished report.

### GeoPT13

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and Kaspar H.U. (2003)  
GeoPT13 - an international proficiency test for analytical geochemistry laboratories - report on round 13 / July 2003 (Köln Loess). International Association of Geoanalysts: Unpublished report.

### GeoPT14

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and B. Batjargal (2004)  
GeoPT14 - an international proficiency test for analytical geochemistry laboratories - report on round 14 / January 2004 (OShBO - alkaline granite). International Association of Geoanalysts: Unpublished report.

### GeoPT15

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and Wang Yimin (2004)  
GeoPT15 - an international proficiency test for analytical geochemistry laboratories - report on round 15 / June 2004 (Ocean floor sediment MSAN). International Association of Geoanalysts: Unpublished report.

### GeoPT16

Potts P.J., Thompson M., Webb, P.C. and S.Wilson (2005)  
GeoPT16 - an international proficiency test for analytical geochemistry laboratories - report on round 16 / February 2005 (Nevada basalt, BNV-1). International Association of Geoanalysts: Unpublished report.

### GeoPT17

Potts P.J., Thompson M., Webb, P.C. and J. Nicholas Walsh (2005)  
GeoPT17 - an international proficiency test for analytical geochemistry laboratories - report on round 17 / July 2005 (Calcareous sandstone, OU-8). International Association of Geoanalysts: Unpublished report.

### GeoPT18

Webb, P.C., Thompson M., Potts P.J. and L. Paul Bedard (2006)  
GeoPT18 - an international proficiency test for analytical geochemistry laboratories - report on round 18 / Jan 2006 (Quartz Diorite, KPT-1). International Association of Geoanalysts: Unpublished report.

### GeoPT19

Webb, P.C., Thompson M., Potts P.J. and B. Batjargal (2006)  
GeoPT19 - an international proficiency test for analytical geochemistry laboratories - report on round 19 / July 2006 (Gabbro, MGR-N). International Association of Geoanalysts: Unpublished report.

### GeoPT20

Webb, P.C., Thompson M., Potts P.J. and M. Burnham (2007) GeoPT20 - an international proficiency test for analytical geochemistry laboratories - report on round 20 / Jan 2007 (Ultramafic rock, OPY-1). International Association of Geoanalysts: Unpublished report.

### GeoPT21

Webb, P.C., Thompson M., Potts P.J. and B. Batjargal (2007)  
GeoPT21 - an international proficiency test for analytical geochemistry laboratories - report on round 21 / July 2007 (Granite, MGT-1). International Association of Geoanalysts: Unpublished report.

### GeoPT22

Webb, P.C., Thompson, M., Potts, P.J. and Batjargal, B. (2008)  
GeoPT22 - an international proficiency test for analytical geochemistry laboratories - report on round 22 / January 2008 (Basalt, MBL-1). International Association of Geoanalysts: Unpublished report.

### GeoPT23

Webb, P.C., Thompson, M., Potts, P.J., Watson, J.S. and Kriete, C. (2008)  
GeoPT23 - an international proficiency test for analytical geochemistry laboratories - report on round 23 / September 2008 (Separation Lake pegmatite, OU-9) and 23A (Manganese nodule, FeMn-1). International Association of Geoanalysts: Unpublished report.

### GeoPT24

Webb, P.C., Thompson, M., Potts, P.J. and Watson, J.S. (2009)  
GeoPT24 - an international proficiency test for analytical geochemistry laboratories - report on round 24 / January 2009 (Longmyndian greywacke, OU-10). International Association of Geoanalysts: Unpublished report.

### GeoPT25

Webb, P.C., Thompson, M., Potts, P.J. and Enzweiler, J. (2009)  
GeoPT25 - an international proficiency test for analytical geochemistry laboratories - report on round 25 / July 2009 (Basalt, HTP-1). International Association of Geoanalysts: Unpublished report.

### GeoPT26

Webb, P.C., Thompson, M., Potts, P.J. and Loubser, M. (2010)  
GeoPT26 - an international proficiency test for analytical geochemistry laboratories - report on round 26 / January 2010 (Ordinary Portland cement, OPC-1). International Association of Geoanalysts: Unpublished report.

### GeoPT27

Webb, P.C., Thompson, M., Potts, P.J. and Batjargal, B. (2010)  
GeoPT27 - an international proficiency test for analytical geochemistry laboratories - report on round 27 / July 2010 (Andesite, MGL-AND). International Association of Geoanalysts: Unpublished report.

### GeoPT28

Webb, P.C., Thompson, M., Potts, P.J. and Wilson, S. (2011)  
GeoPT28 - an international proficiency test for analytical geochemistry laboratories - report on round 28 / January 2011 (Shale, SBC-1). International Association of Geoanalysts: Unpublished report.

### GeoPT29

Webb, P.C., Thompson, M., Potts, P.J. and Wilson, S. (2011)  
GeoPT29 - an international proficiency test for analytical geochemistry laboratories - report on round 29 / July 2011 (Nephelinite, NKT-1). International Association of Geoanalysts: Unpublished report.

### GeoPT30

Webb, P.C., Thompson, M., Potts, P.J., Long, D. and Batjargal, B. (2012)  
GeoPT30 - an international proficiency test for analytical geochemistry laboratories - report on round 30 / January 2012 (Syenite, CG-2) and 30A (Limestone, ML-2). International Association of Geoanalysts: Unpublished report.

### GeoPT31

Webb, P.C., Thompson, M., Potts, P.J. and Wilson, S. (2012)  
GeoPT31 - an international proficiency test for analytical geochemistry laboratories - report on round 31 / July 2012 (Modified river sediment, SdAR-1). International Association of Geoanalysts: Unpublished report.

### GeoPT32

Webb, P.C., Thompson, M., Potts, P.J. and Webber, E. (2013)  
GeoPT32 - an international proficiency test for analytical geochemistry laboratories - report on round 32 / January 2013 (Woodstock Basalt, WG-1). International Association of Geoanalysts: Unpublished report.

### GeoPT33

Webb, P.C., Thompson, M., Potts, P.J., Prusisz, B., and Young, K. (2013)  
GeoPT33 - an international proficiency test for analytical geochemistry laboratories - report on round 33 / July-August 2013 (Ball Clay, DBC-1). International Association of Geoanalysts: Unpublished report.

## Appendix 1 (Cont'd)

### **GeoPT34**

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2014)  
GeoPT34 - an international proficiency test for analytical geochemistry laboratories - report on round 34 (Granite, GRI-1) / January 2014. International Association of Geoanalysts: Unpublished report.

### **GeoPT35**

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2014)  
GeoPT35 - an international proficiency test for analytical geochemistry laboratories - report on round 35 (Tonalite, TLM-1) / August 2014. International Association of Geoanalysts: Unpublished report.

### **GeoPT35A**

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2014)  
GeoPT35A - an international proficiency test for analytical geochemistry laboratories - report on round 35A (Metalliferous sediment, SdAR-H1) / August 2014. International Association of Geoanalysts: Unpublished report.

### **GeoPT36**

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2015)  
GeoPT36 - an international proficiency test for analytical geochemistry laboratories - report on round 36 (Gabbro, GSM-1) / January 2015. International Association of Geoanalysts: Unpublished report.

### **GeoPT36A**

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2015)  
GeoPT36A - an international proficiency test for analytical geochemistry laboratories - report on round 36A (Metal-rich sediment, SdAR-M2) / January 2015. International Association of Geoanalysts: Unpublished report.

### **GeoPT37**

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Burnham, M. (2015)  
GeoPT37 - an international proficiency test for analytical geochemistry laboratories - report on round 37 (Rhyolite, ORPT-1) / July 2015. International Association of Geoanalysts: Unpublished report.

### **GeoPT37A**

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S. (2015)  
GeoPT37A - an international proficiency test for analytical geochemistry laboratories - report on round 37A (Blended sediment, SdAR-L2) / July 2015. International Association of Geoanalysts: Unpublished report.

### **GeoPT38**

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S.A. (2016)  
GeoPT38 - an international proficiency test for analytical geochemistry laboratories - report on round 38 (Gabbro, OU-7) / January 2016. International Association of Geoanalysts: Unpublished report.

### **GeoPT38A**

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Meisel, T. (2016)  
GeoPT38A - an international proficiency test for analytical geochemistry laboratories – special report on round 38A (Modified harzburgite, HARZ01) / June 2016. International Association of Geoanalysts: Unpublished report.

### **GeoPT39**

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S.A. (2016)  
GeoPT39 - an international proficiency test for analytical geochemistry laboratories - report on round 39 (Syenite, SyMP-1) / July 2016. International Association of Geoanalysts: Unpublished report.

### **GeoPT39A**

Webb, P.C., Thompson, M., Potts, P.J, and Gowing, C.J.B. (2016)  
GeoPT39A - an international proficiency test for analytical geochemistry laboratories - report on round 39A (Nepheline syenite, MNS-1) / July 2016. International Association of Geoanalysts: Unpublished report.

### **GeoPT40**

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S.A. (2017)  
GeoPT40 - an international proficiency test for analytical geochemistry laboratories - report on round 40 (Silty marine shale, ShWYO-1) / January 2017. International Association of Geoanalysts: Unpublished report.

### **GeoPT40A**

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S.A. (2017)  
GeoPT40A - an international proficiency test for analytical geochemistry laboratories - report on round 40A (Calcareous organic-rich shale, ShTX-1) / January 2017. International Association of Geoanalysts: Unpublished report.

### **GeoPT41**

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S.A. (2017)  
GeoPT41 - an international proficiency test for analytical geochemistry laboratories - report on round 41 (Andesite, ORA-1) / July 2017. International Association of Geoanalysts: Unpublished report.

### **GeoPT41A**

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S.A. (2017)  
GeoPT41A - an international proficiency test for analytical geochemistry laboratories - report on round 41A (Mineralized stream sediment, SSCO-1) / July 2017. International Association of Geoanalysts: Unpublished report.

### **GeoPT42**

Webb, P.C., Thompson, M., Potts, P.J., Gowing, C.J.B. and Burnham, M. (2018)  
GeoPT42 – an international proficiency test for analytical geochemistry laboratories – report on round 42 (Queenston shale, QS-1) / January 2018. International Association of Geoanalysts: Unpublished report.

### **GeoPT43**

Webb, P.C., Potts, P.J., Thompson, M. and Gowing, C.J.B. (2018)  
GeoPT43 – an international proficiency test for analytical geochemistry laboratories – report on round 43 (Dolerite, ADS-1) / July 2018. International Association of Geoanalysts: Unpublished report.

### **GeoPT44**

Webb, P.C., Potts, P.J., Thompson, M., Gowing, C.J.B. (2019)  
GeoPT44 – an international proficiency test for analytical geochemistry laboratories – report on round 44 (Calcareous shale, ShCX-1) / January 2019. International Association of Geoanalysts: Unpublished report.

### **GeoPT44A**

Webb, P.C., Potts, P.J., Thompson, M. Gowing, C.J.B. and Wilson, S.A. (2019)  
GeoPT44A – an international proficiency test for analytical geochemistry laboratories – report on round 44A (Calcareous mudrock, CM-1) / January 2019. International Association of Geoanalysts: Unpublished report.

### **GeoPT45**

Webb, P.C., Potts, P.J., Thompson, M. Gowing, C.J.B. and Wilson, S.A. (2019)  
GeoPT45 – an international proficiency test for analytical geochemistry laboratories – report on round 45 (Silicified siltstone, GONV-1) / July 2019. International Association of Geoanalysts: Unpublished report.

### **GeoPT46**

Webb, P.C., Potts, P.J., Thompson, M. and Gowing, C.J.B. (2020)  
GeoPT46 – an international proficiency test for analytical geochemistry laboratories – report on round 46 (Granodiorite, HG-1) / January 2020. International Association of Geoanalysts: Unpublished report.

## Appendix 1 (Cont'd)

### **GeoPT46A**

Webb, P.C., Potts, P.J., Thompson, M. Gowing, C.J.B. and Wilson, S.A. (2020)

GeoPT46A – an international proficiency test for analytical geochemistry laboratories – report on round 46A (Phosphate rock, POLC-1) / January 2020. International Association of Geoanalysts: Unpublished report.

### **GeoPT47**

Webb, P.C., Potts, P.J., Thompson, M. and Gowing, C.J.B. (2020)  
GeoPT47 – an international proficiency test for analytical geochemistry laboratories – report on round 47 (Silty Soil BIM-1) / December 2020. International Association of Geoanalysts: Unpublished report.

### **GeoPT47A**

Webb, P.C., Potts, P.J., Thompson, M. and Gowing, C.J.B. (2020)  
GeoPT47A – an international proficiency test for analytical geochemistry laboratories – report on round 47A (Silty Soil, NES-1) / December 2020. International Association of Geoanalysts: Unpublished report.

### **GeoPT48**

Webb, P.C., Potts, P.J., Thompson, M., Gowing, C.J.B., Glodny, J., Wiedenbeck, M. (2021)  
GeoPT48 – an international proficiency test for analytical geochemistry laboratories – report on round 48 (Monzonite, MzBP-1) / April 2021. International Association of Geoanalysts: Unpublished report.

Table 1 - GeoPT49 Contributed data for Basalt, BVA-1. 30/06/2021

Lab Code	L1	L2	L3	L4	L6	L8	L10	L11	L13	L14	L17	L18	L19	
SiO2	g 100g <sup>-1</sup>	<b>52.43</b>	<b>52.27</b>	<u>52.48</u>	<b>52.799</b>	<u>52.55</u>	<b>52.67</b>	<u>51.9</u>	<u>52.2</u>	<u>52.5</u>	<b>52.38</b>	<b>52.37</b>	<u>53.28</u>	<u>53.57</u>
TiO2	g 100g <sup>-1</sup>	<b>1.13</b>	<b>1.25</b>	<u>1.12</u>	<b>1.181</b>	<u>1.17</u>	<b>0.99</b>	<u>1.18</u>		<u>1.17</u>	<b>1.18</b>	<b>1.119</b>	<u>1.197</u>	<u>1.18</u>
Al2O3	g 100g <sup>-1</sup>	<b>14.76</b>	<b>14.06</b>	<u>15.08</u>	<b>14.229</b>	<u>14.36</u>	<b>3.29</b>	<u>14.3</u>		<u>14.67</u>	<b>14.08</b>	<b>14.51</b>	<u>14.55</u>	<u>14.44</u>
Fe2O3T	g 100g <sup>-1</sup>	<b>11.14</b>	<b>11.38</b>	<u>11.39</u>	<b>11.431</b>	<u>11.24</u>	<b>11.34</b>	<u>11.4</u>	<u>11.4</u>	<u>11.39</u>	<b>11.22</b>	<b>11.557</b>	<u>11.28</u>	<u>11.52</u>
Fe(II)O	g 100g <sup>-1</sup>				<b>7.835</b>		<b>10.2</b>							
MnO	g 100g <sup>-1</sup>	<b>0.172</b>	<b>0.19</b>	<u>0.172</u>	<b>0.175</b>	<u>0.18</u>	<b>0.16</b>	<u>0.202</u>		<u>0.18</u>	<b>0.2</b>	<b>0.162</b>	<u>0.177</u>	<u>0.18</u>
MgO	g 100g <sup>-1</sup>	<b>6.495</b>	<b>6.39</b>	<u>6.06</u>	<b>6.673</b>	<u>6.53</u>	<b>4.3</b>	<u>6.6</u>		<u>6.65</u>	<b>6.5</b>	<b>6.637</b>	<u>6.854</u>	<u>6.58</u>
CaO	g 100g <sup>-1</sup>	<b>10.45</b>	<b>10.64</b>	<u>10.6</u>	<b>10.370</b>	<u>10.46</u>	<b>9.87</b>		<u>10.33</u>	<u>10.32</u>	<b>10.12</b>	<b>10.443</b>	<u>9.977</u>	<u>10.32</u>
Na2O	g 100g <sup>-1</sup>	<b>2.228</b>	<b>2.16</b>	<u>2.12</u>	<b>2.251</b>	<u>2.23</u>		<u>2.17</u>		<u>2.2</u>	<b>2.07</b>	<b>2.489</b>	<u>2.274</u>	<u>2.29</u>
K2O	g 100g <sup>-1</sup>	<b>0.717</b>	<b>0.71</b>	<u>0.794</u>	<b>0.715</b>	<u>0.71</u>	<b>0.7</b>			<u>0.74</u>	<b>0.68</b>	<b>0.713</b>	<u>0.736</u>	<u>0.75</u>
P2O5	g 100g <sup>-1</sup>	<b>0.139</b>	<b>0.14</b>	<u>0.22</u>	<b>0.140</b>	<u>0.142</u>	<b>0.63</b>			<u>0.16</u>	<b>0.29</b>	<b>0.148</b>	<u>0.133</u>	<u>0.15</u>
H2O+	g 100g <sup>-1</sup>													
CO2	g 100g <sup>-1</sup>													
LOI	g 100g <sup>-1</sup>		<u>0.38</u>		<b>0.169</b>	<u>0.22</u>	<b>1.18</b>	<u>0.25</u>	<u>0.4</u>	<u>0.32</u>	<b>2.14</b>	<b>0.12</b>		
Ag	mg kg <sup>-1</sup>						<b>6.23</b>							<u>0.06</u>
As	mg kg <sup>-1</sup>				<b>3.049</b>	<u>1.5</u>	<b>5.01</b>				<b>7</b>			<u>1.48</u>
Au	mg kg <sup>-1</sup>													
B	mg kg <sup>-1</sup>													
Ba	mg kg <sup>-1</sup>	<b>168.8</b>	<b>205</b>	<u>339</u>	<b>173.304</b>	<u>174.9</u>	<b>106.390</b>				<b>183</b>	<u>176.5</u>	<u>163.290</u>	
Be	mg kg <sup>-1</sup>				<b>0.74</b>	<u>0.66</u>						<u>0.967</u>	<u>0.88</u>	
Bi	mg kg <sup>-1</sup>													<u>0.03</u>
Br	mg kg <sup>-1</sup>													
C(org)	mg kg <sup>-1</sup>													
C(tot)	mg kg <sup>-1</sup>												<u>264.6</u>	
Cd	mg kg <sup>-1</sup>					<u>0.09</u>	<b>11.2</b>							<u>0.08</u>
Ce	mg kg <sup>-1</sup>		<u>28</u>		<b>26.557</b>	<u>27.3</u>			<u>21.5</u>		<b>28</b>	<u>22.5</u>	<u>24.63</u>	
Cl	mg kg <sup>-1</sup>						<b>390.630</b>				<b>292</b>			
Co	mg kg <sup>-1</sup>		<b>41</b>		<b>45.373</b>	<u>44.4</u>	<b>65.83</b>		<u>10</u>		<b>43</b>	<u>44.42</u>	<u>45.76</u>	
Cr	mg kg <sup>-1</sup>	<b>163.4</b>	<b>149</b>		<b>167.289</b>	<u>174</u>	<b>332.190</b>				<b>176</b>	<u>162</u>	<u>166.160</u>	
Cs	mg kg <sup>-1</sup>				<b>1.171</b>	<u>1.2</u>					<b>6</b>	<u>1.25</u>	<u>1.05</u>	
Cu	mg kg <sup>-1</sup>				<b>122.398</b>	<u>119.7</u>	<b>111</b>		<u>123</u>		<b>118</b>	<u>127.9</u>	<u>122.280</u>	
Dy	mg kg <sup>-1</sup>				<b>4.244</b>	<u>4.3</u>			<u>4.5</u>			<u>4.122</u>	<u>3.95</u>	
Er	mg kg <sup>-1</sup>				<b>2.436</b>	<u>2.4</u>			<u>2.5</u>			<u>2.307</u>	<u>2.31</u>	
Eu	mg kg <sup>-1</sup>				<b>1.177</b>	<u>1.2</u>			<u>1.3</u>			<u>1.151</u>	<u>1.07</u>	
F	mg kg <sup>-1</sup>										<b>114</b>			
Ga	mg kg <sup>-1</sup>				<b>18.005</b>	<u>18.08</u>					<b>20</b>	<u>15.66</u>	<u>17.19</u>	
Gd	mg kg <sup>-1</sup>				<b>4.167</b>	<u>3.99</u>			<u>4.7</u>			<u>4.064</u>	<u>3.81</u>	
Ge	mg kg <sup>-1</sup>					<u>1.4</u>						<u>1.231</u>		
Hf	mg kg <sup>-1</sup>				<b>2.895</b>	<u>2.9</u>			<u>2.6</u>			<u>2.614</u>		
Hg	mg kg <sup>-1</sup>													
Ho	mg kg <sup>-1</sup>				<b>0.877</b>	<u>0.9</u>			<u>0.8</u>			<u>0.904</u>	<u>0.81</u>	
I	mg kg <sup>-1</sup>													
In	mg kg <sup>-1</sup>					<u>0.07</u>								
Ir	mg kg <sup>-1</sup>													
La	mg kg <sup>-1</sup>		<b>18</b>		<b>12.273</b>	<u>12.4</u>			<u>8.8</u>		<b>5</b>	<u>12.17</u>	<u>11.41</u>	
Li	mg kg <sup>-1</sup>				<b>13.122</b>	<u>12.6</u>							<u>19.36</u>	
Lu	mg kg <sup>-1</sup>				<b>0.338</b>	<u>0.35</u>			<u>0.4</u>			<u>0.344</u>	<u>0.31</u>	
Mo	mg kg <sup>-1</sup>				<b>0.737</b>	<u>0.7</u>	<b>10</b>					<u>0.586</u>	<u>3.3</u>	
Nb	mg kg <sup>-1</sup>		<b>8</b>		<b>8.456</b>	<u>8.5</u>	<b>9.21</b>				<b>7</b>	<u>8.088</u>	<u>7.74</u>	
Nd	mg kg <sup>-1</sup>				<b>14.664</b>	<u>14.2</u>			<u>15.6</u>		<b>18</b>	<u>14.45</u>	<u>13.66</u>	
Ni	mg kg <sup>-1</sup>		<b>78</b>		<b>75.195</b>	<u>68.3</u>	<b>24</b>		<u>16</u>		<b>67</b>	<u>73.64</u>	<u>73.39</u>	
Os	mg kg <sup>-1</sup>													
Pb	mg kg <sup>-1</sup>				<b>4.606</b>	<u>4.3</u>	<b>14</b>					<u>5.224</u>	<u>4.11</u>	
Pd	mg kg <sup>-1</sup>													
Pr	mg kg <sup>-1</sup>				<b>3.414</b>	<u>3.6</u>			<u>3.1</u>			<u>3.36</u>	<u>3.18</u>	
Pt	mg kg <sup>-1</sup>													
Rb	mg kg <sup>-1</sup>		<b>25</b>	<u>22</u>	<b>24.429</b>	<u>23.09</u>	<b>10</b>				<b>31</b>	<u>23.86</u>	<u>23.2</u>	
Re	mg kg <sup>-1</sup>													
Rh	mg kg <sup>-1</sup>													
Ru	mg kg <sup>-1</sup>													
S	mg kg <sup>-1</sup>						<b>409.090</b>				<b>131</b>	<u>132.3</u>	<u>680</u>	
Sb	mg kg <sup>-1</sup>					<u>0.14</u>	<b>21.05</b>					<u>0.22</u>	<u>0.14</u>	
Sc	mg kg <sup>-1</sup>		<u>33</u>		<b>36.857</b>	<u>35.5</u>	<b>186.840</b>		<u>33.8</u>		<b>33</b>	<u>29.03</u>	<u>41.67</u>	
Se	mg kg <sup>-1</sup>												<u>0.1</u>	
Sm	mg kg <sup>-1</sup>				<b>3.796</b>	<u>3.7</u>			<u>4.2</u>			<u>3.622</u>	<u>3.38</u>	
Sn	mg kg <sup>-1</sup>				<b>0.95</b>	<u>0.9</u>	<b>15.37</b>					<u>0.892</u>	<u>0.892</u>	
Sr	mg kg <sup>-1</sup>	<b>191.3</b>	<b>198</b>	<u>180</u>	<b>189.388</b>	<u>178.960</u>	<b>181.050</b>				<b>184</b>	<u>181.5</u>	<u>173.040</u>	
Ta	mg kg <sup>-1</sup>				<b>0.537</b>	<u>0.54</u>						<u>0.508</u>		
Tb	mg kg <sup>-1</sup>				<b>0.685</b>	<u>0.7</u>			<u>0.7</u>			<u>0.701</u>	<u>0.65</u>	
Te	mg kg <sup>-1</sup>													
Th	mg kg <sup>-1</sup>				<b>2.526</b>	<u>2.55</u>			<u>1.3</u>			<u>2.531</u>	<u>2.34</u>	
Tl	mg kg <sup>-1</sup>				<b>0.139</b>	<u>0.12</u>							<u>0.13</u>	
Tm	mg kg <sup>-1</sup>				<b>0.346</b>	<u>0.4</u>			<u>0.4</u>			<u>0.361</u>	<u>0.33</u>	
U	mg kg <sup>-1</sup>				<b>0.601</b>	<u>0.58</u>			<u>0.5</u>			<u>0.58</u>	<u>0.49</u>	
V	mg kg <sup>-1</sup>		<u>262</u>		<b>283.923</b>	<u>267</u>	<b>215.770</b>		<u>98</u>		<b>263</b>	<u>275</u>	<u>277.820</u>	
W	mg kg <sup>-1</sup>						<b>18.36</b>					<u>0.359</u>		
Y	mg kg <sup>-1</sup>		<b>24</b>		<b>23.967</b>	<u>21.8</u>			<u>26.9</u>		<b>23</b>	<u>22.05</u>	<u>21.35</u>	
Yb	mg kg <sup>-1</sup>				<b>2.294</b>	<u>2.19</u>			<u>2.6</u>			<u>2.259</u>	<u>2.1</u>	
Zn	mg kg <sup>-1</sup>	<b>81.15</b>			<b>81.665</b>	<u>81</u>	<b>35</b>	<u>85</u>	<u>30</u>		<b>77</b>	<u>87.69</u>	<u>105.1</u>	
Zr	mg kg <sup>-1</sup>	<b>101.4</b>	<b>114</b>	<u>92</u>	<b>107.533</b>	<u>101</u>	<b>108.080</b>				<b>101</b>	<u>99.88</u>	<u>75.78</u>	

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT49 Contributed data for Basalt, BVA-1. 30/06/2021

Lab Code		L20	L21	L22	L24	L25	L27	L28	L29	L30	L31	L32	L33	L34
SiO2	g 100g <sup>-1</sup>	<u>52.516</u>	<u>52.12</u>		<u>52.65</u>	<u>52.459</u>	<u>52.42</u>	<u>51.96</u>	<u>52.4</u>		<u>52.169</u>	<u>52.88</u>	<u>52.93</u>	<u>53.19</u>
TiO2	g 100g <sup>-1</sup>	<u>1.134</u>	<u>1.183</u>		<u>1.221</u>	<u>1.166</u>	<u>1.16</u>	<u>1.18</u>	<u>1.15</u>		<u>1.235</u>	<u>1.17</u>	<u>1.15</u>	<u>1.146</u>
Al2O3	g 100g <sup>-1</sup>	<u>14.145</u>	<u>14.71</u>		<u>14.28</u>	<u>14.394</u>	<u>14.5</u>	<u>14.21</u>	<u>14.2</u>		<u>14.317</u>	<u>14.31</u>	<u>14.23</u>	<u>14.33</u>
Fe2O3T	g 100g <sup>-1</sup>	<u>11.216</u>	<u>11.35</u>		<u>11.23</u>	<u>11.319</u>	<u>11.33</u>	<u>11.29</u>	<u>11.15</u>		<u>11.447</u>	<u>11.27</u>	<u>11.13</u>	<u>11.56</u>
Fe(II)O	g 100g <sup>-1</sup>									<u>8.46</u>		<u>8.34</u>		
MnO	g 100g <sup>-1</sup>	<u>0.184</u>	<u>0.175</u>		<u>0.172</u>	<u>0.160</u>	<u>0.164</u>	<u>0.179</u>	<u>0.17</u>		<u>0.184</u>	<u>0.18</u>		<u>0.181</u>
MgO	g 100g <sup>-1</sup>	<u>6.636</u>	<u>6.77</u>		<u>6.546</u>	<u>6.624</u>	<u>6.68</u>	<u>6.65</u>	<u>6.62</u>		<u>6.595</u>	<u>6.6</u>	<u>6.51</u>	<u>6.509</u>
CaO	g 100g <sup>-1</sup>	<u>10.376</u>	<u>10.26</u>		<u>10.41</u>	<u>10.47</u>	<u>10.2</u>	<u>10.29</u>	<u>10.45</u>		<u>10.387</u>	<u>10.46</u>	<u>10.5</u>	<u>10.447</u>
Na2O	g 100g <sup>-1</sup>	<u>2.225</u>	<u>2.3</u>		<u>2.194</u>	<u>2.303</u>	<u>2.25</u>	<u>2.15</u>	<u>2.23</u>		<u>2.155</u>	<u>2.24</u>	<u>2.24</u>	<u>2.298</u>
K2O	g 100g <sup>-1</sup>	<u>0.727</u>	<u>0.73</u>		<u>0.71</u>	<u>0.693</u>	<u>0.72</u>	<u>0.69</u>	<u>0.71</u>		<u>0.714</u>	<u>0.71</u>	<u>0.7</u>	<u>0.72</u>
P2O5	g 100g <sup>-1</sup>	<u>0.143</u>	<u>0.119</u>		<u>0.136</u>		<u>0.139</u>	<u>0.14</u>	<u>0.14</u>		<u>0.14</u>	<u>0.139</u>	<u>0.15</u>	<u>0.147</u>
H2O+	g 100g <sup>-1</sup>									<u>0.36</u>		<u>0.72</u>	<u>0.11</u>	
CO2	g 100g <sup>-1</sup>													
LOI	g 100g <sup>-1</sup>	<u>0.343</u>			<u>0.331</u>	<u>0.4</u>		<u>0.19</u>	<u>0.25</u>	<u>0.169</u>	<u>0.27</u>	<u>0.11</u>	<u>0.34</u>	<u>0.261</u>
Ag	mg kg <sup>-1</sup>		<u>0.67</u>	<u>0.43</u>								<u>0.039</u>		
As	mg kg <sup>-1</sup>		<u>2</u>	<u>2.23</u>				<u>2.1</u>				<u>1.43</u>		
Au	mg kg <sup>-1</sup>									<u>0.006</u>				
B	mg kg <sup>-1</sup>													
Ba	mg kg <sup>-1</sup>	<u>169</u>	<u>184</u>	<u>188</u>		<u>180.2</u>	<u>173</u>			<u>180.890</u>	<u>169.8</u>	<u>199</u>		<u>174.4</u>
Be	mg kg <sup>-1</sup>		<u>0.85</u>	<u>0.77</u>			<u>0.82</u>	<u>0.39</u>		<u>0.615</u>	<u>0.69</u>	<u>0.67</u>		
Bi	mg kg <sup>-1</sup>			<u>0.05</u>								<u>0.031</u>		
Br	mg kg <sup>-1</sup>		<u>3</u>											
C(org)	mg kg <sup>-1</sup>													
C(tot)	mg kg <sup>-1</sup>									<u>300</u>			<u>320</u>	
Cd	mg kg <sup>-1</sup>		<u>0.09</u>	<u>0.26</u>				<u>0.98</u>		<u>0.075</u>				
Ce	mg kg <sup>-1</sup>	<u>26</u>	<u>28.7</u>	<u>27</u>			<u>25.6</u>			<u>26.335</u>	<u>25.89</u>	<u>29.4</u>		<u>25.77</u>
Cl	mg kg <sup>-1</sup>							<u>145</u>						
Co	mg kg <sup>-1</sup>	<u>39</u>	<u>48.37</u>	<u>45.6</u>			<u>45</u>	<u>42</u>		<u>41.843</u>	<u>45.45</u>	<u>47.5</u>		<u>43.52</u>
Cr	mg kg <sup>-1</sup>	<u>191</u>	<u>113</u>	<u>167</u>		<u>156.3</u>	<u>140</u>	<u>130</u>		<u>163.840</u>	<u>160.5</u>	<u>135</u>		<u>161.1</u>
Cs	mg kg <sup>-1</sup>		<u>1.29</u>	<u>1.29</u>			<u>1.24</u>			<u>1.160</u>	<u>1.38</u>	<u>1.35</u>		<u>1.19</u>
Cu	mg kg <sup>-1</sup>	<u>126</u>	<u>136.830</u>	<u>124.6</u>		<u>111.6</u>	<u>125</u>	<u>114</u>		<u>111.980</u>	<u>116.5</u>	<u>134.5</u>		<u>119.9</u>
Dy	mg kg <sup>-1</sup>		<u>4.51</u>	<u>4.38</u>			<u>4.04</u>			<u>4.515</u>	<u>4.29</u>	<u>4.34</u>		<u>4.19</u>
Er	mg kg <sup>-1</sup>		<u>2.65</u>	<u>2.55</u>			<u>2.37</u>			<u>2.749</u>	<u>2.51</u>	<u>2.58</u>		<u>2.404</u>
Eu	mg kg <sup>-1</sup>		<u>1.3</u>	<u>1.25</u>			<u>1.17</u>			<u>1.241</u>	<u>1.17</u>	<u>1.325</u>		<u>1.148</u>
F	mg kg <sup>-1</sup>													
Ga	mg kg <sup>-1</sup>	<u>18</u>	<u>17</u>	<u>19.3</u>			<u>18</u>			<u>17.144</u>	<u>17.21</u>	<u>19.45</u>		<u>21.68</u>
Gd	mg kg <sup>-1</sup>		<u>4.51</u>	<u>4.39</u>			<u>4.12</u>			<u>4.394</u>	<u>3.83</u>	<u>4.19</u>		<u>4.02</u>
Ge	mg kg <sup>-1</sup>	<u>2</u>		<u>7.6</u>										
Hf	mg kg <sup>-1</sup>		<u>5</u>	<u>4.8</u>			<u>2.76</u>			<u>3.06</u>	<u>2.68</u>	<u>2.81</u>		<u>2.7</u>
Hg	mg kg <sup>-1</sup>							<u>0.001</u>						
Ho	mg kg <sup>-1</sup>		<u>0.92</u>	<u>0.89</u>			<u>0.82</u>			<u>0.952</u>	<u>0.86</u>	<u>0.893</u>		<u>0.861</u>
I	mg kg <sup>-1</sup>													
In	mg kg <sup>-1</sup>									<u>0.066</u>		<u>0.067</u>		
Ir	mg kg <sup>-1</sup>									<u>0.000</u>				
La	mg kg <sup>-1</sup>	<u>13</u>	<u>13.7</u>	<u>12.4</u>			<u>11.8</u>			<u>11.901</u>	<u>11.61</u>	<u>13.1</u>		<u>11.84</u>
Li	mg kg <sup>-1</sup>		<u>15.1</u>	<u>13.53</u>			<u>14.5</u>			<u>11.63</u>		<u>14.7</u>		
Lu	mg kg <sup>-1</sup>		<u>0.34</u>	<u>0.35</u>			<u>0.33</u>			<u>0.375</u>	<u>0.33</u>	<u>0.351</u>		<u>0.33</u>
Mo	mg kg <sup>-1</sup>		<u>0.74</u>	<u>1</u>			<u>0.66</u>			<u>0.729</u>	<u>0.7</u>	<u>0.72</u>		<u>0.806</u>
Nb	mg kg <sup>-1</sup>	<u>7</u>	<u>10</u>	<u>8.8</u>			<u>7.5</u>			<u>7.530</u>	<u>6.5</u>	<u>8.74</u>		<u>7.87</u>
Nd	mg kg <sup>-1</sup>	<u>14</u>	<u>15.8</u>	<u>15</u>			<u>14.2</u>			<u>14.996</u>	<u>14.28</u>	<u>15.6</u>		<u>14.23</u>
Ni	mg kg <sup>-1</sup>	<u>79</u>	<u>77.3</u>	<u>73.7</u>			<u>74</u>	<u>60</u>		<u>70.93</u>	<u>68.4</u>	<u>78.4</u>		<u>70.75</u>
Os	mg kg <sup>-1</sup>			<u>0.000</u>										
Pb	mg kg <sup>-1</sup>	<u>5</u>	<u>4.71</u>	<u>4.82</u>			<u>4.7</u>	<u>9.1</u>		<u>4.4</u>	<u>4.58</u>	<u>4.4</u>		<u>4.88</u>
Pd	mg kg <sup>-1</sup>									<u>0.011</u>				
Pr	mg kg <sup>-1</sup>		<u>3.8</u>	<u>3.47</u>			<u>3.29</u>			<u>3.505</u>	<u>3.26</u>	<u>3.54</u>		<u>3.36</u>
Pt	mg kg <sup>-1</sup>									<u>0.011</u>				
Rb	mg kg <sup>-1</sup>	<u>27</u>	<u>29</u>	<u>25.6</u>			<u>25.6</u>			<u>24.011</u>	<u>23.39</u>	<u>25.7</u>		<u>24.64</u>
Re	mg kg <sup>-1</sup>													
Rh	mg kg <sup>-1</sup>									<u>0.001</u>				
Ru	mg kg <sup>-1</sup>									<u>0.000</u>				
S	mg kg <sup>-1</sup>							<u>200</u>		<u>160</u>				
Sb	mg kg <sup>-1</sup>		<u>0.21</u>				<u>0.16</u>	<u>3.8</u>		<u>0.147</u>				
Sc	mg kg <sup>-1</sup>		<u>39.8</u>	<u>42.6</u>			<u>37</u>			<u>34.07</u>	<u>36.9</u>	<u>38.7</u>		<u>36.95</u>
Se	mg kg <sup>-1</sup>			<u>2.29</u>								<u>0.122</u>		
Sm	mg kg <sup>-1</sup>		<u>3.93</u>	<u>3.73</u>			<u>3.58</u>			<u>3.83</u>	<u>3.6</u>	<u>3.89</u>		<u>3.55</u>
Sn	mg kg <sup>-1</sup>		<u>1.2</u>	<u>0.21</u>			<u>0.95</u>			<u>0.95</u>	<u>0.96</u>	<u>1.06</u>		
Sr	mg kg <sup>-1</sup>	<u>188</u>	<u>185</u>	<u>195</u>		<u>172.4</u>	<u>193</u>			<u>178.950</u>	<u>177.4</u>	<u>213</u>		<u>180.8</u>
Ta	mg kg <sup>-1</sup>			<u>1</u>			<u>0.59</u>			<u>0.521</u>	<u>0.47</u>	<u>0.58</u>		<u>0.486</u>
Tb	mg kg <sup>-1</sup>		<u>0.7</u>	<u>0.71</u>			<u>0.7</u>			<u>0.722</u>	<u>0.63</u>	<u>0.682</u>		<u>0.674</u>
Te	mg kg <sup>-1</sup>							<u>12.7</u>						
Th	mg kg <sup>-1</sup>		<u>2.8</u>				<u>2.6</u>			<u>2.523</u>	<u>2.34</u>	<u>2.63</u>		<u>2.54</u>
Tl	mg kg <sup>-1</sup>		<u>0.14</u>	<u>0.133</u>			<u>0.12</u>			<u>0.128</u>	<u>0.09</u>	<u>0.113</u>		
Tm	mg kg <sup>-1</sup>		<u>0.38</u>	<u>0.36</u>			<u>0.34</u>			<u>0.388</u>	<u>0.35</u>	<u>0.358</u>		
U	mg kg <sup>-1</sup>		<u>0.61</u>				<u>0.6</u>			<u>0.633</u>	<u>0.58</u>	<u>0.64</u>		<u>0.58</u>
V	mg kg <sup>-1</sup>	<u>274</u>	<u>298</u>	<u>294</u>		<u>284.1</u>	<u>289</u>	<u>236</u>		<u>281.640</u>	<u>264.8</u>	<u>287</u>		<u>267.9</u>
W	mg kg <sup>-1</sup>			<u>0.51</u>			<u>0.33</u>			<u>0.355</u>	<u>0.3</u>	<u>0.35</u>		<u>0.33</u>
Y	mg kg <sup>-1</sup>	<u>23</u>	<u>22</u>	<u>23</u>			<u>22.5</u>			<u>23.451</u>	<u>24.1</u>	<u>24.3</u>		<u>23.6</u>
Yb	mg kg <sup>-1</sup>		<u>2.34</u>	<u>2.34</u>			<u>2.11</u>			<u>2.486</u>	<u>2.23</u>	<u>2.27</u>		<u>2.23</u>
Zn	mg kg <sup>-1</sup>	<u>84</u>	<u>113</u>	<u>96</u>		<u>76.7</u>	<u>77</u>	<u>66</u>		<u>79.83</u>	<u>86.8</u>	<u>89.6</u>		<u>85.95</u>
Zr	mg kg <sup>-1</sup>	<u>97</u>	<u>110</u>	<u>113.6</u>		<u>92.7</u>	<u>110</u>			<u>106.5</u>	<u>97.69</u>	<u>99.3</u>		<u>96.37</u>

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT49 Contributed data for Basalt, BVA-1. 30/06/2021

Lab Code		L35	L36	L37	L38	L39	L40	L42	L43	L44	L45	L46	L47	L48
SiO2	g 100g <sup>-1</sup>	<b>52.14</b>	<u>53.254</u>	<u>52.76</u>	<b>52.37</b>		<u>52.27</u>	<u>52.65</u>	<u>52.467</u>	<u>57.1</u>	<b>52.55</b>	<u>51.86</u>		<u>52.16</u>
TiO2	g 100g <sup>-1</sup>	<b>1.18</b>	<u>1.168</u>	<u>1.17</u>	<b>1.18</b>	<b>1.18</b>	<u>1.18</u>	<u>1.166</u>	<u>1.159</u>	<u>1.09</u>	<b>1.17</b>	<u>1.15</u>	<b>1.165</b>	<u>1.23</u>
Al2O3	g 100g <sup>-1</sup>	<b>14.21</b>	<u>14.521</u>	<u>14.59</u>	<b>14.32</b>	<b>14.5</b>	<u>14.35</u>	<u>14.29</u>	<u>14.362</u>	<u>17.9</u>	<b>14.3</b>	<u>14.39</u>	<b>14.15</b>	<u>14.69</u>
Fe2O3T	g 100g <sup>-1</sup>	<b>11.21</b>	<u>11.065</u>	<u>11.13</u>	<b>11.31</b>	<b>10.96</b>	<u>11.29</u>	<u>11.33</u>	<u>11.311</u>	<u>10.8</u>	<b>11.35</b>	<u>11.3</u>	<b>11.38</b>	<u>11</u>
Fe(II)O	g 100g <sup>-1</sup>							<u>8.7</u>						
MnO	g 100g <sup>-1</sup>	<b>0.18</b>	<u>0.16</u>	<u>0.17</u>	<b>0.18</b>	<b>0.173</b>		<u>0.187</u>	<u>0.181</u>	<u>0.154</u>	<b>0.18</b>	<u>0.17</u>	<b>0.177</b>	<u>0.17</u>
MgO	g 100g <sup>-1</sup>	<b>6.55</b>	<u>6.312</u>	<u>6.62</u>	<b>6.58</b>	<b>6.5</b>	<u>6.55</u>	<u>6.594</u>	<u>6.615</u>		<b>6.58</b>	<u>6.51</u>	<b>6.48</b>	<u>6.77</u>
CaO	g 100g <sup>-1</sup>	<b>10.34</b>	<u>9.978</u>	<u>10.22</u>	<b>9.94</b>	<b>10.22</b>	<u>10.55</u>	<u>10.49</u>	<u>10.328</u>	<u>10.5</u>	<b>10.48</b>	<u>10.45</u>	<b>10</b>	<u>10.21</u>
Na2O	g 100g <sup>-1</sup>	<b>2.2</b>	<u>2.346</u>	<u>2.16</u>	<b>2.31</b>	<b>2.38</b>	<u>2.29</u>	<u>2.281</u>	<u>2.203</u>		<b>2.22</b>	<u>2.29</u>	<b>2.212</b>	<u>2.32</u>
K2O	g 100g <sup>-1</sup>	<b>0.71</b>	<u>0.705</u>	<u>0.71</u>	<b>0.7</b>	<b>0.7</b>	<u>0.72</u>	<u>0.714</u>	<u>0.732</u>	<u>0.893</u>	<b>0.71</b>	<u>0.75</u>	<b>0.709</b>	<u>0.74</u>
P2O5	g 100g <sup>-1</sup>	<b>0.14</b>	<u>0.137</u>	<u>0.14</u>	<b>0.12</b>	<b>0.14</b>		<u>0.144</u>	<u>0.141</u>		<b>0.14</b>	<u>0.17</u>	<b>0.136</b>	<u>0.14</u>
H2O+	g 100g <sup>-1</sup>							<u>1</u>						
CO2	g 100g <sup>-1</sup>							<u>0.08</u>						
LOI	g 100g <sup>-1</sup>	<u>0.95</u>	<u>0.306</u>	<u>0.22</u>	<b>0.02</b>	<b>0.43</b>	<u>0.2</u>	<u>0.509</u>	<u>0.26</u>		<b>0.3</b>		<b>0.473</b>	<u>0.47</u>
Ag	mg kg <sup>-1</sup>					<b>0.024</b>								
As	mg kg <sup>-1</sup>				<b>1.6</b>	<b>1.1</b>								
Au	mg kg <sup>-1</sup>													
B	mg kg <sup>-1</sup>													
Ba	mg kg <sup>-1</sup>	<b>192</b>	<u>343</u>		<b>207.9</b>	<b>391</b>		<u>172.7</u>	<u>232.870</u>	<u>200</u>	<b>187</b>	<u>186</u>	<b>177.1</b>	
Be	mg kg <sup>-1</sup>					<b>0.63</b>					<b>0.77</b>		<b>0.709</b>	
Bi	mg kg <sup>-1</sup>					<b>0.038</b>					<b>0.03</b>		<b>0.037</b>	
Br	mg kg <sup>-1</sup>													
C(org)	mg kg <sup>-1</sup>													
C(tot)	mg kg <sup>-1</sup>							<u>501</u>						
Cd	mg kg <sup>-1</sup>					<b>0.042</b>					<b>0.08</b>		<b>0.075</b>	
Ce	mg kg <sup>-1</sup>	<b>26.85</b>			<b>37.3</b>	<b>26.9</b>		<u>31.7</u>		<u>28.9</u>	<b>27.6</b>	<u>25</u>	<b>25.39</b>	
Cl	mg kg <sup>-1</sup>													
Co	mg kg <sup>-1</sup>		<u>42</u>		<b>44.9</b>	<b>43.54</b>		<u>49.05</u>			<b>45.5</b>	<u>45</u>	<b>44.68</b>	
Cr	mg kg <sup>-1</sup>	<b>165</b>	<u>140</u>		<b>148.1</b>	<b>158.7</b>		<u>109.4</u>			<b>177</b>	<u>183</u>	<b>158.5</b>	
Cs	mg kg <sup>-1</sup>	<b>1.3</b>									<b>1.3</b>		<b>1.225</b>	
Cu	mg kg <sup>-1</sup>	<b>127</b>	<u>52</u>		<b>112</b>	<b>121.2</b>		<u>116.9</u>		<u>128</u>	<b>127</b>	<u>118</u>	<b>126.8</b>	
Dy	mg kg <sup>-1</sup>	<b>4.42</b>				<b>4.25</b>		<u>3.86</u>			<b>4.35</b>	<u>4</u>	<b>4.296</b>	
Er	mg kg <sup>-1</sup>	<b>2.51</b>				<b>2.38</b>		<u>2.69</u>			<b>2.5</b>	<u>3</u>	<b>2.495</b>	
Eu	mg kg <sup>-1</sup>	<b>1.17</b>				<b>1.71</b>		<u>1.425</u>			<b>1.18</b>	<u>1.4</u>	<b>1.188</b>	
F	mg kg <sup>-1</sup>		<u>294</u>											
Ga	mg kg <sup>-1</sup>	<b>16</b>	<u>19</u>		<b>17.3</b>	<b>17.1</b>				<u>17.1</u>	<b>17.8</b>	<u>17</u>		
Gd	mg kg <sup>-1</sup>	<b>4.24</b>				<b>3.97</b>		<u>3.63</u>			<b>4.15</b>	<u>5</u>	<b>4.102</b>	
Ge	mg kg <sup>-1</sup>													
Hf	mg kg <sup>-1</sup>	<b>2.9</b>	<u>3</u>		<b>0.9</b>	<b>2.35</b>					<b>2.53</b>		<b>2.665</b>	
Hg	mg kg <sup>-1</sup>													
Ho	mg kg <sup>-1</sup>	<b>0.9</b>				<b>0.91</b>		<u>0.85</u>			<b>0.89</b>	<u>1</u>	<b>0.887</b>	
I	mg kg <sup>-1</sup>													
In	mg kg <sup>-1</sup>					<b>0.047</b>							<b>0.068</b>	
Ir	mg kg <sup>-1</sup>													
La	mg kg <sup>-1</sup>				<b>48.1</b>	<b>12.13</b>		<u>16.2</u>		<u>12.9</u>	<b>12.6</b>	<u>10</u>	<b>11.73</b>	
Li	mg kg <sup>-1</sup>		<u>13</u>								<b>13.3</b>	<u>14</u>	<b>13.47</b>	
Lu	mg kg <sup>-1</sup>	<b>0.34</b>				<b>0.34</b>					<b>0.34</b>	<u>0.5</u>	<b>0.341</b>	
Mo	mg kg <sup>-1</sup>	<b>0.79</b>				<b>0.11</b>					<b>0.78</b>		<b>0.685</b>	
Nb	mg kg <sup>-1</sup>	<b>10</b>			<b>6.8</b>	<b>7.8</b>				<u>7</u>	<b>7.99</b>		<b>8.058</b>	
Nd	mg kg <sup>-1</sup>	<b>14.44</b>			<b>13.9</b>	<b>14.85</b>		<u>18.25</u>		<u>17.3</u>	<b>14.7</b>	<u>13</u>	<b>14.63</b>	
Ni	mg kg <sup>-1</sup>	<b>78</b>	<u>75</u>		<b>61.9</b>	<b>69.9</b>		<u>79.6</u>			<b>78.9</b>	<u>78</u>	<b>73.84</b>	
Os	mg kg <sup>-1</sup>													
Pb	mg kg <sup>-1</sup>	<b>6</b>			<b>15.3</b>	<b>4.93</b>		<u>8.055</u>		<u>9</u>	<b>4.89</b>		<b>4.678</b>	
Pd	mg kg <sup>-1</sup>													
Pr	mg kg <sup>-1</sup>	<b>3.39</b>				<b>3.29</b>		<u>4.235</u>			<b>3.5</b>	<u>3</u>	<b>3.419</b>	
Pt	mg kg <sup>-1</sup>													
Rb	mg kg <sup>-1</sup>	<b>26</b>			<b>25.2</b>	<b>17.7</b>				<u>25.9</u>	<b>25.3</b>	<u>24</u>	<b>24.23</b>	
Re	mg kg <sup>-1</sup>													
Rh	mg kg <sup>-1</sup>													
Ru	mg kg <sup>-1</sup>													
S	mg kg <sup>-1</sup>					<b>139</b>		<u>96.2</u>						<u>0.02</u>
Sb	mg kg <sup>-1</sup>					<b>0.35</b>					<b>0.17</b>		<b>0.183</b>	
Sc	mg kg <sup>-1</sup>	<b>37</b>			<b>28.4</b>	<b>33.9</b>					<b>37.9</b>	<u>30</u>	<b>37.27</b>	
Se	mg kg <sup>-1</sup>													
Sm	mg kg <sup>-1</sup>	<b>3.67</b>				<b>3.81</b>		<u>3.835</u>			<b>3.7</b>	<u>3</u>	<b>3.656</b>	
Sn	mg kg <sup>-1</sup>										<b>1.23</b>		<b>1.052</b>	
Sr	mg kg <sup>-1</sup>	<b>182</b>	<u>186</u>		<b>183.2</b>	<b>190.3</b>		<u>179.7</u>	<u>202.940</u>	<u>203</u>	<b>189</b>	<u>190</u>	<b>183</b>	
Ta	mg kg <sup>-1</sup>	<b>0.57</b>											<b>0.520</b>	
Tb	mg kg <sup>-1</sup>	<b>0.71</b>				<b>0.79</b>		<u>0.815</u>			<b>0.71</b>	<u>1</u>	<b>0.691</b>	
Te	mg kg <sup>-1</sup>													
Th	mg kg <sup>-1</sup>	<b>2.64</b>			<b>2.7</b>	<b>2.73</b>				<u>1.9</u>	<b>2.45</b>		<b>2.59</b>	
Tl	mg kg <sup>-1</sup>					<b>0.185</b>					<b>0.12</b>		<b>0.121</b>	
Tm	mg kg <sup>-1</sup>	<b>0.36</b>				<b>0.36</b>		<u>0.475</u>			<b>0.36</b>	<u>0.5</u>	<b>0.365</b>	
U	mg kg <sup>-1</sup>	<b>0.58</b>			<b>1.5</b>	<b>0.47</b>					<b>0.58</b>		<b>0.596</b>	
V	mg kg <sup>-1</sup>	<b>277</b>			<b>260.1</b>	<b>264</b>		<u>272.9</u>	<u>296.880</u>		<b>288</b>	<u>264</u>	<b>278.3</b>	
W	mg kg <sup>-1</sup>				<b>27.6</b>	<b>0.24</b>							<b>0.297</b>	
Y	mg kg <sup>-1</sup>	<b>24</b>	<u>22</u>		<b>22.3</b>	<b>23.1</b>		<u>20.8</u>		<u>22.9</u>	<b>24.7</b>	<u>22</u>	<b>24</b>	
Yb	mg kg <sup>-1</sup>	<b>2.26</b>				<b>2.26</b>		<u>2.69</u>			<b>2.32</b>	<u>2.6</u>	<b>2.304</b>	
Zn	mg kg <sup>-1</sup>	<b>81</b>	<u>83</u>		<b>78</b>	<b>85.1</b>		<u>83.55</u>	<u>88.37</u>	<u>77.8</u>	<b>83.3</b>	<u>85</u>	<b>84.66</b>	
Zr	mg kg <sup>-1</sup>	<b>104</b>	<u>156</u>		<b>101.7</b>	<b>91.5</b>			<u>96.24</u>	<u>98.4</u>	<b>98.2</b>	<u>102</u>	<b>95.88</b>	

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT49 Contributed data for Basalt, BVA-1. 30/06/2021

Lab Code	L49	L50	L52	L53	L54	L56	L57	L58	L59	L60	L63	L64	L65
SiO2	<u>52.62</u>	<u>53.197</u>	<u>52.43</u>	<b>52.4</b>	<u>52.62</u>	<b>52.25</b>	<b>52.9</b>	<u>52.67</u>		<u>53.4</u>	<b>51.78</b>		<b>53.25</b>
TiO2	<u>1.178</u>	<u>1.176</u>	<u>1.18</u>	<b>1.17</b>	<u>1.2</u>	<b>1.16</b>	<b>1.247</b>	<u>1.18</u>	<u>1.186</u>	<u>1.1</u>	<b>1.171</b>	<u>0.088</u>	<b>1.19</b>
Al2O3	<u>14.37</u>	<u>14.438</u>	<u>14.35</u>	<b>14.25</b>	<u>14.22</u>	<b>14.27</b>	<b>14.27</b>	<u>14.1</u>	<u>15.625</u>	<u>13.9</u>	<b>18.83</b>	<u>5.706</u>	<b>14.55</b>
Fe2O3T	<u>11.24</u>	<u>11.375</u>	<u>11.55</u>	<b>11.4</b>	<u>11.23</u>	<b>11.42</b>	<b>11.17</b>	<u>11.24</u>	<u>5.273</u>	<u>11.1</u>	<b>11.95</b>	<u>2.613</u>	<b>11.28</b>
Fe(II)O						<b>8.611</b>	<b>8.31</b>						
MnO	<u>0.179</u>	<u>0.089</u>	<u>0.18</u>	<b>0.19</b>	<u>0.18</u>	<b>0.18</b>	<b>0.195</b>	<u>0.17</u>	<u>0.216</u>	<u>0.18</u>	<b>0.184</b>	<u>0.017</u>	<b>0.21</b>
MgO	<u>6.644</u>	<u>6.917</u>	<u>6.48</u>	<b>6.55</b>	<u>6.62</u>	<b>6.56</b>	<b>7.49</b>	<u>6.57</u>	<u>4.811</u>	<u>6.3</u>	<b>6.634</b>	<u>0.812</u>	<b>6.69</b>
CaO	<u>10.5</u>	<u>10.57</u>	<u>10.24</u>	<b>10.33</b>	<u>10.37</u>	<b>10.55</b>	<b>9.49</b>	<u>10.44</u>	<u>10.819</u>	<u>10.5</u>	<b>10.24</b>	<u>2.696</u>	<b>10.56</b>
Na2O	<u>2.226</u>	<u>1.158</u>	<u>2.21</u>	<b>2.24</b>	<u>2.22</u>	<b>2.26</b>	<b>2.304</b>	<u>2.26</u>		<u>2.2</u>	<b>2.482</b>	<u>0.564</u>	<b>2.03</b>
K2O	<u>0.737</u>	<u>0.845</u>	<u>0.73</u>	<b>0.69</b>	<u>0.73</u>	<b>0.72</b>	<b>0.706</b>	<u>0.74</u>		<u>0.71</u>	<b>0.790</b>	<u>0.158</u>	<b>0.75</b>
P2O5	<u>0.148</u>	<u>0.135</u>	<u>0.14</u>	<b>0.14</b>	<u>0.14</u>	<b>0.14</b>	<b>0.125</b>	<u>0.14</u>		<u>0.16</u>	<b>0.145</b>	<u>0.137</u>	<b>0.14</b>
H2O+				<b>0.308</b>		<b>0.739</b>							
CO2				<b>0.03</b>		<b>0.125</b>							
LOI	<u>0.29</u>	<u>0.1</u>	<u>0.34</u>	<b>0.28</b>	<u>0.29</u>	<b>0.07</b>		<u>0.45</u>	<u>0.324</u>	<u>0.3</u>			
Ag				<b>0.070</b>		<b>0.037</b>						<u>0.05</u>	
As	<u>1.26</u>			<b>1.12</b>		<b>1.41</b>					<b>1.21</b>	<u>0.97</u>	
Au				<b>0.005</b>									
B						<b>11.815</b>					<b>11.37</b>	<u>6.62</u>	
Ba	<u>188</u>	<u>189.2</u>	<u>205</u>	<b>182</b>	<u>176</u>	<b>170</b>	<b>179</b>	<u>167</u>		<u>183</u>	<b>181.2</b>	<u>31.24</u>	<b>213</b>
Be	<u>0.36</u>	<u>1</u>		<b>0.62</b>	<u>0.747</u>	<b>0.68</b>					<b>0.738</b>	<u>0.13</u>	
Bi	<u>0.02</u>			<b>0.03</b>								<u>0.03</u>	
Br													
C(org)				<b>172</b>									
C(tot)				<b>210</b>									
Cd				<b>0.092</b>		<b>0.09</b>						<u>0.03</u>	
Ce	<u>27.3</u>	<u>25.23</u>		<b>24.9</b>	<u>26.7</u>	<b>24.6</b>	<b>25.7</b>			<u>27</u>	<b>25.88</b>	<u>14.49</u>	
Cl				<b>49</b>		<b>276.918</b>							
Co	<u>46.1</u>	<u>47.57</u>	<u>44</u>	<b>46.2</b>	<u>47.1</u>	<b>43.8</b>		<u>43</u>			<b>48.31</b>	<u>10.86</u>	
Cr	<u>180</u>	<u>145.8</u>	<u>142</u>	<b>138</b>	<u>162</u>	<b>173</b>		<u>150</u>			<b>179</b>	<u>11.98</u>	<b>126</b>
Cs	<u>1.19</u>	<u>1.08</u>		<b>1.26</b>	<u>1.25</u>	<b>1.1</b>					<b>1.227</b>	<u>0.89</u>	
Cu	<u>136</u>	<u>124.740</u>		<b>122</b>	<u>124</u>	<b>108</b>		<u>116</u>	<u>24.83</u>		<b>124.8</b>	<u>119.190</u>	<b>122</b>
Dy	<u>4.4</u>	<u>4.29</u>		<b>4.25</b>	<u>4.18</u>	<b>4.23</b>	<b>4.11</b>			<u>4.1</u>	<b>3.587</b>	<u>1.17</u>	
Er	<u>2.59</u>	<u>2.41</u>		<b>2.62</b>	<u>2.43</u>	<b>2.29</b>	<b>2.39</b>			<u>2.3</u>	<b>2.057</b>	<u>0.57</u>	
Eu	<u>1.25</u>	<u>1.17</u>		<b>1.27</b>	<u>1.16</u>	<b>1.18</b>	<b>1.15</b>			<u>1.2</u>	<b>1.15</b>	<u>0.38</u>	
F				<b>75</b>		<b>248</b>							
Ga	<u>17.8</u>	<u>18.7</u>	<u>14</u>	<b>18.3</b>	<u>17.8</u>	<b>17.5</b>		<u>23</u>			<b>18.41</b>		<b>9</b>
Gd	<u>4.08</u>	<u>4.03</u>		<b>4.25</b>	<u>4.01</u>	<b>3.83</b>	<b>3.75</b>			<u>3.6</u>	<b>3.531</b>	<u>1.79</u>	
Ge	<u>1.45</u>	<u>1.53</u>			<u>1.57</u>	<b>1.54</b>						<u>0.05</u>	
Hf	<u>2.86</u>	<u>2.7</u>		<b>2.48</b>	<u>2.76</u>	<b>2.72</b>				<u>2.5</u>	<b>2.151</b>		
Hg						<b>0.002</b>							
Ho	<u>0.91</u>	<u>0.85</u>		<b>0.918</b>	<u>0.862</u>	<b>0.886</b>	<b>0.85</b>			<u>0.8</u>	<b>0.739</b>	<u>0.22</u>	
I													
In				<b>0.069</b>		<b>0.07</b>							
Ir													
La	<u>12.4</u>	<u>11.9</u>		<b>12.4</b>	<u>12</u>	<b>11.3</b>	<b>12.2</b>			<u>12.6</u>	<b>11.61</b>	<u>7.14</u>	
Li	<u>12.7</u>			<b>13.6</b>	<u>14.4</u>	<b>11.834</b>					<b>14.36</b>	<u>8.65</u>	
Lu	<u>0.34</u>	<u>0.32</u>		<b>0.372</b>	<u>0.334</u>	<b>0.328</b>	<b>0.33</b>			<u>0.33</u>	<b>0.289</b>	<u>0.05</u>	
Mo	<u>2.37</u>	<u>1.47</u>		<b>0.72</b>		<b>0.66</b>					<b>0.683</b>	<u>0.36</u>	
Nb	<u>8.97</u>	<u>8.5</u>		<b>8.46</b>	<u>8.39</u>	<b>6.68</b>				<u>7.8</u>	<b>8.708</b>	<u>0.01</u>	
Nd	<u>14.7</u>	<u>14.69</u>		<b>15.1</b>	<u>14.8</u>	<b>13.8</b>	<b>13.9</b>			<u>14.4</u>	<b>13.77</b>	<u>7.55</u>	
Ni	<u>74.2</u>	<u>60</u>	<u>64</u>	<b>78</b>	<u>75.3</u>	<b>71.4</b>		<u>63</u>			<b>77.21</b>	<u>17</u>	<b>65</b>
Os													
Pb	<u>4.64</u>	<u>4.05</u>	<u>8</u>	<b>3.57</b>	<u>4.8</u>	<b>4.45</b>					<b>5.101</b>	<u>1.87</u>	
Pd				<b>0.011</b>									
Pr	<u>3.59</u>	<u>3.39</u>		<b>3.67</b>	<u>3.41</u>	<b>3.19</b>	<b>3.32</b>			<u>3.3</u>	<b>3.238</b>	<u>1.79</u>	
Pt				<b>0.008</b>									
Rb	<u>23.8</u>	<u>23.81</u>	<u>24</u>	<b>25.6</b>	<u>24</u>	<b>23.5</b>				<u>25</u>	<b>26.27</b>	<u>9.03</u>	<b>21</b>
Re				<b>0.002</b>									
Rh													
Ru													
S				<b>111</b>		<b>260</b>							
Sb				<b>0.183</b>		<b>0.18</b>						<u>0.001</u>	
Sc	<u>34.29</u>	<u>25.52</u>		<b>36.59</b>	<u>38.1</u>	<b>38.23</b>		<u>35</u>		<u>36</u>	<b>33.88</b>	<u>1.32</u>	
Se				<b>0.314</b>		<b>0.128</b>						<u>0.13</u>	
Sm	<u>3.76</u>	<u>3.68</u>		<b>4</b>	<u>3.67</u>	<b>3.51</b>	<b>3.5</b>			<u>3.6</u>	<b>3.37</b>	<u>1.53</u>	
Sn	<u>1.09</u>			<b>1.15</b>		<b>1.01</b>				<u>1</u>		<u>0.09</u>	
Sr	<u>194</u>	<u>186.6</u>	<u>182</u>	<b>196.7</b>	<u>189</u>	<b>187</b>	<b>186</b>	<u>156</u>		<u>182</u>	<b>184.6</b>	<u>65.63</u>	<b>150</b>
Ta	<u>0.57</u>			<b>0.47</b>	<u>0.533</u>	<b>0.56</b>				<u>0.5</u>	<b>0.507</b>		
Tb	<u>0.72</u>	<u>0.68</u>		<b>2.87</b>	<u>0.665</u>	<b>0.628</b>	<b>0.66</b>			<u>0.6</u>	<b>0.587</b>	<u>0.23</u>	
Te													
Th	<u>2.58</u>	<u>2.6</u>		<b>2.95</b>	<u>2.48</u>	<b>2.34</b>				<u>2.4</u>	<b>1.854</b>	<u>1.53</u>	
Tl	<u>0.123</u>			<b>0.12</b>								<u>0.05</u>	
Tm	<u>0.41</u>	<u>0.34</u>		<b>0.352</b>	<u>0.354</u>	<b>0.342</b>	<b>0.34</b>			<u>0.3</u>	<b>0.304</b>	<u>0.07</u>	
U	<u>0.62</u>	<u>0.6</u>		<b>0.56</b>	<u>0.577</u>	<b>0.56</b>				<u>0.6</u>	<b>0.545</b>	<u>0.28</u>	
V	<u>295</u>	<u>238.3</u>	<u>249</u>	<b>276</b>	<u>282</u>	<b>272</b>		<u>260</u>		<u>284</u>	<b>292.6</b>	<u>70.54</u>	<b>462</b>
W	<u>0.32</u>			<b>0.522</b>							<b>0.337</b>	<u>0.03</u>	
Y	<u>25.5</u>	<u>21.8</u>	<u>22</u>	<b>22.6</b>	<u>23.9</u>	<b>22.7</b>	<b>21.36</b>	<u>20</u>		<u>19</u>	<b>20.16</b>	<u>5.5</u>	<b>16</b>
Yb	<u>2.24</u>	<u>2.3</u>		<b>2.34</b>	<u>2.25</u>	<b>2.15</b>	<b>2.2</b>			<u>2.2</u>	<b>1.935</b>	<u>0.37</u>	
Zn	<u>81.9</u>	<u>77</u>	<u>72</u>	<b>88.95</b>	<u>83.3</u>	<b>90.6</b>		<u>72</u>			<b>103.8</b>	<u>26.24</u>	<b>72</b>
Zr	<u>102</u>	<u>100.7</u>	<u>99</u>	<b>74.55</b>	<u>106</u>	<b>100</b>				<u>103</u>	<b>81.78</b>	<u>2.94</u>	<b>59</b>

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT49 Contributed data for Basalt, BVA-1. 30/06/2021

Lab Code	L67	L68	L70	L73	L74	L75	L78	L79	L80	L81	L82	L83	L84
SiO2	<u>52.9</u>	<b>52.81</b>	<b>51.65</b>		<u>52.61</u>	<u>51.78</u>	<u>52.54</u>	<u>51.83</u>	<u>52.83</u>	<u>52.62</u>	<b>52.733</b>		<b>53.15</b>
TiO2	<u>1.2</u>	1.13	1.18		<u>1.2</u>	<u>1.154</u>	<u>1.2</u>	<u>1.189</u>	<u>1.21</u>	<u>1.176</u>	<b>1.194</b>	<b>1.13</b>	<b>1.182</b>
Al2O3	<u>14.47</u>	<b>14.1</b>	<b>14.21</b>		<u>14.22</u>	<u>16.13</u>	<u>14.32</u>	<u>14.54</u>	<u>14.31</u>	<u>14.19</u>	<b>14.306</b>	<b>14.57</b>	<b>14.46</b>
Fe2O3T	<u>11.5</u>	<b>11.39</b>	<b>11.26</b>		<u>11.29</u>	<u>11.03</u>	<u>11.25</u>	<u>11.55</u>	<u>11.49</u>	<u>11.43</u>	<b>11.463</b>	<b>11.24</b>	<b>11.38</b>
Fe(II)O			<b>8.44</b>		<u>8.41</u>	<u>7.3</u>							
MnO	<u>0.181</u>	<b>0.18</b>	<b>0.18</b>		<u>0.18</u>	<u>0.15</u>	<u>0.17</u>	<u>0.179</u>	<u>0.18</u>	<u>0.161</u>	<b>0.178</b>	<b>0.18</b>	<b>0.177</b>
MgO	<u>6.59</u>	<b>6.64</b>	<b>6.53</b>		<u>6.58</u>	<u>4.99</u>	<u>6.48</u>	<u>6.894</u>	<u>6.59</u>	<u>6.586</u>	<b>6.607</b>	<b>6.65</b>	<b>6.66</b>
CaO	<u>10.73</u>	<b>10.57</b>	<b>10.38</b>		<u>10.44</u>	<u>10.19</u>	<u>10.24</u>	<u>10.6</u>	<u>10.66</u>	<u>10.61</u>	<b>10.57</b>	<b>10.87</b>	<b>10.59</b>
Na2O	<u>2.31</u>	<b>2.19</b>	<b>2.3</b>		<u>2.24</u>	<u>2.32</u>	<u>2.26</u>		<u>2.33</u>	<u>2.084</u>	<b>2.097</b>		<b>2.24</b>
K2O	<u>0.73</u>	<b>0.72</b>	<b>0.7</b>		<u>0.71</u>	<u>0.74</u>	<u>0.73</u>	<u>0.764</u>	<u>0.73</u>	<u>0.713</u>	<b>0.712</b>	<b>0.75</b>	<b>0.72</b>
P2O5	<u>0.16</u>	<b>0.14</b>	<b>0.14</b>		<u>0.14</u>	<u>0.15</u>	<u>0.14</u>	<u>0.174</u>	<u>0.14</u>	<u>0.131</u>	<b>0.123</b>	<b>0.14</b>	<b>0.137</b>
H2O+			<b>0.9</b>										
CO2			<b>0.11</b>										
LOI	<u>0.23</u>	<b>0.07</b>					<b>1.2</b>	<b>0.31</b>		<u>0.29</u>	<u>0.3</u>	<b>0.28</b>	
Ag					<u>0.06</u>	<u>0.06</u>		<u>0.054</u>					
As						<u>0.68</u>		<u>1.662</u>					
Au													
B					<u>11.4</u>	<u>1.5</u>		<u>43.58</u>					
Ba	<u>205</u>	<b>199</b>	<b>237</b>	<u>199</u>	<u>194</u>	<u>65</u>		<u>182.1</u>	<u>156</u>	<u>219</u>	<b>195.3</b>	<b>181.7</b>	<b>177</b>
Be				<u>1.12</u>	<u>0.5</u>	<u>0.15</u>		<u>1.506</u>			<b>0.573</b>		
Bi						<u>0.01</u>		<u>0.047</u>					
Br													
C(org)													
C(tot)													
Cd						<u>0.065</u>		<u>0.096</u>				<b>0.124</b>	
Ce		<b>33</b>	<b>27</b>	<u>26.34</u>		<u>8.5</u>		<u>26.49</u>	<u>33</u>		<b>26.7</b>	<b>26.37</b>	<b>26.93</b>
Cl		<b>295</b>	<u>166</u>										
Co	<u>31.1</u>	<b>53</b>	<b>42</b>	<u>43.17</u>	<u>39</u>	<u>14.5</u>		<u>45.47</u>	<u>35</u>	<u>44</u>	<b>45.94</b>	<b>44.52</b>	
Cr	<u>210</u>	<b>178</b>	<b>154</b>		<u>149</u>	<u>45</u>		<u>172.5</u>	<u>157</u>	<u>185</u>	<b>165.2</b>	<b>168.6</b>	<b>166</b>
Cs			<b>1</b>			<u>0.42</u>		<u>0.946</u>			<b>1.378</b>	<b>1.16</b>	<b>1.17</b>
Cu	<u>123</u>	<b>109</b>	<b>117</b>	<u>106</u>	<u>113</u>	<u>39</u>		<u>123.5</u>	<u>130</u>	<u>126</u>	<b>103.9</b>	<b>115.9</b>	<b>123</b>
Dy				<u>4.07</u>	<u>4.46</u>	<u>1.35</u>		<u>4.266</u>			<b>4.034</b>	<b>4.28</b>	<b>4.33</b>
Er				<u>2.35</u>	<u>2.69</u>	<u>0.8</u>		<u>2.629</u>			<b>2.326</b>	<b>2.38</b>	<b>2.43</b>
Eu					<u>1.21</u>	<u>0.38</u>		<u>1.238</u>			<b>1.161</b>	<b>1.16</b>	<b>1.19</b>
F													
Ga	<u>16</u>	<b>17</b>	<b>17</b>	<u>16.63</u>	<u>15.6</u>	<u>5.5</u>		<u>16.2</u>	<u>18</u>		<b>16.7</b>	<b>17.42</b>	<b>16</b>
Gd		<b>5</b>		<u>4.71</u>	<u>4.36</u>	<u>1.35</u>		<u>4.219</u>			<b>3.878</b>	<b>4.14</b>	<b>4.18</b>
Ge		<b>3</b>				<u>0.47</u>							
Hf		<b>3</b>	<b>2</b>			<u>0.9</u>		<u>2.313</u>			<b>2.844</b>	<b>2.71</b>	<b>2.92</b>
Hg													
Ho					<u>0.92</u>	<u>0.28</u>		<u>0.873</u>			<b>0.822</b>	<b>0.883</b>	<b>0.89</b>
I													
In					<u>0.06</u>								
Ir													
La	<u>13.5</u>	<b>15</b>	<b>10</b>	<u>12.91</u>		<u>4</u>		<u>12.51</u>	<u>12</u>		<b>11.99</b>	<b>12.16</b>	<b>12.62</b>
Li				<u>12.93</u>		<u>3.5</u>		<u>13.73</u>			<b>13.73</b>	<b>13.54</b>	
Lu				<u>0.32</u>		<u>0.105</u>		<u>0.329</u>			<b>0.317</b>	<b>0.34</b>	<b>0.35</b>
Mo						<u>0.24</u>		<u>0.787</u>				<b>0.685</b>	
Nb	<u>8</u>	<b>5</b>	<b>7</b>			<u>2.45</u>		<u>7.674</u>	<u>9</u>	<u>10</u>	<b>8.16</b>	<b>8.32</b>	
Nd		<b>19</b>	<b>15</b>	<u>14.82</u>	<u>15.5</u>	<u>4.75</u>		<u>14.7</u>			<b>14.33</b>	<b>14.57</b>	<b>15.01</b>
Ni	<u>99</u>	<b>78</b>	<b>61</b>	<u>76.63</u>	<u>65.1</u>	<u>23.5</u>		<u>73.48</u>	<u>56</u>	<u>69</u>	<b>76.84</b>	<b>75.88</b>	<b>72</b>
Os													
Pb		<b>2</b>	<b>6</b>			<u>1.8</u>		<u>4.769</u>		<u>7</u>		<b>4.64</b>	<b>5.35</b>
Pd						<u>0.9</u>							
Pr				<u>3.07</u>	<u>3.56</u>	<u>1.1</u>		<u>3.401</u>			<b>3.291</b>	<b>3.45</b>	<b>3.51</b>
Pt						<u>0.023</u>							
Rb	<u>22.6</u>	<b>29</b>	<b>23</b>	<u>25.11</u>	<u>24</u>	<u>7.5</u>		<u>21.99</u>	<u>30</u>	<u>24</u>	<b>29.38</b>	<b>24.71</b>	<b>24.8</b>
Re						<u>0.000</u>							
Rh						<u>0.002</u>							
Ru						<u>0.003</u>							
S		<b>76</b>	<b>35</b>			<u>0.028</u>	<u>161</u>						
Sb						<u>0.05</u>		<u>0.103</u>					
Sc		<b>32</b>	<b>31</b>	<u>35.3</u>	<u>36.7</u>	<u>8.5</u>			<u>35</u>		<b>36.93</b>	<b>36.86</b>	<b>37.8</b>
Se						<u>0.2</u>		<u>2.272</u>					
Sm				<u>3.47</u>	<u>3.85</u>	<u>1.2</u>		<u>3.55</u>			<b>3.501</b>	<b>3.67</b>	<b>3.76</b>
Sn			<b>2</b>			<u>0.37</u>		<u>0.836</u>					
Sr	<u>203</u>	<b>187</b>	<b>176</b>	<u>190</u>		<u>75</u>		<u>178.1</u>	<u>190</u>	<u>180</u>	<b>197.5</b>	<b>186.1</b>	<b>187</b>
Ta			<b>1</b>			<u>0.072</u>		<u>0.486</u>			<b>0.523</b>	<b>0.52</b>	<b>0.52</b>
Tb					<u>0.72</u>	<u>0.21</u>		<u>0.709</u>			<b>0.613</b>	<b>0.69</b>	<b>0.72</b>
Te													
Th			<b>1</b>			<u>0.95</u>		<u>2.582</u>		<u>4</u>	<b>2.481</b>	<b>2.49</b>	<b>2.57</b>
Tl						<u>0.04</u>		<u>0.084</u>					
Tm				<u>0.33</u>	<u>0.37</u>	<u>0.11</u>		<u>0.391</u>			<b>0.315</b>	<b>0.36</b>	<b>0.37</b>
U						<u>0.265</u>		<u>0.619</u>			<b>0.533</b>	<b>0.565</b>	<b>0.59</b>
V	<u>271</u>	<b>283</b>	<b>245</b>	<u>259</u>		<u>95</u>		<u>285.5</u>	<u>211</u>	<u>231</u>	<b>277.3</b>	<b>273.7</b>	<b>279</b>
W			<b>3</b>			<u>0.115</u>		<u>0.384</u>					
Y	<u>23.3</u>	<b>25</b>	<b>21</b>	<u>20.84</u>	<u>23</u>	<u>6.5</u>		<u>23.14</u>	<u>25</u>	<u>18</u>	<b>21.66</b>	<b>23.97</b>	<b>24.3</b>
Yb				<u>2.36</u>	<u>2.32</u>	<u>0.75</u>		<u>2.478</u>			<b>2.153</b>	<b>2.25</b>	<b>2.29</b>
Zn	<u>84</u>	<b>82</b>	<b>73</b>	<u>78</u>	<u>76</u>	<u>26.5</u>		<u>86.95</u>	<u>82</u>	<u>76</u>		<b>79.02</b>	<b>84</b>
Zr	<u>101</u>	<b>91</b>	<b>94</b>		<u>99</u>	<u>26.4</u>		<u>71.33</u>	<u>100</u>	<u>68</u>	<b>100.2</b>	<b>98.8</b>	<b>106</b>

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2



Table 1 - GeoPT49 Contributed data for Basalt, BVA-1. 30/06/2021

Lab Code	L85	L86	L87	L88	L91	L94	L95	L97	L98	L100	L102	L103	L105
SiO2	<u>52.66</u>	51.8		52.04	52.468	52.54	51.063	<u>52.24</u>	53.08	<u>52.62</u>	<u>52.59</u>		52.003
TiO2	<u>1.19</u>	1.16	1.2	1.17	1.183	1.155	1.173	<u>1.18</u>	<u>1.162</u>	<u>1.19</u>	<u>1.15</u>		1.115
Al2O3	<u>14.09</u>	16.16	14.58	14.09	14.336	14.36	13.817	<u>14.14</u>	<u>14.486</u>	<u>14.27</u>	<u>14.35</u>		14.53
Fe2O3T	<u>11.32</u>	10.66	11.33	11.4	11.281	11.3	11.028	<u>11.63</u>	<u>10.553</u>	<u>11.46</u>	<u>11.28</u>		2.492
Fe(II)O													7.89
MnO	<u>0.19</u>	0.2	0.18	0.189	0.176	0.178	0.173	<u>0.16</u>	<u>0.157</u>	<u>0.183</u>	<u>0.16</u>		0.157
MgO	<u>6.62</u>	6.32	6.67	6.47	6.559	6.62	6.402	<u>6.61</u>	<u>6.653</u>	<u>6.55</u>	<u>6.48</u>		7.72
CaO	<u>10.49</u>	10.35	10.63	10.19	10.463	10.36	10.175	<u>10.89</u>	<u>9.813</u>	<u>10.52</u>	<u>10.41</u>		10.37
Na2O	<u>2.22</u>	2.56	2.25	2.08	2.242	2.21	2.152	<u>2.3</u>	<u>2.093</u>	<u>2.28</u>	<u>2.24</u>		2.373
K2O	<u>0.72</u>	0.81	0.75	0.706	0.721	0.73	0.709	<u>0.72</u>	<u>0.721</u>	<u>0.71</u>	<u>0.74</u>		0.67
P2O5	<u>0.139</u>	0.17	0.15	0.134	0.143	0.139	0.136	<u>0.144</u>	<u>0.14</u>	<u>0.145</u>	<u>0.19</u>		0.132
H2O+													0.9
CO2													
LOI	<u>0.34</u>	0.31		0.29	0.3	0.22		<u>0.14</u>	<u>0.688</u>	<u>0.02</u>	<u>0.32</u>		0.24
Ag					0.046								
As				1.13	1.223			<u>1.7</u>			<u>2</u>		
Au													
B													
Ba		196	173	169	179.080	178.484	181.350	<u>205.2</u>	<u>181.1</u>	<u>195</u>	<u>208</u>		
Be			0.73	0.68		0.843							
Bi					0.022								
Br				<u>1</u>	0.45								
C(org)													
C(tot)								<u>0.03</u>					
Cd					0.057								
Ce		27.7	26.3	26	26.169	27.133		<u>30.2</u>	<u>26.3</u>		<u>34</u>		
Cl					0.020								
Co		27	45.3	44.2		46.209	40.38	<u>42.3</u>	<u>45.3</u>	<u>45</u>			
Cr		187	167	168	168.5		178.7	<u>133</u>		<u>157</u>	<u>162</u>		
Cs		1.14	1.15		1.22	1.149			<u>1.21</u>				
Cu		94	122	120	121.2	126.153		<u>119</u>	<u>124</u>	<u>128</u>	<u>136</u>		
Dy		4.31	4.22	4.34	4.238	4.279			<u>4.19</u>				4.19
Er		2.53	2.45	2.58	2.410	2.488			<u>2.38</u>				2.2
Eu		1.21	1.17	1.2	1.181	1.192			<u>1.21</u>				1.06
F													
Ga		21.32	17.6	<u>16.83</u>	17.171		17	<u>15.8</u>	<u>16.7</u>	<u>19</u>	<u>19</u>		
Gd		4.37	4.06	4.17	4.183	4.117			<u>3.71</u>				3.07
Ge		3.32		<u>0.88</u>	1.425			<u>0.5</u>					
Hf		3.93	2.78	2.99	2.872	2.548			<u>2.81</u>	<u>3.1</u>			
Hg								<u>0.006</u>					
Ho		0.91	0.87	0.86	0.867	0.887			<u>0.87</u>				0.8
I													
In													
Ir													
La		13.17	12.1	12.5	12.285	12.055		<u>18.3</u>	<u>12.4</u>		<u>13</u>		13.3
Li			13.1			13.183							
Lu		0.39	0.33	0.34	0.345	0.338			<u>0.34</u>				0.46
Mo			0.7	0.73	0.723			<u>1.9</u>					
Nb		7	8.35	8.27	8.615	6.777		<u>6.8</u>	<u>8.19</u>		<u>8</u>		
Nd		15.65	14.4	14.4	14.663	14.563		<u>15.6</u>	<u>14.7</u>				15.2
Ni		60	76.5	71.8	72.92	75.733		<u>61.7</u>	<u>74.7</u>	<u>67</u>	<u>67</u>		
Os													
Pb		6	4.7	4.46	4.538	4.706		<u>3.9</u>	<u>4.52</u>		<u>7</u>		
Pd													
Pr		3.53	3.34	3.18	3.399	3.355			<u>3.41</u>				1.43
Pt													
Rb		23	24.5	<u>23.38</u>	24.509	24.333	25.08	<u>25.2</u>	<u>23.8</u>	<u>26</u>	<u>26</u>		
Re													
Rh													
Ru													
S								<u>0.017</u>					
Sb				0.13	0.463								
Sc		4	37.6	<u>35.25</u>	37.022			<u>57.1</u>	<u>38.3</u>		<u>33</u>		
Se				2.24				<u>1.9</u>					
Sm		4.2	3.69	3.66	3.661	3.615		<u>2</u>	<u>3.62</u>				3.42
Sn			1.02	<u>1.67</u>	1.152	0.62		<u>1.2</u>					
Sr		170	192	<u>169</u>	183.830	187.884	185.2	<u>183.4</u>	<u>183.6</u>	<u>192</u>	<u>193</u>		
Ta		1.12	0.52	0.42	0.758	0.477			<u>0.54</u>				
Tb		0.66	0.69	0.59	0.688	0.679			<u>0.69</u>				0.67
Te													
Th		2.6	2.45	2.5	2.516	2.504		<u>2.3</u>	<u>2.59</u>		<u>3</u>		
Tl			0.14	0.12	0.124								
Tm		0.37	0.35	0.35	0.361	0.347							0.33
U		0.61	0.58	0.54	0.575	0.619		<u>1.8</u>	<u>0.59</u>				
V		217	285	294	278.4		280.6	<u>242.4</u>		<u>264</u>	<u>253</u>		
W		1.22											
Y		23.1	24.2	20.1	23.863	24.731		<u>22.7</u>	<u>22.5</u>	<u>23</u>	<u>25</u>		21.4
Yb		2.35	2.25	2.26	2.252	2.244			<u>2.21</u>				1.79
Zn		93	81.7	83.4	83.79	88.112	82.63	<u>75.4</u>	<u>83.6</u>	<u>82</u>	<u>78</u>		
Zr		85	103	115	105.910	100.6	102.280	<u>96</u>	<u>98.4</u>	<u>98</u>	<u>111</u>		

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT49 Contributed data for Basalt, BVA-1. 30/06/2021

Lab Code		L109	L110	L112	L114	L115	L116	L117	L118	L121	L122	L124	L126	L128
SiO2	g 100g <sup>-1</sup>	<u>52.725</u>	<u>52.6</u>	<u>52.5</u>	<u>52.22</u>	<u>52.79</u>	<u>52.48</u>	<u>49.74</u>	<u>52.7</u>	<u>52.22</u>	<u>52.4</u>	<u>52.36</u>	<u>53.25</u>	
TiO2	g 100g <sup>-1</sup>	<u>1.188</u>	<u>1.17</u>	<u>1.195</u>	<u>1.15</u>	<u>1.18</u>	<u>1.207</u>	<u>1.174</u>	<u>1.26</u>	<u>1.17</u>	<u>1.19</u>	<u>1.164</u>	<u>1.162</u>	
Al2O3	g 100g <sup>-1</sup>	<u>14.288</u>	<u>14.3</u>	<u>14.3</u>	<u>14.44</u>	<u>14.42</u>	<u>14.31</u>	<u>13.99</u>	<u>13.4</u>	<u>14.3</u>	<u>14.09</u>	<u>14.52</u>	<u>14.53</u>	
Fe2O3T	g 100g <sup>-1</sup>	<u>11.422</u>	<u>11.5</u>	<u>11.1</u>	<u>11.2</u>	<u>11.43</u>	<u>11.33</u>	<u>11.45</u>	<u>11.05</u>	<u>11.32</u>	<u>11.45</u>	<u>11.31</u>	<u>11.42</u>	
Fe(II)O	g 100g <sup>-1</sup>					<u>8.61</u>								
MnO	g 100g <sup>-1</sup>	<u>0.162</u>	<u>0.183</u>	<u>0.184</u>	<u>0.17</u>	<u>0.18</u>	<u>0.186</u>	<u>0.164</u>	<u>0.12</u>	<u>0.179</u>	<u>0.181</u>	<u>0.176</u>	<u>0.182</u>	<u>0.165</u>
MgO	g 100g <sup>-1</sup>	<u>6.575</u>	<u>6.41</u>	<u>6.82</u>	<u>6.54</u>	<u>6.6</u>	<u>6.63</u>	<u>6.497</u>	<u>6.59</u>	<u>6.57</u>	<u>6.58</u>	<u>6.583</u>	<u>6.56</u>	
CaO	g 100g <sup>-1</sup>	<u>10.539</u>	<u>10.4</u>	<u>10.4</u>	<u>10.39</u>	<u>10.35</u>	<u>10.33</u>	<u>9.999</u>	<u>10.63</u>	<u>10.45</u>	<u>10.73</u>	<u>10.479</u>	<u>10.43</u>	
Na2O	g 100g <sup>-1</sup>	<u>2.235</u>	<u>2.36</u>	<u>2.35</u>	<u>2.21</u>	<u>2.23</u>	<u>2.08</u>	<u>2.237</u>	<u>2.11</u>	<u>2.23</u>	<u>2.25</u>	<u>2.262</u>	<u>2.23</u>	
K2O	g 100g <sup>-1</sup>	<u>0.726</u>	<u>0.719</u>	<u>0.701</u>	<u>0.73</u>	<u>0.71</u>	<u>0.688</u>	<u>0.722</u>	<u>0.72</u>	<u>0.71</u>	<u>0.73</u>	<u>0.726</u>	<u>0.77</u>	
P2O5	g 100g <sup>-1</sup>	<u>0.135</u>	<u>0.137</u>	<u>0.144</u>	<u>0.13</u>	<u>0.14</u>	<u>0.138</u>	<u>0.147</u>	<u>0.107</u>	<u>0.139</u>	<u>0.141</u>	<u>0.145</u>	<u>0.14</u>	
H2O+	g 100g <sup>-1</sup>				<u>0.25</u>									
CO2	g 100g <sup>-1</sup>													
LOI	g 100g <sup>-1</sup>	<u>0.32</u>		<u>0.32</u>	<u>0.22</u>	<u>0.27</u>	<u>0.39</u>		<u>0.38</u>	<u>0.54</u>	<u>0.24</u>	<u>0.367</u>	<u>0.25</u>	
Ag	mg kg <sup>-1</sup>	<u>0.06</u>				<u>0.04</u>				<u>0.18</u>				<u>0.053</u>
As	mg kg <sup>-1</sup>	<u>1.6</u>			<u>1</u>	<u>1.2</u>			<u>27</u>	<u>1.45</u>				<u>0.98</u>
Au	mg kg <sup>-1</sup>													<u>0.003</u>
B	mg kg <sup>-1</sup>							<u>184</u>		<u>8.92</u>		<u>13.722</u>		
Ba	mg kg <sup>-1</sup>	<u>182</u>		<u>178.5</u>	<u>202</u>	<u>160.5</u>	<u>167</u>	<u>165.9</u>		<u>174</u>	<u>201</u>	<u>181.1</u>		<u>200.4</u>
Be	mg kg <sup>-1</sup>	<u>0.8</u>		<u>0.687</u>		<u>0.74</u>				<u>0.66</u>		<u>0.767</u>		
Bi	mg kg <sup>-1</sup>	<u>0.04</u>			<u>2</u>	<u>0.04</u>				<u>0.03</u>				<u>0.029</u>
Br	mg kg <sup>-1</sup>													
C(org)	mg kg <sup>-1</sup>					<u>300</u>								
C(tot)	mg kg <sup>-1</sup>	<u>300</u>				<u>500</u>								
Cd	mg kg <sup>-1</sup>	<u>0.1</u>		<u>0.084</u>		<u>0.1</u>				<u>0.12</u>				<u>0.030</u>
Ce	mg kg <sup>-1</sup>	<u>24</u>		<u>26.49</u>	<u>35</u>	<u>27.4</u>	<u>26.1</u>	<u>26.86</u>		<u>27.39</u>	<u>29</u>	<u>27.01</u>		<u>39.5</u>
Cl	mg kg <sup>-1</sup>							<u>280</u>	<u>310</u>					
Co	mg kg <sup>-1</sup>	<u>50.9</u>		<u>45.37</u>	<u>43</u>	<u>47</u>	<u>42.8</u>	<u>54.97</u>	<u>10</u>	<u>44</u>	<u>43</u>	<u>45.28</u>		<u>42.54</u>
Cr	mg kg <sup>-1</sup>	<u>114</u>		<u>174.9</u>	<u>152</u>	<u>123</u>	<u>166</u>	<u>298</u>	<u>65</u>	<u>179</u>	<u>145</u>	<u>167.7</u>		<u>158.3</u>
Cs	mg kg <sup>-1</sup>	<u>1.5</u>		<u>1.227</u>	<u>2</u>	<u>1.24</u>				<u>0.75</u>		<u>1.241</u>		
Cu	mg kg <sup>-1</sup>	<u>121.780</u>		<u>115.4</u>	<u>126</u>	<u>127</u>	<u>105</u>	<u>108</u>	<u>89</u>	<u>116</u>	<u>127</u>	<u>123.290</u>		<u>128.5</u>
Dy	mg kg <sup>-1</sup>	<u>4.93</u>		<u>4.193</u>		<u>4.15</u>	<u>4.19</u>	<u>4.61</u>		<u>4.2</u>		<u>4.264</u>		
Er	mg kg <sup>-1</sup>	<u>2.2</u>		<u>2.453</u>		<u>2.88</u>	<u>2.45</u>	<u>2.743</u>		<u>2.46</u>		<u>2.429</u>		
Eu	mg kg <sup>-1</sup>	<u>0.99</u>		<u>1.175</u>		<u>1.2</u>	<u>1.2</u>	<u>1.248</u>		<u>1.19</u>		<u>1.170</u>		
F	mg kg <sup>-1</sup>							<u>260</u>						<u>203</u>
Ga	mg kg <sup>-1</sup>	<u>17</u>		<u>17.07</u>	<u>18</u>	<u>18.4</u>	<u>17</u>	<u>14.68</u>		<u>17.2</u>	<u>18</u>	<u>17.69</u>		<u>18.03</u>
Gd	mg kg <sup>-1</sup>	<u>3.79</u>		<u>4.112</u>		<u>4.24</u>	<u>4.24</u>	<u>4.322</u>		<u>4.15</u>		<u>4.169</u>		
Ge	mg kg <sup>-1</sup>	<u>1.7</u>			<u>1</u>	<u>0.13</u>				<u>1.55</u>				
Hf	mg kg <sup>-1</sup>	<u>3</u>		<u>2.623</u>	<u>1</u>	<u>2.7</u>				<u>2.93</u>		<u>2.917</u>		
Hg	mg kg <sup>-1</sup>						<u>0.001</u>							
Ho	mg kg <sup>-1</sup>	<u>0.69</u>		<u>0.887</u>		<u>0.85</u>	<u>0.845</u>	<u>0.927</u>		<u>0.85</u>		<u>0.881</u>		
I	mg kg <sup>-1</sup>				<u>2.2</u>									
In	mg kg <sup>-1</sup>	<u>0.066</u>				<u>0.073</u>								
Ir	mg kg <sup>-1</sup>													
La	mg kg <sup>-1</sup>	<u>12.4</u>		<u>11.98</u>	<u>13</u>	<u>12.1</u>	<u>12.3</u>	<u>12.49</u>		<u>11.75</u>	<u>12</u>	<u>12.370</u>		<u>11.3</u>
Li	mg kg <sup>-1</sup>	<u>14.4</u>		<u>13.36</u>		<u>14</u>				<u>12.19</u>		<u>13.814</u>		
Lu	mg kg <sup>-1</sup>	<u>0.19</u>		<u>0.331</u>		<u>0.36</u>	<u>0.348</u>	<u>0.373</u>		<u>0.35</u>		<u>0.341</u>		
Mo	mg kg <sup>-1</sup>	<u>0.67</u>		<u>0.652</u>		<u>0.72</u>				<u>0.82</u>				<u>0.467</u>
Nb	mg kg <sup>-1</sup>	<u>7</u>		<u>8.285</u>	<u>8</u>	<u>8</u>	<u>8.8</u>			<u>9.35</u>	<u>8.8</u>	<u>8.29</u>		<u>7.33</u>
Nd	mg kg <sup>-1</sup>	<u>17</u>		<u>14.57</u>	<u>13</u>	<u>14.5</u>	<u>13.2</u>			<u>14.4</u>	<u>13</u>	<u>14.58</u>		
Ni	mg kg <sup>-1</sup>	<u>71</u>		<u>72.09</u>	<u>67</u>	<u>75.8</u>	<u>74.3</u>	<u>69.97</u>	<u>21</u>	<u>73</u>	<u>66</u>	<u>73.56</u>		<u>69.71</u>
Os	mg kg <sup>-1</sup>													
Pb	mg kg <sup>-1</sup>	<u>4.7</u>		<u>4.351</u>	<u>5</u>	<u>4.3</u>		<u>4.627</u>		<u>4.38</u>	<u>4.2</u>	<u>4.697</u>		<u>3.45</u>
Pd	mg kg <sup>-1</sup>													<u>0.011</u>
Pr	mg kg <sup>-1</sup>	<u>3.7</u>		<u>3.441</u>		<u>3.57</u>	<u>3.37</u>	<u>3.582</u>		<u>3.3</u>		<u>3.483</u>		
Pt	mg kg <sup>-1</sup>													
Rb	mg kg <sup>-1</sup>	<u>23</u>		<u>24.45</u>	<u>23</u>	<u>26.3</u>	<u>14.5</u>			<u>26</u>	<u>24</u>	<u>24.55</u>		<u>24.1</u>
Re	mg kg <sup>-1</sup>					<u>0.002</u>								
Rh	mg kg <sup>-1</sup>													
Ru	mg kg <sup>-1</sup>													
S	mg kg <sup>-1</sup>	<u>300</u>				<u>0.01</u>								
Sb	mg kg <sup>-1</sup>	<u>0.15</u>		<u>0.206</u>		<u>0.15</u>			<u>0.126</u>	<u>0.15</u>				
Sc	mg kg <sup>-1</sup>	<u>35</u>		<u>37.45</u>	<u>33</u>	<u>36.4</u>	<u>37.4</u>	<u>33.98</u>		<u>33</u>	<u>35</u>	<u>37.07</u>		<u>31.8</u>
Se	mg kg <sup>-1</sup>	<u>1.3</u>				<u>1</u>			<u>2</u>	<u>0.28</u>				<u>0.110</u>
Sm	mg kg <sup>-1</sup>	<u>4.35</u>		<u>3.665</u>		<u>3.69</u>	<u>3.65</u>	<u>4.087</u>		<u>3.6</u>		<u>3.676</u>		
Sn	mg kg <sup>-1</sup>	<u>1.4</u>		<u>1.117</u>		<u>1</u>	<u>0.9</u>	<u>1.11</u>		<u>0.81</u>				
Sr	mg kg <sup>-1</sup>	<u>199</u>		<u>186.7</u>	<u>180</u>	<u>199</u>	<u>173</u>	<u>178.9</u>		<u>185</u>	<u>177</u>	<u>186.8</u>		<u>185.720</u>
Ta	mg kg <sup>-1</sup>	<u>0.47</u>		<u>0.519</u>		<u>0.53</u>		<u>1.06</u>		<u>0.61</u>		<u>0.517</u>		
Tb	mg kg <sup>-1</sup>	<u>0.51</u>		<u>0.684</u>		<u>0.72</u>	<u>0.672</u>	<u>0.737</u>		<u>0.69</u>		<u>0.694</u>		
Te	mg kg <sup>-1</sup>	<u>0.02</u>				<u>0.05</u>			<u>0.221</u>					
Th	mg kg <sup>-1</sup>	<u>2.68</u>		<u>2.433</u>	<u>6</u>	<u>2.61</u>	<u>2.6</u>	<u>2.899</u>		<u>2.34</u>	<u>5.2</u>	<u>2.544</u>		<u>2.13</u>
Tl	mg kg <sup>-1</sup>	<u>0.13</u>		<u>0.119</u>		<u>0.12</u>				<u>0.11</u>				
Tm	mg kg <sup>-1</sup>	<u>0.19</u>		<u>0.362</u>		<u>0.35</u>	<u>0.359</u>	<u>0.383</u>		<u>0.34</u>				
U	mg kg <sup>-1</sup>	<u>0.47</u>		<u>0.598</u>		<u>0.6</u>	<u>0.63</u>	<u>0.655</u>		<u>0.57</u>		<u>0.615</u>		
V	mg kg <sup>-1</sup>	<u>245</u>		<u>275.3</u>	<u>251</u>	<u>269</u>	<u>267</u>	<u>290</u>	<u>252</u>	<u>277</u>	<u>256</u>	<u>275.5</u>		<u>249.020</u>
W	mg kg <sup>-1</sup>	<u>0.3</u>		<u>0.314</u>		<u>0.4</u>				<u>0.44</u>				
Y	mg kg <sup>-1</sup>	<u>21</u>		<u>22.18</u>	<u>23</u>	<u>24</u>	<u>21.4</u>	<u>23.02</u>		<u>22.51</u>	<u>212</u>	<u>23.93</u>		<u>21.78</u>
Yb	mg kg <sup>-1</sup>	<u>2.57</u>		<u>2.249</u>	<u>1</u>	<u>2.36</u>	<u>2.26</u>	<u>2.465</u>		<u>2.17</u>		<u>2.271</u>		
Zn	mg kg <sup>-1</sup>	<u>72</u>		<u>80.99</u>	<u>80</u>	<u>86</u>	<u>84.5</u>		<u>54</u>	<u>78</u>	<u>77</u>	<u>82.56</u>		<u>80.42</u>
Zr	mg kg <sup>-1</sup>	<u>106</u>		<u>97.75</u>	<u>101</u>	<u>98</u>	<u>101</u>	<u>75.96</u>		<u>104</u>	<u>98</u>	<u>110.130</u>		<u>100.830</u>

Table 1 - GeoPT49 Contributed data for Basalt, BVA-1. 30/06/2021

Lab Code		L129	L130	-	-	-	-	-	-	-	-	-	-	-
SiO2	g 100g <sup>-1</sup>	<b>52.154</b>	<u>54.64</u>											
TiO2	g 100g <sup>-1</sup>	<b>1.183</b>	<u>1.13</u>											
Al2O3	g 100g <sup>-1</sup>	<b>14.259</b>	<u>13.5</u>											
Fe2O3T	g 100g <sup>-1</sup>	<b>11.274</b>	<u>11.28</u>											
Fe(II)O	g 100g <sup>-1</sup>													
MnO	g 100g <sup>-1</sup>	<b>0.17</b>	<u>0.17</u>											
MgO	g 100g <sup>-1</sup>	<b>6.566</b>	<u>6.02</u>											
CaO	g 100g <sup>-1</sup>	<b>10.479</b>	<u>10.52</u>											
Na2O	g 100g <sup>-1</sup>	<b>2.285</b>	<u>1.78</u>											
K2O	g 100g <sup>-1</sup>	<b>0.716</b>	<u>0.78</u>											
P2O5	g 100g <sup>-1</sup>	<b>0.142</b>	<u>0.18</u>											
H2O+	g 100g <sup>-1</sup>		<u>0.34</u>											
CO2	g 100g <sup>-1</sup>													
LOI	g 100g <sup>-1</sup>	<b>0.38</b>	<u>0.41</u>											
Ag	mg kg <sup>-1</sup>	<b>0.044</b>												
As	mg kg <sup>-1</sup>	<b>0.740</b>												
Au	mg kg <sup>-1</sup>													
B	mg kg <sup>-1</sup>													
Ba	mg kg <sup>-1</sup>	<b>177.314</b>	<u>182.5</u>											
Be	mg kg <sup>-1</sup>	<b>0.603</b>												
Bi	mg kg <sup>-1</sup>	<b>0.030</b>												
Br	mg kg <sup>-1</sup>													
C(org)	mg kg <sup>-1</sup>													
C(tot)	mg kg <sup>-1</sup>													
Cd	mg kg <sup>-1</sup>	<b>0.066</b>												
Ce	mg kg <sup>-1</sup>	<b>26.260</b>												
Cl	mg kg <sup>-1</sup>													
Co	mg kg <sup>-1</sup>	<b>43.552</b>	<u>55.48</u>											
Cr	mg kg <sup>-1</sup>	<b>160.398</b>	<u>157.3</u>											
Cs	mg kg <sup>-1</sup>	<b>1.173</b>												
Cu	mg kg <sup>-1</sup>	<b>134.440</b>	<u>106.7</u>											
Dy	mg kg <sup>-1</sup>	<b>4.408</b>												
Er	mg kg <sup>-1</sup>	<b>2.606</b>												
Eu	mg kg <sup>-1</sup>	<b>1.229</b>												
F	mg kg <sup>-1</sup>													
Ga	mg kg <sup>-1</sup>	<b>17.702</b>												
Gd	mg kg <sup>-1</sup>	<b>4.227</b>												
Ge	mg kg <sup>-1</sup>													
Hf	mg kg <sup>-1</sup>	<b>2.772</b>												
Hg	mg kg <sup>-1</sup>													
Ho	mg kg <sup>-1</sup>	<b>0.914</b>												
I	mg kg <sup>-1</sup>													
In	mg kg <sup>-1</sup>													
Ir	mg kg <sup>-1</sup>													
La	mg kg <sup>-1</sup>	<b>12.248</b>												
Li	mg kg <sup>-1</sup>	<b>11.673</b>	<u>18.24</u>											
Lu	mg kg <sup>-1</sup>	<b>0.354</b>												
Mo	mg kg <sup>-1</sup>	<b>0.714</b>												
Nb	mg kg <sup>-1</sup>	<b>7.648</b>												
Nd	mg kg <sup>-1</sup>	<b>14.833</b>												
Ni	mg kg <sup>-1</sup>	<b>67.643</b>	<u>68.09</u>											
Os	mg kg <sup>-1</sup>													
Pb	mg kg <sup>-1</sup>	<b>4.632</b>	<u>3.37</u>											
Pd	mg kg <sup>-1</sup>													
Pr	mg kg <sup>-1</sup>	<b>3.634</b>												
Pt	mg kg <sup>-1</sup>													
Rb	mg kg <sup>-1</sup>	<b>24.603</b>												
Re	mg kg <sup>-1</sup>													
Rh	mg kg <sup>-1</sup>													
Ru	mg kg <sup>-1</sup>													
S	mg kg <sup>-1</sup>													
Sb	mg kg <sup>-1</sup>	<b>0.177</b>												
Sc	mg kg <sup>-1</sup>	<b>38.018</b>												
Se	mg kg <sup>-1</sup>													
Sm	mg kg <sup>-1</sup>	<b>3.896</b>												
Sn	mg kg <sup>-1</sup>	<b>0.855</b>												
Sr	mg kg <sup>-1</sup>	<b>178.998</b>	<u>181.2</u>											
Ta	mg kg <sup>-1</sup>	<b>0.511</b>												
Tb	mg kg <sup>-1</sup>	<b>0.728</b>												
Te	mg kg <sup>-1</sup>													
Th	mg kg <sup>-1</sup>	<b>2.893</b>												
Tl	mg kg <sup>-1</sup>	<b>0.102</b>												
Tm	mg kg <sup>-1</sup>	<b>0.383</b>												
U	mg kg <sup>-1</sup>	<b>0.607</b>												
V	mg kg <sup>-1</sup>	<b>260.951</b>	<u>296.1</u>											
W	mg kg <sup>-1</sup>	<b>0.311</b>												
Y	mg kg <sup>-1</sup>	<b>23.299</b>	<u>20.75</u>											
Yb	mg kg <sup>-1</sup>	<b>2.340</b>												
Zn	mg kg <sup>-1</sup>	<b>76.846</b>	<u>85.16</u>											
Zr	mg kg <sup>-1</sup>	<b>103.851</b>	<u>114</u>											

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 2 - GeoPT49 Consensus values and statistical summary for Basalt, BVA-1.

	Consensus Value	Uncertainty of consensus value	Horwitz Target Precision	Uncertainty/Target Precision	Number of reported results	Robust Mean of results	Robust SD of results	Median of results	Status of consensus value	Type of consensus value
	$X_{pt}$	$u(x_{pb})$	$\sigma_{pt}$	$u(x_{pt})/\sigma_{pt}$	$n$					
	g 100g <sup>-1</sup>	g 100g <sup>-1</sup>	g 100g <sup>-1</sup>			g 100g <sup>-1</sup>	g 100g <sup>-1</sup>	g 100g <sup>-1</sup>		
SiO2	52.52	0.04891	0.5787	0.08453	82	52.52	0.4429	52.51	Assigned	Robust Mean
TiO2	1.176	0.002789	0.02295	0.1215	87	1.173	0.02417	1.176	Assigned	Median
Al2O3	14.32	0.0253	0.1918	0.1319	87	14.34	0.2159	14.32	Assigned	Median
Fe2O3T	11.31	0.01783	0.157	0.1135	88	11.3	0.1625	11.31	Assigned	Median
Fe(II)O	8.425	0.09945	0.1223	0.8134	12	8.361	0.3958	8.425	Provisional	Median
MnO	0.179	0.001227	0.004638	0.2646	86	0.1759	0.01094	0.179	Assigned	Median
MgO	6.58	0.01172	0.09911	0.1183	86	6.573	0.09826	6.58	Assigned	Median
CaO	10.43	0.02171	0.1466	0.1481	87	10.4	0.1823	10.43	Assigned	Median
Na2O	2.235	0.008978	0.0396	0.2267	82	2.235	0.0813	2.239	Assigned	Robust Mean
K2O	0.72	0.002015	0.01513	0.1332	85	0.7211	0.01999	0.72	Assigned	Median
P2O5	0.14	0.0006361	0.003764	0.169	82	0.1413	0.006792	0.14	Assigned	Median
	mg kg <sup>-1</sup>	mg kg <sup>-1</sup>	mg kg <sup>-1</sup>			mg kg <sup>-1</sup>	mg kg <sup>-1</sup>	mg kg <sup>-1</sup>		
Ag	0.05214	0.005261	0.006505	0.8088	18	0.062	0.02839	0.057	Provisional	Mode
Ba	178.5	2.18	6.543	0.3332	74	185	17.13	181.8	Provisional	Mode
Be	0.709	0.02795	0.05972	0.4681	35	0.7101	0.1497	0.709	Assigned	Median
Bi	0.03019	0.003225	0.004089	0.7888	18	0.03329	0.009868	0.03019	Provisional	Median
Cd	0.08756	0.006867	0.0101	0.6796	23	0.08756	0.03293	0.09	Provisional	Robust Mean
Ce	26.7	0.2063	1.303	0.1584	60	26.83	1.793	26.7	Assigned	Median
Co	44.42	0.3734	2.007	0.186	65	44.22	3.151	44.42	Assigned	Median
Cr	165	3.01	6.12	0.4918	68	159.4	20.27	162	Provisional	Mode
Cs	1.215	0.01924	0.09437	0.2039	40	1.206	0.1219	1.215	Assigned	Median
Cu	121.9	1.135	4.732	0.2398	70	119.9	8.966	121.9	Assigned	Median
Dy	4.25	0.02389	0.2734	0.08738	49	4.241	0.1712	4.25	Assigned	Median
Er	2.461	0.02287	0.1719	0.133	49	2.461	0.1601	2.45	Assigned	Robust Mean
Eu	1.194	0.007846	0.09301	0.08436	48	1.194	0.05436	1.189	Assigned	Robust Mean
Ga	17.43	0.1571	0.9067	0.1732	60	17.43	1.217	17.26	Assigned	Robust Mean
Gd	4.13	0.03416	0.2668	0.128	50	4.091	0.2919	4.13	Assigned	Median
Ge	1.482	0.08631	0.1118	0.7723	19	1.397	0.8601	1.45	Provisional	Mode
Hf	2.76	0.04432	0.1895	0.2339	45	2.743	0.2784	2.76	Assigned	Median
Ho	0.875	0.006705	0.07141	0.0939	48	0.8696	0.04533	0.875	Assigned	Median
In	0.068	0.0021	0.008151	0.2576	10	0.06699	0.004286	0.0673	Provisional	Mode
La	12.29	0.09883	0.6737	0.1467	61	12.29	0.7719	12.27	Assigned	Robust Mean
Li	13.5	0.225	0.7298	0.3083	32	13.41	1.164	13.5	Assigned	Median
Lu	0.3399	0.002805	0.03198	0.08769	47	0.3399	0.01923	0.34	Assigned	Robust Mean
Mo	0.7069	0.00974	0.05957	0.1635	35	0.7309	0.1251	0.72	Assigned	Mode
Nb	8	0.1384	0.4679	0.2958	56	7.956	0.9214	8	Provisional	Median
Nd	14.63	0.1029	0.7816	0.1317	57	14.63	0.7769	14.63	Assigned	Robust Mean
Ni	74.3	1.34	3.107	0.4312	69	70.69	6.987	72	Provisional	Mode
Pb	4.697	0.07942	0.2977	0.2668	55	4.792	0.8818	4.697	Assigned	Median
Pr	3.391	0.02724	0.2257	0.1207	49	3.391	0.1907	3.399	Assigned	Robust Mean
Rb	24.4	0.1996	1.207	0.1654	65	24.4	1.609	24.43	Assigned	Robust Mean
Sb	0.1615	0.015	0.017	0.8825	24	0.1724	0.05951	0.165	Provisional	Mode
Sc	36	0.4966	1.679	0.2957	57	35.44	3.195	36	Assigned	Median
Sm	3.668	0.03088	0.2412	0.128	50	3.666	0.1966	3.668	Assigned	Median
Sn	1.016	0.03863	0.0811	0.4764	32	1.016	0.2185	1.005	Provisional	Robust Mean
Sr	185	0.9924	6.744	0.1471	73	185	8.479	185	Assigned	Robust Mean
Ta	0.5204	0.01064	0.04592	0.2317	36	0.533	0.05621	0.5204	Assigned	Median
Tb	0.69	0.006034	0.05836	0.1034	48	0.6855	0.0439	0.69	Assigned	Median
Th	2.54	0.02602	0.1766	0.1474	51	2.532	0.2246	2.54	Assigned	Median
Tl	0.12	0.003182	0.01321	0.2409	25	0.12	0.01591	0.12	Assigned	Robust Mean
Tm	0.3557	0.004119	0.03324	0.1239	46	0.3557	0.02794	0.3585	Assigned	Robust Mean
U	0.5851	0.006188	0.05073	0.122	44	0.5851	0.04105	0.585	Assigned	Robust Mean
V	275.5	3.09	9.46	0.3266	69	269	20.61	272.9	Provisional	Mode
W	0.33	0.015	0.03119	0.4809	24	0.3787	0.1398	0.3433	Provisional	Mode
Y	22.69	0.1979	1.134	0.1745	70	22.69	1.656	22.95	Assigned	Robust Mean
Yb	2.267	0.01675	0.1603	0.1045	50	2.267	0.1184	2.26	Assigned	Robust Mean
Zn	82.56	1.48	3.399	0.4355	72	81.22	6.407	81.95	Provisional	Mode
Zr	99.75	0.9314	3.991	0.2334	70	99.75	7.793	100.1	Assigned	Robust Mean

Table 3 - GeoPT49 Z-scores for Basalt, BVA-1. 30/06/2021

Lab Code	L1	L2	L3	L4	L6	L8	L10	L11	L13	L14	L17	L18	L19
SiO2	-0.15	-0.43	<u>-0.03</u>	0.48	<u>0.03</u>	0.26	-0.53	-0.28	-0.02	-0.24	-0.26	0.66	0.91
TiO2	-2.00	3.22	<u>-1.22</u>	0.22	<u>-0.13</u>	-8.10	<u>0.09</u>	*	<u>-0.13</u>	0.17	-2.48	<u>0.46</u>	<u>0.09</u>
Al2O3	2.31	-1.34	<u>1.99</u>	-0.46	<u>0.11</u>	-57.48	<u>-0.04</u>	*	<u>0.92</u>	-1.24	1.01	<u>0.61</u>	<u>0.32</u>
Fe2O3T	-1.08	0.45	<u>0.25</u>	0.77	<u>-0.22</u>	0.19	<u>0.29</u>	<u>0.29</u>	<u>0.25</u>	-0.57	1.57	<u>-0.10</u>	<u>0.67</u>
Fe(II)O	*	*	*	<b>-4.82</b>	*	<b>14.52</b>	*	*	*	*	*	*	*
MnO	-1.53	2.37	<u>-0.75</u>	-0.88	<u>0.11</u>	-4.10	<u>2.48</u>	*	<u>0.11</u>	4.53	-3.62	<u>-0.22</u>	<u>0.11</u>
MgO	-0.86	-1.92	<u>-2.62</u>	0.94	<u>-0.25</u>	-23.00	<u>0.10</u>	*	<u>0.35</u>	-0.81	0.58	<u>1.38</u>	<u>0.00</u>
CaO	0.14	1.43	<u>0.58</u>	-0.41	<u>0.10</u>	-3.82	*	<u>-0.34</u>	<u>-0.38</u>	-2.11	0.09	<u>-1.55</u>	<u>-0.38</u>
Na2O	-0.17	-1.89	<u>-1.45</u>	0.40	<u>-0.06</u>	*	<u>-0.82</u>	*	<u>-0.44</u>	-4.16	6.42	<u>0.50</u>	<u>0.70</u>
K2O	-0.22	-0.66	<u>2.45</u>	-0.36	<u>-0.33</u>	-1.32	*	*	<u>0.66</u>	-2.64	-0.46	<u>0.53</u>	<u>0.99</u>
P2O5	-0.40	0.00	<u>10.63</u>	-0.05	<u>0.27</u>	130.18	*	*	<u>2.66</u>	<b>39.85</b>	2.13	<u>-0.93</u>	<u>1.33</u>
Ag	*	*	*	*	*	<b>949.73</b>	*	*	*	*	*	*	<u>0.60</u>
Ba	<b>-1.48</b>	<b>4.05</b>	<u>12.27</u>	<b>-0.79</b>	<u>-0.28</u>	<b>-11.02</b>	*	*	*	*	<b>0.69</b>	<u>-0.15</u>	<u>-1.16</u>
Be	*	*	*	0.52	<u>-0.41</u>	*	*	*	*	*	*	<u>2.16</u>	<u>1.43</u>
Bi	*	*	*	*	*	*	*	*	*	*	*	*	<u>-0.02</u>
Cd	*	*	*	*	<u>0.12</u>	<b>1099.81</b>	*	*	*	*	*	*	<u>-0.37</u>
Ce	*	<u>0.50</u>	*	-0.11	<u>0.23</u>	*	*	<u>-2.00</u>	*	*	1.00	<u>-1.61</u>	<u>-0.79</u>
Co	*	-1.70	*	0.47	<u>-0.00</u>	10.67	*	<u>-8.57</u>	*	*	-0.71	<u>0.00</u>	<u>0.33</u>
Cr	-0.26	<b>-2.61</b>	*	0.37	<u>0.74</u>	<b>27.32</b>	*	*	*	*	<b>1.80</b>	<u>-0.25</u>	<u>0.09</u>
Cs	*	*	*	-0.47	<u>-0.08</u>	*	*	*	*	*	<b>50.70</b>	<u>0.19</u>	<u>-0.87</u>
Cu	*	*	*	0.11	<u>-0.23</u>	-2.30	*	<u>0.12</u>	*	*	-0.82	<u>0.64</u>	<u>0.04</u>
Dy	*	*	*	-0.02	<u>0.09</u>	*	*	<u>0.46</u>	*	*	*	<u>-0.23</u>	<u>-0.55</u>
Er	*	*	*	-0.14	<u>-0.18</u>	*	*	<u>0.11</u>	*	*	*	<u>-0.45</u>	<u>-0.44</u>
Eu	*	*	*	-0.19	<u>0.03</u>	*	*	<u>0.57</u>	*	*	*	<u>-0.23</u>	<u>-0.67</u>
Ga	*	*	*	0.63	<u>0.36</u>	*	*	*	*	*	<b>2.83</b>	<u>-0.98</u>	<u>-0.13</u>
Gd	*	*	*	0.14	<u>-0.26</u>	*	*	<u>1.07</u>	*	*	*	<u>-0.12</u>	<u>-0.60</u>
Ge	*	*	*	*	<u>-0.37</u>	*	*	*	*	*	*	<u>-1.13</u>	*
Hf	*	*	*	0.71	<u>0.37</u>	*	*	<u>-0.42</u>	*	*	*	<u>-0.39</u>	*
Ho	*	*	*	0.03	<u>0.18</u>	*	*	<u>-0.53</u>	*	*	*	<u>0.20</u>	<u>-0.46</u>
In	*	*	*	*	<u>0.12</u>	*	*	*	*	*	*	*	*
La	*	<u>4.24</u>	*	-0.02	<u>0.08</u>	*	*	<u>-2.59</u>	*	*	<b>-10.82</b>	<u>-0.09</u>	<u>-0.65</u>
Li	*	*	*	-0.52	<u>-0.62</u>	*	*	*	*	*	*	*	<u>4.01</u>
Lu	*	*	*	-0.06	<u>0.16</u>	*	*	<u>0.94</u>	*	*	*	<u>0.06</u>	<u>-0.47</u>
Mo	*	*	*	0.51	<u>-0.06</u>	<b>156.01</b>	*	*	*	*	*	<u>-1.01</u>	<u>21.77</u>
Nb	*	<b>0.00</b>	*	0.97	<u>0.53</u>	<b>2.59</b>	*	*	*	*	<b>-2.14</b>	<u>0.09</u>	<u>-0.28</u>
Nd	*	*	*	0.04	<u>-0.28</u>	*	*	<u>0.62</u>	*	*	<b>4.31</b>	<u>-0.12</u>	<u>-0.62</u>
Ni	*	<b>1.19</b>	*	0.29	<u>-0.97</u>	<b>-16.19</b>	*	<u>-9.38</u>	*	*	<b>-2.35</b>	<u>-0.11</u>	<u>-0.15</u>
Pb	*	*	*	-0.31	<u>-0.67</u>	<b>31.25</b>	*	*	*	*	*	<u>0.89</u>	<u>-0.99</u>
Pr	*	*	*	0.10	<u>0.46</u>	*	*	<u>-0.64</u>	*	*	*	<u>-0.07</u>	<u>-0.47</u>
Rb	*	<b>0.50</b>	<u>-0.99</u>	0.02	<u>-0.54</u>	<b>-11.93</b>	*	*	*	*	<b>5.47</b>	<u>-0.22</u>	<u>-0.50</u>
Sb	*	*	*	*	<u>-0.63</u>	<b>1229.04</b>	*	*	*	*	*	<u>1.72</u>	<u>-0.63</u>
Sc	*	<u>-0.89</u>	*	0.51	<u>-0.15</u>	<b>89.83</b>	*	<u>-0.66</u>	*	*	<b>-1.79</b>	<u>-2.08</u>	<u>1.69</u>
Sm	*	*	*	0.53	<u>0.07</u>	*	*	<u>1.10</u>	*	*	*	<u>-0.09</u>	<u>-0.60</u>
Sn	*	*	*	-0.82	<u>-0.72</u>	<b>176.99</b>	*	*	*	*	*	<u>-0.77</u>	*
Sr	<b>0.94</b>	<b>1.93</b>	<u>-0.37</u>	0.65	<u>-0.45</u>	<b>-0.58</b>	*	*	*	*	<b>-0.15</b>	<u>-0.26</u>	<u>-0.89</u>
Ta	*	*	*	0.36	<u>0.21</u>	*	*	*	*	*	*	<u>-0.13</u>	*
Tb	*	*	*	-0.09	<u>0.09</u>	*	*	<u>0.09</u>	*	*	*	<u>0.09</u>	<u>-0.34</u>
Th	*	*	*	-0.08	<u>0.03</u>	*	*	<u>-3.51</u>	*	*	*	<u>-0.03</u>	<u>-0.57</u>
Tl	*	*	*	1.44	<u>-0.00</u>	*	*	*	*	*	*	*	<u>0.38</u>
Tm	*	*	*	-0.29	<u>0.67</u>	*	*	<u>0.67</u>	*	*	*	<u>0.08</u>	<u>-0.39</u>
U	*	*	*	0.31	<u>-0.05</u>	*	*	<u>-0.84</u>	*	*	*	<u>-0.05</u>	<u>-0.94</u>
V	*	<u>-0.71</u>	*	0.89	<u>-0.45</u>	<b>-6.31</b>	*	<u>-9.38</u>	*	*	<b>-1.32</b>	<u>-0.03</u>	<u>0.12</u>
W	*	*	*	*	*	<b>578.12</b>	*	*	*	*	*	<u>0.46</u>	*
Y	*	<b>1.16</b>	*	1.13	<u>-0.39</u>	*	*	<u>1.86</u>	*	*	<b>0.28</b>	<u>-0.28</u>	<u>-0.59</u>
Yb	*	*	*	0.17	<u>-0.24</u>	*	*	<u>1.04</u>	*	*	*	<u>-0.02</u>	<u>-0.52</u>
Zn	<b>-0.41</b>	*	*	-0.26	<u>-0.23</u>	<b>-13.99</b>	<u>0.36</u>	<u>-7.73</u>	*	*	<b>-1.64</b>	<u>0.75</u>	<u>3.32</u>
Zr	<b>0.41</b>	<b>3.57</b>	<u>-0.97</u>	1.95	<u>0.16</u>	<b>2.09</b>	*	*	*	*	<b>0.31</b>	<u>0.02</u>	<u>-3.00</u>

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT49 Z-scores for Basalt, BVA-1. 30/06/2021

Lab Code	L20	L21	L22	L24	L25	L27	L28	L29	L30	L31	L32	L33	L34
SiO2	<u>-0.00</u>	<u>-0.34</u>	*	<u>0.11</u>	<u>-0.05</u>	<u>-0.09</u>	<u>-0.48</u>	<u>-0.10</u>	*	<u>-0.30</u>	<u>0.31</u>	<b>0.71</b>	1.16
TiO2	<u>-0.91</u>	<u>0.15</u>	*	<u>0.98</u>	<u>-0.22</u>	<u>-0.35</u>	<u>0.09</u>	<u>-0.57</u>	*	<u>1.29</u>	<u>-0.13</u>	<b>-1.13</b>	-1.31
Al2O3	<u>-0.45</u>	<u>1.02</u>	*	<u>-0.10</u>	<u>0.20</u>	<u>0.48</u>	<u>-0.28</u>	<u>-0.30</u>	*	<u>0.00</u>	<u>-0.02</u>	<b>-0.45</b>	0.07
Fe2O3T	<u>-0.30</u>	<u>0.13</u>	*	<u>-0.25</u>	<u>0.03</u>	<u>0.06</u>	<u>-0.06</u>	<u>-0.51</u>	*	<u>0.44</u>	<u>-0.13</u>	<b>-1.15</b>	1.59
Fe(II)O	*	*	*	*	*	*	*	*	<i>0.14</i>	*	<u>-0.35</u>	*	*
MnO	<u>0.54</u>	<u>-0.43</u>	*	<u>-0.75</u>	<u>-2.01</u>	<u>-1.62</u>	<u>0.00</u>	<u>-0.97</u>	*	<u>0.54</u>	<u>0.11</u>	*	0.45
MgO	<u>0.28</u>	<u>0.96</u>	*	<u>-0.17</u>	<u>0.22</u>	<u>0.50</u>	<u>0.35</u>	<u>0.20</u>	*	<u>0.08</u>	<u>0.10</u>	<b>-0.71</b>	-0.72
CaO	<u>-0.18</u>	<u>-0.58</u>	*	<u>-0.07</u>	<u>0.14</u>	<u>-0.78</u>	<u>-0.48</u>	<u>0.07</u>	*	<u>-0.15</u>	<u>0.10</u>	<b>0.48</b>	0.12
Na2O	<u>-0.12</u>	<u>0.83</u>	*	<u>-0.51</u>	<u>0.86</u>	<u>0.19</u>	<u>-1.07</u>	<u>-0.06</u>	*	<u>-1.01</u>	<u>0.07</u>	<b>0.13</b>	1.60
K2O	<u>0.23</u>	<u>0.33</u>	*	<u>-0.33</u>	<u>-0.89</u>	<u>0.00</u>	<u>-0.99</u>	<u>-0.33</u>	*	<u>-0.20</u>	<u>-0.33</u>	<b>-1.32</b>	0.00
P2O5	<u>0.40</u>	<u>-2.79</u>	*	<u>-0.53</u>	*	<u>-0.13</u>	<u>0.00</u>	<u>0.00</u>	*	<u>0.00</u>	<u>-0.13</u>	<b>2.66</b>	1.89
Ag	*	<i>47.49</i>	<b>58.09</b>	*	*	*	*	*	*	*	<u>-1.01</u>	*	*
Ba	<u>-0.73</u>	<u>0.42</u>	<b>1.45</b>	*	<u>0.13</u>	<u>-0.42</u>	*	*	<u>0.18</u>	<u>-0.66</u>	<u>1.57</u>	*	<b>-0.63</b>
Be	*	<u>1.18</u>	<b>1.02</b>	*	*	<u>0.93</u>	<u>-2.67</u>	*	<u>-0.79</u>	<u>-0.16</u>	<u>-0.33</u>	*	*
Bi	*	*	<b>4.85</b>	*	*	*	*	*	*	*	<u>0.10</u>	*	*
Cd	*	<u>0.12</u>	<b>17.07</b>	*	*	*	<i>44.16</i>	*	<u>-0.62</u>	*	*	*	*
Ce	<u>-0.27</u>	<u>0.77</u>	<b>0.23</b>	*	*	<b>-0.84</b>	*	*	<u>-0.14</u>	<u>-0.31</u>	<u>1.04</u>	*	-0.71
Co	<u>-1.35</u>	<u>0.98</u>	<b>0.59</b>	*	*	<u>0.14</u>	<u>-0.60</u>	*	<u>-0.64</u>	<u>0.26</u>	<u>0.77</u>	*	-0.45
Cr	<u>2.12</u>	<u>-4.25</u>	<b>0.33</b>	*	<u>-0.71</u>	<u>-2.04</u>	<u>-2.86</u>	*	<u>-0.09</u>	<u>-0.37</u>	<u>-2.45</u>	*	-0.64
Cs	*	<u>0.40</u>	<b>0.79</b>	*	*	<u>0.13</u>	*	*	<u>-0.29</u>	<u>0.87</u>	<u>0.72</u>	*	-0.26
Cu	<u>0.43</u>	<u>1.58</u>	<b>0.57</b>	*	<u>-1.09</u>	<u>0.33</u>	<u>-0.83</u>	*	<u>-1.05</u>	<u>-0.57</u>	<u>1.33</u>	*	-0.42
Dy	*	<u>0.48</u>	<b>0.48</b>	*	*	<b>-0.77</b>	*	*	<u>0.48</u>	<u>0.07</u>	<u>0.16</u>	*	-0.22
Er	*	<u>0.55</u>	<b>0.52</b>	*	*	<b>-0.53</b>	*	*	<u>0.84</u>	<u>0.14</u>	<u>0.35</u>	*	-0.33
Eu	*	<u>0.57</u>	<b>0.60</b>	*	*	<b>-0.26</b>	*	*	<u>0.25</u>	<u>-0.13</u>	<u>0.70</u>	*	-0.50
Ga	<u>0.31</u>	<u>-0.24</u>	<b>2.06</b>	*	*	<u>0.31</u>	*	*	<u>-0.16</u>	<u>-0.12</u>	<u>1.11</u>	*	4.69
Gd	*	<u>0.71</u>	<b>0.97</b>	*	*	<b>-0.04</b>	*	*	<u>0.49</u>	<u>-0.56</u>	<u>0.11</u>	*	-0.41
Ge	<u>2.32</u>	*	<b>54.74</b>	*	*	*	*	*	*	*	*	*	*
Hf	*	<u>5.91</u>	<b>10.77</b>	*	*	<u>0.00</u>	*	*	<u>0.79</u>	<u>-0.21</u>	<u>0.13</u>	*	-0.32
Ho	*	<u>0.32</u>	<b>0.21</b>	*	*	<b>-0.77</b>	*	*	<u>0.54</u>	<u>-0.11</u>	<u>0.13</u>	*	-0.20
In	*	*	*	*	*	*	*	*	<u>-0.11</u>	*	<u>-0.06</u>	*	*
La	<u>0.53</u>	<u>1.05</u>	<b>0.17</b>	*	*	<b>-0.72</b>	*	*	<u>-0.29</u>	<u>-0.50</u>	<u>0.60</u>	*	-0.66
Li	*	<u>1.10</u>	<b>0.04</b>	*	*	<u>0.69</u>	*	*	<u>-1.28</u>	*	<u>0.82</u>	*	*
Lu	*	<u>0.00</u>	<b>0.32</b>	*	*	<b>-0.31</b>	*	*	<u>0.54</u>	<u>-0.16</u>	<u>0.17</u>	*	-0.31
Mo	*	<u>0.28</u>	<b>4.92</b>	*	*	<u>-0.39</u>	*	*	<u>0.19</u>	<u>-0.06</u>	<u>0.11</u>	*	1.66
Nb	<u>-1.07</u>	<u>2.14</u>	<b>1.71</b>	*	*	<u>-0.53</u>	*	*	<u>-0.50</u>	<u>-1.60</u>	<u>0.79</u>	*	-0.28
Nd	<u>-0.41</u>	<u>0.75</u>	<b>0.47</b>	*	*	<b>-0.56</b>	*	*	<u>0.23</u>	<u>-0.23</u>	<u>0.62</u>	*	-0.52
Ni	<u>0.76</u>	<u>0.48</u>	<b>-0.19</b>	*	*	<u>-0.05</u>	<u>-2.30</u>	*	<u>-0.54</u>	<u>-0.95</u>	<u>0.66</u>	*	-1.14
Pb	<u>0.51</u>	<u>0.02</u>	<b>0.41</b>	*	*	<u>0.01</u>	<u>7.40</u>	*	<u>-0.50</u>	<u>-0.20</u>	<u>-0.50</u>	*	0.61
Pr	*	<u>0.91</u>	<b>0.35</b>	*	*	<b>-0.45</b>	*	*	<u>0.25</u>	<u>-0.29</u>	<u>0.33</u>	*	-0.14
Rb	<u>1.08</u>	<u>1.91</u>	<b>1.00</b>	*	*	<u>0.50</u>	*	*	<u>-0.16</u>	<u>-0.42</u>	<u>0.54</u>	*	0.20
Sb	*	<u>1.43</u>	*	*	*	<u>-0.04</u>	<i>107.04</i>	*	<u>-0.43</u>	*	*	*	*
Sc	*	<u>1.13</u>	<b>3.93</b>	*	*	<u>0.30</u>	*	*	<u>-0.57</u>	<u>0.27</u>	<u>0.80</u>	*	0.57
Sm	*	<u>0.54</u>	<b>0.26</b>	*	*	<b>-0.36</b>	*	*	<u>0.34</u>	<u>-0.14</u>	<u>0.46</u>	*	-0.49
Sn	*	<u>1.13</u>	<b>-9.94</b>	*	*	<u>-0.41</u>	*	*	<u>-0.41</u>	<u>-0.35</u>	<u>0.27</u>	*	*
Sr	<u>0.22</u>	<u>0.00</u>	<b>1.48</b>	*	<u>-0.93</u>	<u>0.59</u>	*	*	<u>-0.45</u>	<u>-0.56</u>	<u>2.08</u>	*	-0.62
Ta	*	*	<b>10.45</b>	*	*	<u>0.76</u>	*	*	<u>0.00</u>	<u>-0.55</u>	<u>0.65</u>	*	-0.75
Tb	*	<u>0.09</u>	<b>0.34</b>	*	*	<b>0.17</b>	*	*	<u>0.28</u>	<u>-0.51</u>	<u>-0.07</u>	*	-0.27
Th	*	<u>0.74</u>	*	*	*	<u>0.17</u>	*	*	<u>-0.05</u>	<u>-0.57</u>	<u>0.25</u>	*	0.00
Tl	*	<u>0.76</u>	<b>0.98</b>	*	*	<u>-0.00</u>	*	*	<u>0.29</u>	<u>-1.14</u>	<u>-0.27</u>	*	*
Tm	*	<u>0.36</u>	<b>0.13</b>	*	*	<b>-0.47</b>	*	*	<u>0.49</u>	<u>-0.09</u>	<u>0.03</u>	*	*
U	*	<u>0.25</u>	*	*	*	<u>0.15</u>	*	*	<u>0.47</u>	<u>-0.05</u>	<u>0.54</u>	*	-0.10
V	<u>-0.08</u>	<u>1.19</u>	<b>1.96</b>	*	<u>0.45</u>	<u>0.71</u>	<u>-2.09</u>	*	<u>0.32</u>	<u>-0.57</u>	<u>0.61</u>	*	-0.80
W	*	*	<b>5.77</b>	*	*	<u>0.00</u>	*	*	<u>0.40</u>	<u>-0.48</u>	<u>0.32</u>	*	0.00
Y	<u>0.14</u>	<u>-0.30</u>	<b>0.28</b>	*	*	<b>-0.16</b>	*	*	<u>0.34</u>	<u>0.62</u>	<u>0.71</u>	*	0.81
Yb	*	<u>0.23</u>	<b>0.46</b>	*	*	<b>-0.98</b>	*	*	<u>0.68</u>	<u>-0.11</u>	<u>0.01</u>	*	-0.23
Zn	<u>0.21</u>	<u>4.48</u>	<b>3.95</b>	*	<u>-0.86</u>	<u>-0.82</u>	<u>-2.44</u>	*	<u>-0.40</u>	<u>0.62</u>	<u>1.04</u>	*	1.00
Zr	<u>-0.34</u>	<u>1.28</u>	<b>3.47</b>	*	<u>-0.88</u>	<u>1.28</u>	*	*	<u>0.85</u>	<u>-0.26</u>	<u>-0.06</u>	*	-0.85

**Bold entries** are Data Quality 1 - Underlined entries are Data Quality 2 - *Entries in italics* are derived from Provisional Values.

Table 3 - GeoPT49 Z-scores for Basalt, BVA-1. 30/06/2021

Lab Code	L35	L36	L37	L38	L39	L40	L42	L43	L44	L45	L46	L47	L48
SiO2	-0.66	<u>0.63</u>	<u>0.21</u>	-0.26	*	<u>-0.22</u>	<u>0.11</u>	<u>-0.05</u>	<u>3.96</u>	0.05	<u>-0.57</u>	*	<u>-0.31</u>
TiO2	0.17	<u>-0.17</u>	<u>-0.13</u>	0.17	0.17	<u>0.09</u>	<u>-0.22</u>	<u>-0.37</u>	<u>-1.87</u>	-0.26	<u>-0.57</u>	<u>-0.48</u>	<u>1.18</u>
Al2O3	-0.56	<u>0.53</u>	<u>0.71</u>	0.02	0.95	<u>0.09</u>	<u>-0.07</u>	<u>0.12</u>	<u>9.34</u>	-0.09	<u>0.19</u>	<u>-0.87</u>	<u>0.97</u>
Fe2O3T	-0.64	<u>-0.78</u>	<u>-0.57</u>	0.00	-2.23	<u>-0.06</u>	<u>0.06</u>	<u>0.00</u>	<u>-1.62</u>	0.25	<u>-0.03</u>	<u>0.45</u>	<u>-0.99</u>
Fe(II)O	*	*	*	*	*	*	<u>1.12</u>	*	*	*	*	*	*
MnO	0.22	<u>-2.05</u>	<u>-0.97</u>	0.22	-1.29	*	<u>0.86</u>	<u>0.25</u>	<u>-2.70</u>	0.22	<u>-0.97</u>	<u>-0.50</u>	<u>-0.97</u>
MgO	-0.30	<u>-1.35</u>	<u>0.20</u>	0.00	-0.81	<u>-0.15</u>	<u>0.07</u>	<u>0.18</u>	*	0.00	<u>-0.35</u>	<u>-1.01</u>	<u>0.96</u>
CaO	-0.61	<u>-1.54</u>	<u>-0.72</u>	-3.34	-1.43	<u>0.41</u>	<u>0.20</u>	<u>-0.35</u>	<u>0.24</u>	0.34	<u>0.07</u>	<u>-2.93</u>	<u>-0.75</u>
Na2O	-0.88	<u>1.41</u>	<u>-0.94</u>	1.90	3.67	<u>0.70</u>	<u>0.59</u>	<u>-0.40</u>	*	-0.37	<u>0.70</u>	<u>-0.57</u>	<u>1.08</u>
K2O	-0.66	<u>-0.50</u>	<u>-0.33</u>	-1.32	-1.32	<u>0.00</u>	<u>-0.20</u>	<u>0.40</u>	<u>5.72</u>	-0.66	<u>0.99</u>	<u>-0.76</u>	<u>0.66</u>
P2O5	0.00	<u>-0.40</u>	<u>0.00</u>	-5.31	0.00	*	<u>0.53</u>	<u>0.13</u>	*	0.00	<u>3.98</u>	<u>-1.20</u>	<u>0.00</u>
Ag	*	*	*	*	<u>-4.33</u>	*	*	*	*	*	*	*	*
Ba	<u>2.06</u>	<u>12.57</u>	*	<u>4.49</u>	<u>32.48</u>	*	<u>-0.44</u>	<u>4.15</u>	<u>1.64</u>	1.30	<u>0.57</u>	<u>-0.21</u>	*
Be	*	*	*	*	<u>-1.32</u>	*	*	*	*	1.02	*	<u>0.00</u>	*
Bi	*	*	*	*	<u>1.91</u>	*	*	*	*	<u>-0.05</u>	*	<u>1.69</u>	*
Cd	*	*	*	*	<u>-4.51</u>	*	*	*	*	<u>-0.75</u>	*	<u>-1.22</u>	*
Ce	0.12	*	*	8.14	0.15	*	<u>1.92</u>	*	<u>0.84</u>	0.69	<u>-0.65</u>	<u>-1.01</u>	*
Co	*	<u>-0.60</u>	*	0.24	-0.44	*	<u>1.15</u>	*	*	0.54	<u>0.14</u>	<u>0.13</u>	*
Cr	<u>0.00</u>	<u>-2.04</u>	*	<u>-2.76</u>	<u>-1.03</u>	*	<u>-4.54</u>	*	*	1.96	<u>1.47</u>	<u>-1.06</u>	*
Cs	0.90	*	*	*	*	*	*	*	*	0.90	*	<u>0.11</u>	*
Cu	1.08	<u>-7.39</u>	*	<u>-2.09</u>	<u>-0.15</u>	*	<u>-0.53</u>	*	<u>0.65</u>	1.08	<u>-0.41</u>	<u>1.04</u>	*
Dy	0.62	*	*	*	0.00	*	<u>-0.71</u>	*	*	0.37	<u>-0.46</u>	<u>0.17</u>	*
Er	0.29	*	*	*	<u>-0.47</u>	*	<u>0.67</u>	*	*	0.23	<u>1.57</u>	<u>0.20</u>	*
Eu	<u>-0.26</u>	*	*	*	5.54	*	<u>1.24</u>	*	*	<u>-0.15</u>	<u>1.11</u>	<u>-0.07</u>	*
Ga	<u>-1.58</u>	<u>0.87</u>	*	<u>-0.14</u>	<u>-0.36</u>	*	*	*	<u>-0.18</u>	0.41	<u>-0.24</u>	*	*
Gd	0.41	*	*	*	<u>-0.60</u>	*	<u>-0.94</u>	*	*	0.07	<u>1.63</u>	<u>-0.10</u>	*
Ge	*	*	*	*	*	*	*	*	*	*	*	*	*
Hf	0.74	<u>0.63</u>	*	<u>-9.82</u>	<u>-2.16</u>	*	*	*	*	<u>-1.21</u>	*	<u>-0.50</u>	*
Ho	0.35	*	*	*	0.49	*	<u>-0.18</u>	*	*	0.21	<u>0.88</u>	<u>0.16</u>	*
In	*	*	*	*	<u>-2.58</u>	*	*	*	*	*	*	<u>-0.05</u>	*
La	*	*	*	53.16	<u>-0.23</u>	*	<u>2.90</u>	*	<u>0.46</u>	0.46	<u>-1.70</u>	<u>-0.83</u>	*
Li	*	<u>-0.34</u>	*	*	*	*	*	*	*	<u>-0.27</u>	<u>0.34</u>	<u>-0.04</u>	*
Lu	0.00	*	*	*	0.00	*	*	*	*	0.00	<u>2.50</u>	<u>0.04</u>	*
Mo	1.40	*	*	*	<u>-10.02</u>	*	*	*	*	1.23	*	<u>-0.37</u>	*
Nb	4.27	*	*	<u>-2.56</u>	<u>-0.43</u>	*	*	*	<u>-1.07</u>	<u>-0.02</u>	*	<u>0.12</u>	*
Nd	<u>-0.25</u>	*	*	<u>-0.94</u>	0.28	*	<u>2.31</u>	*	<u>1.71</u>	0.08	<u>-1.05</u>	<u>-0.01</u>	*
Ni	1.19	<u>0.11</u>	*	<u>-3.99</u>	<u>-1.42</u>	*	<u>0.85</u>	*	*	1.48	<u>0.60</u>	<u>-0.15</u>	*
Pb	4.38	*	*	35.62	0.78	*	<u>5.64</u>	*	<u>7.23</u>	0.65	*	<u>-0.06</u>	*
Pr	<u>-0.00</u>	*	*	*	<u>-0.45</u>	*	<u>1.87</u>	*	*	0.48	<u>-0.87</u>	<u>0.12</u>	*
Rb	1.33	*	*	0.66	<u>-5.55</u>	*	*	*	<u>0.62</u>	0.75	<u>-0.17</u>	<u>-0.14</u>	*
Sb	*	*	*	*	11.09	*	*	*	*	0.50	*	<u>1.27</u>	*
Sc	0.60	*	*	<u>-4.53</u>	<u>-1.25</u>	*	*	*	*	1.13	<u>-1.79</u>	<u>0.76</u>	*
Sm	0.01	*	*	*	0.59	*	<u>0.35</u>	*	*	0.13	<u>-1.38</u>	<u>-0.05</u>	*
Sn	*	*	*	*	*	*	*	*	*	2.63	*	<u>0.44</u>	*
Sr	<u>-0.44</u>	<u>0.07</u>	*	<u>-0.27</u>	0.79	*	<u>-0.39</u>	<u>1.33</u>	<u>1.34</u>	0.59	<u>0.37</u>	<u>-0.30</u>	*
Ta	1.08	*	*	*	*	*	*	*	*	*	*	<u>-0.00</u>	*
Tb	0.34	*	*	*	1.71	*	<u>1.07</u>	*	*	0.34	<u>2.66</u>	<u>0.02</u>	*
Th	0.57	*	*	0.91	1.08	*	*	*	<u>-1.81</u>	<u>-0.51</u>	*	<u>0.28</u>	*
Tl	*	*	*	*	4.92	*	*	*	*	<u>-0.00</u>	*	<u>0.06</u>	*
Tm	0.13	*	*	*	0.13	*	<u>1.79</u>	*	*	0.13	<u>2.17</u>	<u>0.28</u>	*
U	<u>-0.10</u>	*	*	18.03	<u>-2.27</u>	*	*	*	*	<u>-0.10</u>	*	<u>0.21</u>	*
V	0.16	*	*	<u>-1.63</u>	<u>-1.22</u>	*	<u>-0.14</u>	<u>1.13</u>	*	1.32	<u>-0.61</u>	<u>0.30</u>	*
W	*	*	*	874.39	<u>-2.89</u>	*	*	*	*	*	*	<u>-1.06</u>	*
Y	1.16	<u>-0.30</u>	*	<u>-0.34</u>	0.37	*	<u>-0.83</u>	*	<u>0.09</u>	1.78	<u>-0.30</u>	<u>1.16</u>	*
Yb	<u>-0.04</u>	*	*	*	<u>-0.04</u>	*	<u>1.32</u>	*	*	0.33	<u>1.04</u>	<u>0.23</u>	*
Zn	<u>-0.46</u>	<u>0.06</u>	*	<u>-1.34</u>	0.75	*	<u>0.15</u>	<u>0.85</u>	<u>-0.70</u>	0.22	<u>0.36</u>	<u>0.62</u>	*
Zr	1.06	<u>7.05</u>	*	0.49	<u>-2.07</u>	*	*	<u>-0.44</u>	<u>-0.17</u>	<u>-0.39</u>	<u>0.28</u>	<u>-0.97</u>	*

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT49 Z-scores for Basalt, BVA-1. 30/06/2021

Lab Code	L49	L50	L52	L53	L54	L56	L57	L58	L59	L60	L63	L64	L65
SiO2	<u>0.09</u>	<u>0.59</u>	<u>-0.08</u>	<u>-0.21</u>	<u>0.09</u>	<u>-0.47</u>	<u>0.66</u>	<u>0.13</u>	*	<u>0.76</u>	<u>-1.28</u>	*	<u>1.26</u>
TiO2	<u>0.04</u>	<u>0.00</u>	<u>0.09</u>	<u>-0.26</u>	<u>0.52</u>	<u>-0.70</u>	<u>3.09</u>	<u>0.09</u>	<u>0.22</u>	<u>-1.66</u>	<u>-0.22</u>	<u>-23.70</u>	<u>0.61</u>
Al2O3	<u>0.14</u>	<u>0.32</u>	<u>0.09</u>	<u>-0.35</u>	<u>-0.25</u>	<u>-0.25</u>	<u>-0.25</u>	<u>-0.57</u>	<u>3.41</u>	<u>-1.09</u>	<u>23.53</u>	<u>-22.44</u>	<u>1.21</u>
Fe2O3T	<u>-0.22</u>	<u>0.21</u>	<u>0.76</u>	<u>0.57</u>	<u>-0.25</u>	<u>0.70</u>	<u>-0.89</u>	<u>-0.22</u>	<u>-19.22</u>	<u>-0.67</u>	<u>4.08</u>	<u>-27.69</u>	<u>-0.19</u>
Fe(II)O	*	*	*	*	*	<u>1.52</u>	<u>-0.94</u>	*	*	*	*	*	*
MnO	<u>0.00</u>	<u>-9.70</u>	<u>0.11</u>	<u>2.37</u>	<u>0.11</u>	<u>0.22</u>	<u>3.45</u>	<u>-0.97</u>	<u>3.99</u>	<u>0.11</u>	<u>1.10</u>	<u>-17.46</u>	<u>6.68</u>
MgO	<u>0.32</u>	<u>1.70</u>	<u>-0.50</u>	<u>-0.30</u>	<u>0.20</u>	<u>-0.20</u>	<u>9.18</u>	<u>-0.05</u>	<u>-8.92</u>	<u>-1.41</u>	<u>0.54</u>	<u>-29.10</u>	<u>1.11</u>
CaO	<u>0.24</u>	<u>0.48</u>	<u>-0.65</u>	<u>-0.68</u>	<u>-0.20</u>	<u>0.82</u>	<u>-6.41</u>	<u>0.03</u>	<u>1.33</u>	<u>0.24</u>	<u>-1.30</u>	<u>-26.38</u>	<u>0.89</u>
Na2O	<u>-0.11</u>	<u>-13.59</u>	<u>-0.31</u>	<u>0.13</u>	<u>-0.19</u>	<u>0.64</u>	<u>1.75</u>	<u>0.32</u>	*	<u>-0.44</u>	<u>6.25</u>	<u>-21.09</u>	<u>-5.17</u>
K2O	<u>0.56</u>	<u>4.13</u>	<u>0.33</u>	<u>-1.98</u>	<u>0.33</u>	<u>0.00</u>	<u>-0.93</u>	<u>0.66</u>	*	<u>-0.33</u>	<u>4.59</u>	<u>-18.57</u>	<u>1.98</u>
P2O5	<u>1.06</u>	<u>-0.66</u>	<u>0.00</u>	<u>0.00</u>	<u>0.00</u>	<u>0.00</u>	<u>-3.93</u>	<u>0.00</u>	*	<u>2.66</u>	<u>1.43</u>	<u>-0.40</u>	<u>0.00</u>
Ag	*	*	*	<u>2.81</u>	*	<u>-2.33</u>	*	*	*	*	*	<u>-0.16</u>	*
Ba	<u>0.73</u>	<u>0.82</u>	<u>2.03</u>	<u>0.53</u>	<u>-0.19</u>	<u>-1.30</u>	<u>0.04</u>	<u>-0.88</u>	*	<u>0.34</u>	<u>0.41</u>	<u>-11.25</u>	<u>5.27</u>
Be	<u>-2.92</u>	<u>2.44</u>	*	<u>-1.49</u>	<u>0.32</u>	<u>-0.49</u>	*	*	*	*	<u>0.48</u>	<u>-4.85</u>	*
Bi	<u>-1.25</u>	*	*	<u>-0.05</u>	*	*	*	*	*	*	*	<u>-0.02</u>	*
Cd	*	*	*	<u>0.44</u>	*	<u>0.24</u>	*	*	*	*	*	<u>-2.85</u>	*
Ce	<u>0.23</u>	<u>-0.56</u>	*	<u>-1.38</u>	<u>0.00</u>	<u>-1.61</u>	<u>-0.77</u>	*	*	<u>0.12</u>	<u>-0.63</u>	<u>-4.69</u>	*
Co	<u>0.42</u>	<u>0.78</u>	<u>-0.10</u>	<u>0.89</u>	<u>0.67</u>	<u>-0.31</u>	*	<u>-0.35</u>	*	*	<u>1.94</u>	<u>-8.36</u>	*
Cr	<u>1.23</u>	<u>-1.57</u>	<u>-1.88</u>	<u>-4.41</u>	<u>-0.25</u>	<u>1.31</u>	*	<u>-1.23</u>	*	*	<u>2.29</u>	<u>-12.50</u>	<u>-6.37</u>
Cs	<u>-0.13</u>	<u>-0.72</u>	*	<u>0.48</u>	<u>0.19</u>	<u>-1.22</u>	*	*	*	*	<u>0.13</u>	<u>-1.72</u>	*
Cu	<u>1.49</u>	<u>0.30</u>	*	<u>0.02</u>	<u>0.22</u>	<u>-2.94</u>	*	<u>-0.62</u>	<u>-10.26</u>	*	<u>0.61</u>	<u>-0.29</u>	<u>0.02</u>
Dy	<u>0.27</u>	<u>0.07</u>	*	<u>0.00</u>	<u>-0.13</u>	<u>-0.07</u>	<u>-0.51</u>	*	*	<u>-0.27</u>	<u>-2.42</u>	<u>-5.63</u>	*
Er	<u>0.38</u>	<u>-0.15</u>	*	<u>0.93</u>	<u>-0.09</u>	<u>-0.99</u>	<u>-0.41</u>	*	*	<u>-0.47</u>	<u>-2.35</u>	<u>-5.50</u>	*
Eu	<u>0.30</u>	<u>-0.13</u>	*	<u>0.81</u>	<u>-0.18</u>	<u>-0.15</u>	<u>-0.48</u>	*	*	<u>0.03</u>	<u>-0.48</u>	<u>-4.38</u>	*
Ga	<u>0.20</u>	<u>0.70</u>	<u>-1.89</u>	<u>0.96</u>	<u>0.20</u>	<u>0.08</u>	*	<u>3.07</u>	*	*	<u>1.08</u>	*	<u>-9.30</u>
Gd	<u>-0.09</u>	<u>-0.19</u>	*	<u>0.45</u>	<u>-0.22</u>	<u>-1.12</u>	<u>-1.42</u>	*	*	<u>-0.99</u>	<u>-2.24</u>	<u>-4.38</u>	*
Ge	<u>-0.15</u>	<u>0.21</u>	*	*	<u>0.39</u>	<u>0.51</u>	*	*	*	*	*	<u>-6.41</u>	*
Hf	<u>0.26</u>	<u>-0.16</u>	*	<u>-1.48</u>	<u>0.00</u>	<u>-0.21</u>	*	*	*	<u>-0.69</u>	<u>-3.21</u>	*	*
Ho	<u>0.25</u>	<u>-0.18</u>	*	<u>0.60</u>	<u>-0.09</u>	<u>0.15</u>	<u>-0.35</u>	*	*	<u>-0.53</u>	<u>-1.90</u>	<u>-4.59</u>	*
In	*	*	*	<u>0.12</u>	*	<u>0.25</u>	*	*	*	*	*	*	*
La	<u>0.08</u>	<u>-0.29</u>	*	<u>0.17</u>	<u>-0.21</u>	<u>-1.46</u>	<u>-0.13</u>	*	*	<u>0.23</u>	<u>-1.00</u>	<u>-3.82</u>	*
Li	<u>-0.55</u>	*	*	<u>0.14</u>	<u>0.62</u>	<u>-2.28</u>	*	*	*	*	<u>1.18</u>	<u>-3.32</u>	*
Lu	<u>0.00</u>	<u>-0.31</u>	*	<u>1.00</u>	<u>-0.09</u>	<u>-0.37</u>	<u>-0.31</u>	*	*	<u>-0.16</u>	<u>-1.59</u>	<u>-4.53</u>	*
Mo	<u>13.96</u>	<u>6.41</u>	*	<u>0.22</u>	*	<u>-0.79</u>	*	*	*	*	<u>-0.41</u>	<u>-2.91</u>	*
Nb	<u>1.04</u>	<u>0.53</u>	*	<u>0.98</u>	<u>0.42</u>	<u>-2.82</u>	*	*	*	<u>-0.21</u>	<u>1.51</u>	<u>-8.54</u>	*
Nd	<u>0.04</u>	<u>0.04</u>	*	<u>0.60</u>	<u>0.11</u>	<u>-1.07</u>	<u>-0.94</u>	*	*	<u>-0.15</u>	<u>-1.11</u>	<u>-4.53</u>	*
Ni	<u>-0.02</u>	<u>-2.30</u>	<u>-1.66</u>	<u>1.19</u>	<u>0.16</u>	<u>-0.93</u>	*	<u>-1.82</u>	*	*	<u>0.94</u>	<u>-9.22</u>	<u>-2.99</u>
Pb	<u>-0.10</u>	<u>-1.09</u>	<u>5.55</u>	<u>-3.79</u>	<u>0.17</u>	<u>-0.83</u>	*	*	*	*	<u>1.36</u>	<u>-4.75</u>	*
Pr	<u>0.44</u>	<u>-0.00</u>	*	<u>1.24</u>	<u>0.04</u>	<u>-0.89</u>	<u>-0.31</u>	*	*	<u>-0.20</u>	<u>-0.68</u>	<u>-3.55</u>	*
Rb	<u>-0.25</u>	<u>-0.24</u>	<u>-0.17</u>	<u>1.00</u>	<u>-0.17</u>	<u>-0.75</u>	*	*	*	<u>0.25</u>	<u>1.55</u>	<u>-6.37</u>	<u>-2.82</u>
Sb	*	*	*	<u>1.27</u>	*	<u>1.09</u>	*	*	*	*	*	<u>-4.72</u>	*
Sc	<u>-0.51</u>	<u>-3.12</u>	*	<u>0.35</u>	<u>0.63</u>	<u>1.33</u>	*	<u>-0.30</u>	*	<u>0.00</u>	<u>-1.26</u>	<u>-10.33</u>	*
Sm	<u>0.19</u>	<u>0.03</u>	*	<u>1.38</u>	<u>0.01</u>	<u>-0.65</u>	<u>-0.69</u>	*	*	<u>-0.14</u>	<u>-1.23</u>	<u>-4.43</u>	*
Sn	<u>0.45</u>	*	*	<u>1.65</u>	*	<u>-0.08</u>	*	*	*	<u>-0.10</u>	*	<u>-5.71</u>	*
Sr	<u>0.67</u>	<u>0.12</u>	<u>-0.22</u>	<u>1.74</u>	<u>0.30</u>	<u>0.30</u>	<u>0.15</u>	<u>-2.15</u>	*	<u>-0.22</u>	<u>-0.06</u>	<u>-8.85</u>	<u>-5.19</u>
Ta	<u>0.54</u>	*	*	<u>-1.10</u>	<u>0.14</u>	<u>0.86</u>	*	*	*	<u>-0.22</u>	<u>-0.29</u>	*	*
Tb	<u>0.26</u>	<u>-0.09</u>	*	<u>37.36</u>	<u>-0.21</u>	<u>-1.06</u>	<u>-0.51</u>	*	*	<u>-0.77</u>	<u>-1.76</u>	<u>-3.94</u>	*
Th	<u>0.11</u>	<u>0.17</u>	*	<u>2.32</u>	<u>-0.17</u>	<u>-1.13</u>	*	*	*	<u>-0.40</u>	<u>-3.89</u>	<u>-2.86</u>	*
Tl	<u>0.11</u>	*	*	<u>-0.00</u>	*	*	*	*	*	*	*	<u>-2.65</u>	*
Tm	<u>0.82</u>	<u>-0.24</u>	*	<u>-0.11</u>	<u>-0.03</u>	<u>-0.41</u>	<u>-0.47</u>	*	*	<u>-0.84</u>	<u>-1.55</u>	<u>-4.30</u>	*
U	<u>0.34</u>	<u>0.15</u>	*	<u>-0.50</u>	<u>-0.08</u>	<u>-0.50</u>	*	*	*	<u>0.15</u>	<u>-0.78</u>	<u>-3.01</u>	*
V	<u>1.03</u>	<u>-1.97</u>	<u>-1.40</u>	<u>0.05</u>	<u>0.34</u>	<u>-0.37</u>	*	<u>-0.82</u>	*	<u>0.45</u>	<u>1.81</u>	<u>-10.83</u>	<u>19.71</u>
W	<u>-0.16</u>	*	*	<u>6.16</u>	*	*	*	*	*	*	<u>0.21</u>	<u>-4.81</u>	*
Y	<u>1.24</u>	<u>-0.39</u>	<u>-0.30</u>	<u>-0.08</u>	<u>0.54</u>	<u>0.01</u>	<u>-1.17</u>	<u>-1.18</u>	*	<u>-1.62</u>	<u>-2.23</u>	<u>-7.58</u>	<u>-5.89</u>
Yb	<u>-0.08</u>	<u>0.10</u>	*	<u>0.46</u>	<u>-0.05</u>	<u>-0.73</u>	<u>-0.42</u>	*	*	<u>-0.21</u>	<u>-2.07</u>	<u>-5.92</u>	*
Zn	<u>-0.10</u>	<u>-0.82</u>	<u>-1.55</u>	<u>1.88</u>	<u>0.11</u>	<u>2.37</u>	*	<u>-1.55</u>	*	*	<u>6.25</u>	<u>-8.29</u>	<u>-3.11</u>
Zr	<u>0.28</u>	<u>0.12</u>	<u>-0.09</u>	<u>-6.31</u>	<u>0.78</u>	<u>0.06</u>	*	*	*	<u>0.41</u>	<u>-4.50</u>	<u>-12.13</u>	<u>-10.21</u>

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.



Table 3 - GeoPT49 Z-scores for Basalt, BVA-1. 30/06/2021

Lab Code	L67	L68	L70	L73	L74	L75	L78	L79	L80	L81	L82	L83	L84
SiO2	<u>0.33</u>	0.50	-1.50	*	<u>0.08</u>	<u>-0.64</u>	<u>0.02</u>	<u>-0.60</u>	<u>0.27</u>	<u>0.09</u>	0.37	*	1.09
TiO2	<u>0.52</u>	-2.00	0.17	*	<u>0.52</u>	<u>-0.48</u>	<u>0.52</u>	<u>0.28</u>	<u>0.74</u>	<u>0.00</u>	0.78	-2.00	0.26
Al2O3	<u>0.40</u>	-1.13	-0.56	*	<u>-0.25</u>	<u>4.73</u>	<u>0.01</u>	<u>0.58</u>	<u>-0.02</u>	<u>-0.33</u>	-0.06	1.32	0.75
Fe2O3T	<u>0.61</u>	0.51	-0.32	*	<u>-0.06</u>	<u>-0.89</u>	<u>-0.19</u>	<u>0.76</u>	<u>0.57</u>	<u>0.38</u>	0.97	-0.45	0.45
Fe(II)O	*	*	0.12	*	<u>-0.06</u>	<u>-4.60</u>	*	*	*	*	*	*	*
MnO	<u>0.22</u>	0.22	0.22	*	<u>0.11</u>	<u>-3.13</u>	<u>-0.97</u>	0.00	<u>0.11</u>	<u>-1.94</u>	-0.22	0.22	-0.43
MgO	<u>0.05</u>	0.61	-0.50	*	0.00	<u>-8.02</u>	<u>-0.50</u>	1.58	<u>0.05</u>	<u>0.03</u>	0.27	0.71	0.81
CaO	<u>1.02</u>	0.96	-0.34	*	<u>0.03</u>	<u>-0.82</u>	<u>-0.65</u>	<u>0.58</u>	<u>0.78</u>	<u>0.61</u>	0.96	3.00	1.09
Na2O	<u>0.95</u>	-1.13	1.65	*	<u>0.07</u>	<u>1.08</u>	<u>0.32</u>	*	<u>1.20</u>	<u>-1.90</u>	-3.48	*	0.13
K2O	<u>0.33</u>	0.00	-1.32	*	<u>-0.33</u>	<u>0.66</u>	<u>0.33</u>	1.45	<u>0.33</u>	<u>-0.23</u>	-0.53	1.98	0.00
P2O5	<u>2.66</u>	0.00	0.00	*	0.00	1.33	<u>0.00</u>	4.52	<u>0.00</u>	<u>-1.20</u>	-4.52	0.00	-0.80
Ag	*	*	*	*	<u>0.60</u>	<u>0.60</u>	*	<u>0.14</u>	*	*	*	*	*
Ba	<u>2.03</u>	3.13	8.94	<u>1.57</u>	<u>1.18</u>	<u>-8.67</u>	*	<u>0.28</u>	<u>-1.72</u>	<u>3.09</u>	2.57	0.49	-0.23
Be	*	*	*	<u>3.44</u>	<u>-1.75</u>	<u>-4.68</u>	*	<u>6.67</u>	*	*	-2.28	*	*
Bi	*	*	*	*	*	<u>-2.47</u>	*	<u>2.06</u>	*	*	*	*	*
Cd	*	*	*	*	*	<u>-1.12</u>	*	<u>0.42</u>	*	*	*	3.61	*
Ce	*	4.84	0.23	<u>-0.14</u>	*	<u>-6.99</u>	*	<u>-0.08</u>	2.42	*	0.00	-0.25	0.18
Co	<u>-3.32</u>	4.27	-1.21	<u>-0.31</u>	<u>-1.35</u>	<u>-7.45</u>	*	<u>0.26</u>	<u>-2.35</u>	<u>-0.10</u>	0.76	0.05	*
Cr	<u>3.68</u>	2.12	-1.80	*	<u>-1.31</u>	<u>-9.80</u>	*	<u>0.61</u>	<u>-0.65</u>	<u>1.63</u>	0.03	0.59	0.16
Cs	*	*	-2.28	*	*	<u>-4.21</u>	*	<u>-1.43</u>	*	*	1.73	-0.58	-0.48
Cu	<u>0.12</u>	-2.72	-1.03	<u>-1.68</u>	<u>-0.94</u>	<u>-8.76</u>	*	<u>0.17</u>	<u>0.86</u>	<u>0.43</u>	-3.80	-1.27	0.23
Dy	*	*	*	<u>-0.33</u>	<u>0.38</u>	<u>-5.30</u>	*	<u>0.03</u>	*	*	-0.79	0.11	0.29
Er	*	*	*	<u>-0.32</u>	<u>0.67</u>	<u>-4.83</u>	*	<u>0.49</u>	*	*	-0.78	-0.47	-0.18
Eu	*	*	*	*	<u>0.08</u>	<u>-4.38</u>	*	<u>0.23</u>	*	*	-0.36	-0.37	-0.05
Ga	<u>-0.79</u>	-0.47	-0.47	<u>-0.44</u>	<u>-1.01</u>	<u>-6.58</u>	*	<u>-0.68</u>	<u>0.31</u>	*	-0.80	-0.01	-1.58
Gd	*	3.26	*	<u>1.09</u>	<u>0.43</u>	<u>-5.21</u>	*	<u>0.17</u>	*	*	-0.94	0.04	0.19
Ge	*	13.58	*	*	*	<u>-4.53</u>	*	*	*	*	*	*	*
Hf	*	1.27	-4.01	*	*	<u>-4.91</u>	*	<u>-1.18</u>	*	*	0.44	-0.26	0.84
Ho	*	*	*	*	<u>0.32</u>	<u>-4.17</u>	*	<u>-0.01</u>	*	*	-0.74	0.11	0.21
In	*	*	*	*	<u>-0.49</u>	*	*	*	*	*	*	*	*
La	<u>0.90</u>	4.03	-3.39	<u>0.46</u>	*	<u>-6.15</u>	*	<u>0.17</u>	<u>-0.21</u>	*	-0.44	-0.19	0.49
Li	*	*	*	<u>-0.39</u>	*	<u>-6.85</u>	*	<u>0.16</u>	*	*	0.32	0.05	*
Lu	*	*	*	<u>-0.31</u>	*	<u>-3.67</u>	*	<u>-0.17</u>	*	*	-0.72	0.00	0.32
Mo	*	*	*	*	*	<u>-3.92</u>	*	<u>0.67</u>	*	*	*	-0.37	*
Nb	<u>0.00</u>	-6.41	-2.14	*	*	<u>-5.93</u>	*	<u>-0.35</u>	<u>1.07</u>	<u>2.14</u>	*	0.34	0.68
Nd	*	5.59	0.47	<u>0.12</u>	<u>0.55</u>	<u>-6.32</u>	*	<u>0.04</u>	*	*	-0.39	-0.08	0.48
Ni	<u>3.97</u>	1.19	-4.28	<u>0.37</u>	<u>-1.48</u>	<u>-8.17</u>	*	<u>-0.13</u>	<u>-2.94</u>	<u>-0.85</u>	0.82	0.51	-0.74
Pb	*	-9.06	4.38	*	*	<u>-4.87</u>	*	<u>0.12</u>	*	<u>3.87</u>	*	-0.19	2.19
Pr	*	*	*	<u>-0.71</u>	<u>0.37</u>	<u>-5.08</u>	*	<u>0.02</u>	*	*	-0.44	0.26	0.53
Rb	<u>-0.75</u>	3.81	-1.16	<u>0.29</u>	<u>-0.17</u>	<u>-7.00</u>	*	<u>-1.00</u>	<u>2.32</u>	<u>-0.17</u>	4.13	0.26	0.33
Sb	*	*	*	*	*	<u>-3.28</u>	*	<u>-1.72</u>	*	*	*	*	*
Sc	*	-2.38	-2.98	<u>-0.21</u>	<u>0.21</u>	<u>-8.19</u>	*	*	<u>-0.30</u>	*	0.55	0.51	1.07
Sm	*	*	*	<u>-0.41</u>	<u>0.38</u>	<u>-5.11</u>	*	<u>-0.24</u>	*	*	-0.69	0.01	0.38
Sn	*	*	12.13	*	*	<u>-3.99</u>	*	<u>-1.11</u>	*	*	*	*	*
Sr	<u>1.34</u>	0.30	-1.33	<u>0.37</u>	*	<u>-8.15</u>	*	<u>-0.51</u>	<u>0.37</u>	<u>-0.37</u>	1.85	0.16	0.30
Ta	*	*	10.45	*	*	<u>-4.88</u>	*	<u>-0.37</u>	*	*	0.06	-0.01	-0.01
Tb	*	*	*	*	<u>0.26</u>	<u>-4.11</u>	*	<u>0.16</u>	*	*	-1.32	0.00	0.51
Th	*	*	-8.72	*	*	<u>-4.50</u>	*	<u>0.12</u>	*	<u>4.13</u>	-0.33	-0.28	0.17
Tl	*	*	*	*	*	<u>-3.03</u>	*	<u>-1.36</u>	*	*	*	*	*
Tm	*	*	*	<u>-0.39</u>	<u>0.21</u>	<u>-3.70</u>	*	<u>0.53</u>	*	*	-1.23	0.13	0.43
U	*	*	*	*	*	<u>-3.16</u>	*	<u>0.33</u>	*	*	-1.03	-0.40	0.10
V	<u>-0.24</u>	0.79	-3.22	<u>-0.87</u>	*	<u>-9.54</u>	*	<u>0.53</u>	<u>-3.41</u>	<u>-2.35</u>	0.19	-0.19	0.37
W	*	*	85.61	*	*	<u>-3.45</u>	*	<u>0.87</u>	*	*	*	*	*
Y	<u>0.27</u>	2.04	-1.49	<u>-0.81</u>	<u>0.14</u>	<u>-7.13</u>	*	<u>0.20</u>	<u>1.02</u>	<u>-2.07</u>	-0.90	1.13	1.42
Yb	*	*	*	<u>0.29</u>	<u>0.17</u>	<u>-4.73</u>	*	<u>0.66</u>	*	*	-0.71	-0.10	0.15
Zn	<u>0.21</u>	-0.16	-2.81	<u>-0.67</u>	<u>-0.97</u>	<u>-8.25</u>	*	<u>0.65</u>	<u>-0.08</u>	<u>-0.97</u>	*	-1.04	0.42
Zr	<u>0.16</u>	-2.19	-1.44	*	<u>-0.09</u>	<u>-9.19</u>	*	<u>-3.56</u>	<u>0.03</u>	<u>-3.98</u>	0.11	-0.24	1.57

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT49 Z-scores for Basalt, BVA-1. 30/06/2021

Lab Code	L85	L86	L87	L88	L91	L94	L95	L97	L98	L100	L102	L103	L105
SiO2	<u>0.12</u>	-1.24	*	-0.83	-0.09	0.04	-2.52	<u>-0.24</u>	<u>0.48</u>	<u>0.09</u>	<u>0.06</u>	*	-0.89
TiO2	<u>0.30</u>	-0.70	1.05	-0.26	0.29	-0.91	-0.13	<u>0.09</u>	<u>-0.30</u>	<u>0.30</u>	<u>-0.57</u>	*	-2.66
Al2O3	<u>-0.59</u>	9.61	1.37	-1.18	0.10	0.22	-2.61	<u>-0.46</u>	<u>0.44</u>	<u>-0.12</u>	<u>0.09</u>	*	1.11
Fe2O3T	<u>0.03</u>	-4.14	0.13	0.57	-0.18	-0.06	-1.79	<u>1.02</u>	<u>-2.41</u>	<u>0.48</u>	<u>-0.10</u>	*	-56.16
Fe(II)O	*	*	*	*	*	*	*	*	*	*	*	*	-4.38
MnO	<u>1.19</u>	4.53	0.22	2.16	-0.75	-0.24	-1.35	<u>-2.05</u>	<u>-2.37</u>	<u>0.43</u>	<u>-2.05</u>	*	-4.74
MgO	<u>0.20</u>	-2.62	0.91	-1.11	-0.21	0.40	-1.79	<u>0.15</u>	<u>0.37</u>	<u>-0.15</u>	<u>-0.50</u>	*	11.50
CaO	<u>0.20</u>	-0.55	1.36	-1.64	0.23	-0.48	-1.74	<u>1.57</u>	<u>-2.10</u>	<u>0.31</u>	<u>-0.07</u>	*	-0.41
Na2O	<u>-0.19</u>	8.22	0.39	-3.91	0.19	-0.62	-2.09	<u>0.83</u>	<u>-1.79</u>	<u>0.57</u>	<u>0.07</u>	*	3.49
K2O	<u>0.00</u>	5.95	1.98	-0.93	0.07	0.66	-0.76	<u>0.00</u>	<u>0.03</u>	<u>-0.33</u>	<u>0.66</u>	*	-3.30
P2O5	<u>-0.13</u>	7.97	2.66	-1.59	0.85	-0.27	-1.06	<u>0.53</u>	<u>0.00</u>	<u>0.66</u>	<u>6.64</u>	*	-2.13
Ag	*	*	*	*	<i>-0.94</i>	*	*	*	*	*	*	*	*
Ba	*	2.67	<i>-0.84</i>	<i>-1.45</i>	<i>0.09</i>	<i>-0.00</i>	<i>0.44</i>	<u>2.04</u>	<u>0.20</u>	<u>1.26</u>	<u>2.25</u>	*	*
Be	*	*	0.35	-0.49	*	2.24	*	*	*	*	*	*	*
Bi	*	*	*	*	<i>-2.03</i>	*	*	*	*	*	*	*	*
Cd	*	*	*	*	<i>-3.01</i>	*	*	*	*	*	*	*	*
Ce	*	0.77	-0.31	-0.54	-0.41	0.33	*	<u>1.34</u>	<u>-0.15</u>	*	<u>2.80</u>	*	*
Co	*	-8.68	0.44	-0.11	*	0.89	-2.01	<u>-0.53</u>	<u>0.22</u>	<u>0.14</u>	*	*	*
Cr	*	3.59	0.33	0.49	0.57	*	2.24	<u>-2.61</u>	*	<u>-0.65</u>	<u>-0.25</u>	*	*
Cs	*	-0.79	-0.69	*	0.05	-0.70	*	*	<u>-0.03</u>	*	*	*	*
Cu	*	-5.89	0.02	-0.40	-0.15	0.90	*	<u>-0.31</u>	<u>0.22</u>	<u>0.65</u>	<u>1.49</u>	*	*
Dy	*	0.22	-0.11	0.33	-0.05	0.11	*	*	<u>-0.11</u>	*	*	<i>-0.22</i>	*
Er	*	0.40	-0.06	0.69	-0.29	0.16	*	*	<u>-0.23</u>	*	*	<i>-1.52</i>	*
Eu	*	0.17	-0.26	0.06	-0.14	-0.03	*	*	<u>0.08</u>	*	*	<i>-1.44</i>	*
Ga	*	4.29	0.19	<u>-0.33</u>	-0.29	*	-0.47	<u>-0.90</u>	<u>-0.40</u>	<u>0.87</u>	<u>0.87</u>	*	*
Gd	*	0.90	-0.26	0.15	0.20	-0.05	*	*	<u>-0.79</u>	*	*	<i>-3.97</i>	*
Ge	*	<b>16.44</b>	*	<u>-2.70</u>	<i>-0.51</i>	*	*	<u>-4.40</u>	*	*	*	*	*
Hf	*	6.17	0.11	1.21	0.59	-1.12	*	*	<u>0.13</u>	<u>0.90</u>	*	*	*
Ho	*	0.49	-0.07	-0.21	-0.11	0.17	*	*	<u>-0.04</u>	*	*	<i>-1.05</i>	*
In	*	*	*	*	*	*	*	*	*	*	*	*	*
La	*	1.31	-0.28	0.32	-0.00	-0.34	*	<u>4.46</u>	<u>0.08</u>	*	<u>0.53</u>	<b>1.50</b>	*
Li	*	*	-0.55	*	*	-0.43	*	*	*	*	*	*	*
Lu	*	1.57	-0.31	0.00	0.17	-0.06	*	*	<u>0.00</u>	*	*	<b>3.75</b>	*
Mo	*	*	-0.12	0.39	0.27	*	*	<u>10.01</u>	*	*	*	*	*
Nb	*	<i>-2.14</i>	<i>0.75</i>	<i>0.58</i>	<i>1.31</i>	<i>-2.61</i>	*	<u>-1.28</u>	<u>0.20</u>	*	<u>0.00</u>	*	*
Nd	*	1.30	-0.30	-0.30	0.04	-0.09	*	<u>0.62</u>	<u>0.04</u>	*	*	<b>0.72</b>	*
Ni	*	<i>-4.60</i>	<i>0.71</i>	<i>-0.80</i>	<i>-0.44</i>	<i>0.46</i>	*	<u>-2.03</u>	<u>0.06</u>	<u>-1.17</u>	<u>-1.17</u>	*	*
Pb	*	4.38	0.01	-0.80	-0.53	0.03	*	<u>-1.34</u>	<u>-0.30</u>	*	<u>3.87</u>	*	*
Pr	*	0.62	-0.23	-0.93	0.04	-0.16	*	*	<u>0.04</u>	*	*	<i>-8.69</i>	*
Rb	*	-1.16	0.08	<u>-0.42</u>	0.09	-0.05	0.56	<u>0.33</u>	<u>-0.25</u>	<u>0.66</u>	<u>0.66</u>	*	*
Sb	*	*	*	<i>-1.85</i>	<b>17.74</b>	*	*	*	*	*	*	*	*
Sc	*	-19.06	0.95	<u>-0.22</u>	0.61	*	*	<u>6.28</u>	<u>0.68</u>	*	<u>-0.89</u>	*	*
Sm	*	2.21	0.09	-0.03	-0.03	-0.22	*	<u>-3.46</u>	<u>-0.10</u>	*	*	<i>-1.03</i>	*
Sn	*	*	<i>0.04</i>	<u>4.03</u>	1.67	<i>-4.89</i>	*	<u>1.13</u>	*	*	*	*	*
Sr	*	-2.22	1.04	<u>-1.19</u>	-0.17	0.43	0.03	<u>-0.12</u>	<u>-0.10</u>	<u>0.52</u>	<u>0.59</u>	*	*
Ta	*	<b>13.06</b>	-0.01	-2.19	5.18	-0.94	*	*	<u>0.21</u>	*	*	*	*
Tb	*	-0.51	0.00	-1.71	-0.04	-0.19	*	*	<u>0.00</u>	*	*	<i>-0.34</i>	*
Th	*	0.34	-0.51	-0.23	-0.14	-0.20	*	<u>-0.68</u>	<u>0.14</u>	*	<u>1.30</u>	*	*
Tl	*	*	1.51	-0.00	0.31	*	*	*	*	*	*	*	*
Tm	*	0.43	-0.17	-0.17	0.15	-0.26	*	*	*	*	*	<i>-0.77</i>	*
U	*	0.49	-0.10	-0.89	-0.19	0.67	*	<u>11.97</u>	<u>0.05</u>	*	*	*	*
V	*	<i>-6.18</i>	<i>1.00</i>	<i>1.96</i>	<i>0.31</i>	*	<i>0.54</i>	<u>-1.75</u>	*	<u>-0.61</u>	<u>-1.19</u>	*	*
W	*	<b>28.54</b>	*	*	*	*	*	*	*	*	*	*	*
Y	*	0.37	1.34	-2.28	1.04	1.80	*	<u>0.01</u>	<u>-0.08</u>	<u>0.14</u>	<u>1.02</u>	<i>-1.13</i>	*
Yb	*	0.52	-0.10	-0.04	-0.09	-0.14	*	*	<u>-0.18</u>	*	*	<i>-2.97</i>	*
Zn	*	3.07	-0.25	0.25	0.36	1.63	0.02	<u>-1.05</u>	<u>0.15</u>	<u>-0.08</u>	<u>-0.67</u>	*	*
Zr	*	-3.70	0.81	3.82	1.54	0.21	0.63	<u>-0.47</u>	<u>-0.17</u>	<u>-0.22</u>	<u>1.41</u>	*	*

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT49 Z-scores for Basalt, BVA-1. 30/06/2021

Lab Code	L109	L110	L112	L114	L115	L116	L117	L118	L121	L122	L124	L126	L128
SiO2	<u>0.18</u>	<u>0.07</u>	-0.03	<b>-0.52</b>	<u>0.23</u>	<u>-0.03</u>	<u>-2.40</u>	<u>0.16</u>	<b>-0.52</b>	<b>-0.21</b>	<b>-0.28</b>	<u>0.63</u>	*
TiO2	<u>0.26</u>	<u>-0.13</u>	<b>0.83</b>	-1.13	<u>0.09</u>	<u>0.68</u>	<u>-0.04</u>	<u>1.83</u>	<b>-0.26</b>	<b>0.61</b>	<b>-0.54</b>	<u>-0.30</u>	*
Al2O3	<u>-0.08</u>	<u>-0.04</u>	<b>-0.09</b>	<b>0.64</b>	<u>0.27</u>	<u>-0.02</u>	<u>-0.85</u>	<u>-2.39</u>	<b>-0.09</b>	<b>-1.18</b>	<b>1.06</b>	<u>0.56</u>	*
Fe2O3T	<u>0.36</u>	<u>0.61</u>	-1.34	<b>-0.70</b>	<u>0.38</u>	<u>0.06</u>	<u>0.45</u>	<u>-0.83</u>	<b>0.06</b>	<b>0.89</b>	<b>0.00</b>	<u>0.35</u>	*
Fe(II)O	*	*	*	*	<u>0.76</u>	*	*	*	*	*	*	*	*
MnO	<b>-1.83</b>	<u>0.43</u>	<b>1.08</b>	<b>-1.94</b>	<u>0.11</u>	<u>0.75</u>	<b>-1.63</b>	<b>-6.36</b>	<b>0.00</b>	<b>0.43</b>	<b>-0.56</b>	<u>0.32</u>	<b>-1.55</b>
MgO	<u>-0.03</u>	<u>-0.86</u>	<b>2.42</b>	<b>-0.40</b>	<u>0.10</u>	<u>0.25</u>	<u>-0.42</u>	<u>0.05</u>	<b>-0.10</b>	<b>0.00</b>	<b>0.03</b>	<u>-0.10</u>	*
CaO	<u>0.37</u>	<u>-0.10</u>	<b>-0.20</b>	<b>-0.27</b>	<u>-0.27</u>	<u>-0.34</u>	<u>-1.47</u>	<u>0.68</u>	<b>0.14</b>	<b>2.05</b>	<b>0.33</b>	<u>0.00</u>	*
Na2O	<u>0.00</u>	<u>1.58</u>	<b>2.91</b>	<b>-0.62</b>	<u>-0.06</u>	<u>-1.95</u>	<u>0.03</u>	<u>-1.57</u>	<b>-0.12</b>	<b>0.39</b>	<b>0.69</b>	<u>-0.06</u>	*
K2O	<u>0.20</u>	<u>-0.03</u>	<b>-1.26</b>	<b>0.66</b>	<u>-0.33</u>	<u>-1.06</u>	<u>0.08</u>	<u>0.00</u>	<b>-0.66</b>	<b>0.66</b>	<b>0.42</b>	<u>1.65</u>	*
P2O5	<u>-0.66</u>	<u>-0.40</u>	<b>1.06</b>	<b>-2.66</b>	<u>0.00</u>	<u>-0.27</u>	<u>0.90</u>	<u>-4.38</u>	<b>-0.27</b>	<b>0.27</b>	<b>1.37</b>	<u>0.00</u>	*
Ag	<u>0.60</u>	*	*	*	<u>-0.93</u>	*	*	*	<b>19.66</b>	*	*	*	<u>0.07</u>
Ba	<u>0.27</u>	*	<b>0.00</b>	<b>3.59</b>	<u>-1.38</u>	<u>-0.88</u>	<u>-0.96</u>	*	<b>-0.69</b>	<b>3.44</b>	<b>0.40</b>	*	<u>1.67</u>
Be	<u>0.76</u>	*	<b>-0.37</b>	*	<u>0.26</u>	*	*	*	<b>-0.82</b>	*	<b>0.97</b>	*	*
Bi	<u>1.20</u>	*	*	<b>481.76</b>	<u>1.20</u>	*	*	*	<u>-0.02</u>	*	*	*	<u>-0.12</u>
Cd	<u>0.62</u>	*	<b>-0.35</b>	*	<u>0.62</u>	*	*	*	<b>3.21</b>	*	*	*	<u>-2.83</u>
Ce	<u>-1.04</u>	*	<b>-0.16</b>	<b>6.37</b>	<u>0.27</u>	<u>-0.23</u>	<u>0.06</u>	*	<b>0.53</b>	<b>1.77</b>	<b>0.24</b>	*	<u>4.91</u>
Co	<u>1.61</u>	*	<b>0.47</b>	<b>-0.71</b>	<u>0.64</u>	<u>-0.40</u>	<u>2.63</u>	<u>-8.57</u>	<b>-0.21</b>	<b>-0.71</b>	<b>0.43</b>	*	<u>-0.47</u>
Cr	<u>-4.17</u>	*	<b>1.62</b>	<b>-2.12</b>	<u>-3.43</u>	<u>0.08</u>	<u>10.87</u>	<u>-8.17</u>	<b>2.29</b>	<b>-3.27</b>	<b>0.44</b>	*	<u>-0.55</u>
Cs	<u>1.51</u>	*	<b>0.13</b>	<b>8.32</b>	<u>0.13</u>	*	*	*	<b>-4.93</b>	*	<b>0.27</b>	*	*
Cu	<u>-0.01</u>	*	<b>-1.37</b>	<b>0.87</b>	<u>0.54</u>	<u>-1.78</u>	<u>-1.47</u>	<u>-3.48</u>	<b>-1.24</b>	<b>1.08</b>	<b>0.30</b>	*	<u>0.70</u>
Dy	<u>1.24</u>	*	<b>-0.21</b>	*	<u>-0.18</u>	<u>-0.11</u>	<u>0.66</u>	*	<b>-0.18</b>	*	<b>0.05</b>	*	*
Er	<u>-0.76</u>	*	<b>-0.04</b>	*	<u>1.22</u>	<u>-0.03</u>	<u>0.82</u>	*	<b>-0.00</b>	*	<b>-0.18</b>	*	*
Eu	<u>-1.10</u>	*	<b>-0.21</b>	*	<u>0.03</u>	<u>0.03</u>	<u>0.29</u>	*	<b>-0.05</b>	*	<b>-0.26</b>	*	*
Ga	<u>-0.24</u>	*	<b>-0.40</b>	<b>0.63</b>	<u>0.53</u>	<u>-0.24</u>	<u>-1.52</u>	*	<b>-0.25</b>	<b>0.63</b>	<b>0.29</b>	*	<u>0.33</u>
Gd	<u>-0.64</u>	*	<b>-0.07</b>	*	<u>0.21</u>	<u>0.21</u>	<u>0.36</u>	*	<b>0.07</b>	*	<b>0.15</b>	*	*
Ge	<u>0.97</u>	*	*	<b>-4.32</b>	<u>-6.05</u>	*	*	*	<b>0.60</b>	*	*	*	*
Hf	<u>0.63</u>	*	<b>-0.72</b>	<b>-9.29</b>	<u>-0.16</u>	*	*	*	<b>0.90</b>	*	<b>0.83</b>	*	*
Ho	<u>-1.30</u>	*	<b>0.17</b>	*	<u>-0.18</u>	<u>-0.21</u>	<u>0.36</u>	*	<b>-0.35</b>	*	<b>0.08</b>	*	*
In	<u>-0.12</u>	*	*	*	<u>0.31</u>	*	*	*	*	*	*	*	*
La	<u>0.08</u>	*	<b>-0.46</b>	<b>1.06</b>	<u>-0.14</u>	<u>0.01</u>	<u>0.15</u>	*	<b>-0.80</b>	<u>-0.21</u>	<b>0.12</b>	*	<u>-0.73</u>
Li	<u>0.62</u>	*	<b>-0.19</b>	*	<u>0.34</u>	*	*	*	<b>-1.79</b>	*	<b>0.43</b>	*	*
Lu	<u>-2.34</u>	*	<b>-0.28</b>	*	<u>0.31</u>	<u>0.13</u>	<u>0.52</u>	*	<b>0.32</b>	*	<b>0.04</b>	*	*
Mo	<u>-0.31</u>	*	<b>-0.92</b>	*	<u>0.11</u>	*	*	*	<b>1.90</b>	*	*	*	<u>-2.01</u>
Nb	<u>-1.07</u>	*	<b>0.61</b>	<b>0.00</b>	<u>0.00</u>	<u>0.85</u>	*	*	<b>2.89</b>	<b>1.71</b>	<b>0.62</b>	*	<u>-0.72</u>
Nd	<u>1.51</u>	*	<b>-0.08</b>	<b>-2.09</b>	<u>-0.09</u>	<u>-0.92</u>	*	*	<b>-0.30</b>	<b>-2.09</b>	<b>-0.07</b>	*	*
Ni	<u>-0.53</u>	*	<b>-0.71</b>	<b>-2.35</b>	<u>0.24</u>	<u>-0.00</u>	<u>-0.70</u>	<u>-8.58</u>	<b>-0.42</b>	<b>-2.67</b>	<b>-0.24</b>	*	<u>-0.74</u>
Pb	<u>0.01</u>	*	<b>-1.16</b>	<b>1.02</b>	<u>-0.67</u>	*	<u>-0.12</u>	*	<b>-1.06</b>	<u>-0.83</u>	<b>0.00</b>	*	<u>-2.09</u>
Pr	<u>0.68</u>	*	<b>0.22</b>	*	<u>0.40</u>	<u>-0.05</u>	<u>0.42</u>	*	<b>-0.40</b>	*	<b>0.41</b>	*	*
Rb	<u>-0.58</u>	*	<b>0.04</b>	<b>-1.16</b>	<u>0.79</u>	<u>-4.10</u>	*	*	<b>1.33</b>	<b>-0.33</b>	<b>0.13</b>	*	<u>-0.12</u>
Sb	<u>-0.34</u>	*	<b>2.62</b>	*	<u>-0.34</u>	*	*	<u>-1.04</u>	<b>-0.68</b>	*	*	*	*
Sc	<u>-0.30</u>	*	<b>0.86</b>	<b>-1.79</b>	<u>0.12</u>	<u>0.42</u>	<u>-0.60</u>	*	<b>-1.79</b>	<b>-0.60</b>	<b>0.64</b>	*	<u>-1.25</u>
Sm	<u>1.41</u>	*	<b>-0.01</b>	*	<u>0.05</u>	<u>-0.04</u>	<u>0.87</u>	*	<b>-0.28</b>	*	<b>0.04</b>	*	*
Sn	<u>2.37</u>	*	<b>1.24</b>	*	<u>-0.10</u>	<u>-0.72</u>	<u>0.58</u>	*	<b>-2.55</b>	*	*	*	*
Sr	<u>1.04</u>	*	<b>0.25</b>	<b>-0.74</b>	<u>1.04</u>	<u>-0.89</u>	<u>-0.45</u>	*	<b>0.00</b>	<b>-1.18</b>	<b>0.27</b>	*	<u>0.05</u>
Ta	<u>-0.55</u>	*	<b>-0.03</b>	*	<u>0.11</u>	*	<u>5.88</u>	*	<b>1.95</b>	*	<b>-0.07</b>	*	*
Tb	<u>-1.54</u>	*	<b>-0.10</b>	*	<u>0.26</u>	<u>-0.15</u>	<u>0.40</u>	*	<b>0.00</b>	*	<b>0.07</b>	*	*
Th	<u>0.40</u>	*	<b>-0.61</b>	<b>19.60</b>	<u>0.20</u>	<u>0.17</u>	<u>1.02</u>	*	<b>-1.13</b>	<u>7.53</u>	<b>0.02</b>	*	<u>-1.16</u>
Tl	<u>0.38</u>	*	<b>-0.08</b>	*	<u>-0.00</u>	*	*	*	<b>-0.76</b>	*	*	*	*
Tm	<u>-2.49</u>	*	<b>0.19</b>	*	<u>-0.09</u>	<u>0.05</u>	<u>0.41</u>	*	<b>-0.47</b>	*	*	*	*
U	<u>-1.13</u>	*	<b>0.25</b>	*	<u>0.15</u>	<u>0.44</u>	<u>0.69</u>	*	<b>-0.30</b>	*	<b>0.60</b>	*	*
V	<u>-1.61</u>	*	<b>-0.02</b>	<b>-2.59</b>	<u>-0.34</u>	<u>-0.45</u>	<u>0.77</u>	<u>-1.24</u>	<b>0.16</b>	<b>-2.06</b>	<b>0.00</b>	*	<u>-1.40</u>
W	<u>-0.48</u>	*	<b>-0.51</b>	*	<u>1.12</u>	*	*	*	<b>3.53</b>	*	*	*	*
Y	<u>-0.74</u>	*	<b>-0.45</b>	<b>0.28</b>	<u>0.58</u>	<u>-0.57</u>	<u>0.15</u>	*	<b>-0.15</b>	<b>166.91</b>	<b>1.10</b>	*	<u>-0.40</u>
Yb	<u>0.95</u>	*	<b>-0.11</b>	<b>-7.90</b>	<u>0.29</u>	<u>-0.02</u>	<u>0.62</u>	*	<b>-0.60</b>	*	<b>0.03</b>	*	*
Zn	<u>-1.55</u>	*	<b>-0.46</b>	<b>-0.75</b>	<u>0.51</u>	<u>0.29</u>	*	<u>-4.20</u>	<b>-1.34</b>	<b>-1.64</b>	<b>0.00</b>	*	<u>-0.31</u>
Zr	<u>0.78</u>	*	<b>-0.50</b>	<b>0.31</b>	<u>-0.22</u>	<u>0.16</u>	<u>-2.98</u>	*	<b>1.06</b>	<b>-0.44</b>	<b>2.60</b>	*	<u>0.14</u>

**Bold entries** are Data Quality 1 - Underlined entries are Data Quality 2 - *Entries in italics* are derived from Provisional Values.


Table 3 - GeoPT49 Z-scores for Basalt, BVA-1. 30/06/2021

Lab Code	L129	L130
SiO2	-0.63	<u>1.83</u>
TiO2	0.30	<u>-1.00</u>
Al2O3	-0.30	<u>-2.13</u>
Fe2O3T	-0.23	<u>-0.10</u>
Fe(II)O	*	*
MnO	-1.94	<u>-0.97</u>
MgO	-0.14	<u>-2.83</u>
CaO	0.33	<u>0.31</u>
Na2O	1.27	<u>-5.74</u>
K2O	-0.26	<u>1.98</u>
P2O5	0.53	<u>5.31</u>
Ag	-1.21	*
Ba	-0.18	<u>0.31</u>
Be	-1.77	*
Bi	0.05	*
Cd	-2.09	*
Ce	-0.34	*
Co	-0.43	<u>2.75</u>
Cr	-0.75	<u>-0.63</u>
Cs	-0.45	*
Cu	2.65	<u>-1.61</u>
Dy	0.58	*
Er	0.84	*
Eu	0.37	*
Ga	0.30	*
Gd	0.36	*
Ge	*	*
Hf	0.07	*
Ho	0.55	*
In	*	*
La	-0.06	*
Li	-2.50	<u>3.25</u>
Lu	0.44	*
Mo	0.11	*
Nb	-0.75	*
Nd	0.25	*
Ni	-2.14	<u>-1.00</u>
Pb	-0.22	<u>-2.23</u>
Pr	1.08	*
Rb	0.17	*
Sb	0.90	*
Sc	1.20	*
Sm	0.95	*
Sn	-2.00	*
Sr	-0.89	<u>-0.28</u>
Ta	-0.19	*
Tb	0.65	*
Th	2.00	*
Tl	-1.34	*
Tm	0.82	*
U	0.43	*
V	-1.54	<u>1.09</u>
W	-0.62	*
Y	0.54	<u>-0.85</u>
Yb	0.46	*
Zn	-1.68	<u>0.38</u>
Zr	1.03	<u>1.78</u>


**Bold entries** are Data Quality 1 - Underlined entries are Data Quality 2 - *Entries in italics* are derived from Provisional Values.




GeoPT49 - Barchart for MgO




GeoPT49 - Barchart for CaO




GeoPT49 - Barchart for Na2O




GeoPT49 - Barchart for K2O




GeoPT49 - Barchart for P2O5




GeoPT49 - Barchart for Ag




GeoPT49 - Barchart for Ba




GeoPT49 - Barchart for Be




GeoPT49 - Barchart for Bi




GeoPT49 - Barchart for Cd




GeoPT49 - Barchart for Ce




GeoPT49 - Barchart for Co




GeoPT49 - Barchart for Cr




GeoPT49 - Barchart for Cs




GeoPT49 - Barchart for Cu




GeoPT49 - Barchart for Dy



GeoPT49 - Barchart for Er




GeoPT49 - Barchart for Eu







GeoPT49 - Barchart for Ga




GeoPT49 - Barchart for Gd




GeoPT49 - Barchart for Ge




GeoPT49 - Barchart for Hf




GeoPT49 - Barchart for Ho




GeoPT49 - Barchart for In




GeoPT49 - Barchart for La




GeoPT49 - Barchart for Li




GeoPT49 - Barchart for Lu




GeoPT49 - Barchart for Mo




GeoPT49 - Barchart for Nb




GeoPT49 - Barchart for Nd




GeoPT49 - Barchart for Ni




GeoPT49 - Barchart for Pb




GeoPT49 - Barchart for Pr




GeoPT49 - Barchart for Rb




GeoPT49 - Barchart for Sb




GeoPT49 - Barchart for Sc




GeoPT49 - Barchart for Sm




GeoPT49 - Barchart for Sn




GeoPT49 - Barchart for Sr




GeoPT49 - Barchart for Ta




GeoPT49 - Barchart for Tb




GeoPT49 - Barchart for Th




GeoPT49 - Barchart for TI




GeoPT49 - Barchart for Tm




GeoPT49 - Barchart for U




GeoPT49 - Barchart for V



GeoPT49 - Barchart for W



GeoPT49 - Barchart for Y










Figure 1: GeoPT49 - Basalt, BVA-1. Data distribution charts for elements for which values were assigned or provisional values given for guidance. Horizontal lines show the limits for  $-2 < z < 2$  for pure geochemistry labs (solid lines) and  $-2 < z < 2$  for applied geochemistry labs (pecked lines).


GeoPT49 - Barchart for H2O+




GeoPT49 - Barchart for LOI




GeoPT49 - Barchart for As




GeoPT49 - Barchart for B



GeoPT49 - Barchart for C(tot)



GeoPT49 - Barchart for Cl









Figure 2: GeoPT49 - Basalt, BVA-1. Data distribution charts provided for information only for elements for which values could not be assigned.



Multiple Z-Score Chart for GeoPT49







Figure 3: GeoPT49 - Basalt, BVA-1. Multiple z-score charts for laboratories participating in the GeoPT49 round. Symbols indicate whether or not an elemental result complies with the  $-2 < z < +2$  criteria (see key).

Multiple Z-Score Chart for GeoPT49







Figure 3: GeoPT49 - Basalt, BVA-1. Multiple z-score charts for laboratories participating in the GeoPT49 round. Symbols indicate whether or not an elemental result complies with the  $-2 < z < +2$  criteria (see key).

Multiple Z-Score Chart for GeoPT49







Figure 3: GeoPT49 - Basalt, BVA-1. Multiple z-score charts for laboratories participating in the GeoPT49 round. Symbols indicate whether or not an elemental result complies with the  $-2 < z < +2$  criteria (see key).

Multiple Z-Score Chart for GeoPT49






Figure 3: GeoPT49 - Basalt, BVA-1. Multiple z-score charts for laboratories participating in the GeoPT49 round. Symbols indicate whether or not an elemental result complies with the  $-2 < z < +2$  criteria (see key).